

# OFFICE FURNITURE

**Collection 2023** 




# Create A Better Workplace

Your Work Efficiency Expert #WorkWithYou

Since 1997, Apex has been synonymous to creating a better workplace for workers' elevated efficiency, productivity, and sense of wellbeing. The primary driving force in our business is to create rich dynamics of product innovation, evolution, and adaptation routinely - with effective services.

As an award-winning work efficiency expert to our clienteles both nationwide and internationally, we focus on people, function and space. We celebrate inspirations and ideas. We champion for professionals to interact, inspire, innovate for career excellence.

At Apex, we repond quickly and design to work with you, and for you.



# Your Work Efficiency Expert

Since 1997, APEX has been synonymous to creating a better workplace for workers' elevated efficiency, productivity, and sense of wellbeing.

As a leading manufacturer, wholesaler, and retailer of human-centric office furniture designs and essentials, our continuous improvement and sustainable development in our services and products over the years has put us on the world map.

We have come a long way since our days as a modest furniture supplier and trader, to now an award-winning work efficiency expert to our clienteles; both nationwide and internationally.









### Showroom -Kuala Lumpur

You are welcoming to visit our showroom. Malaysian Book of Records in 2012 which is as the largest office furniture showroom in Malaysia. Step into the future of work with our experiential showroom at Kuala Lumpur. Explore and experience in our product display area, and find the perfect fabric for your dream piece in our fabric library. Experience the beauty, comfort, and quality of our furniture like never before!

# Index

Director	(
Workstation	52
Discussion	112
Meeting	142
Storage	160
Partition	192
Pod	246
Accessories	280
Specification	294

# Director

Aulenti	3
Nue	24
Noa	28
Essence	32
Homag	36
Max	40
Nexus	44
Senti	48

## **Aulenti**

If we say "architecture revives a city", then office desks should almost determine the office environment.


The powerful front contour, and those diamond-like splendid curves are all inspired by the dual edged infinite display of Galaxy S8.

The concise and bright shape of crossed desk legs demonstrate a perfect combination of strength and beauty.

Special formaldehyde-free water-based dual varnishing technology helps to create a greener and friendlier office atmosphere.



Innovation, for the Eyes that Perceive Beauty



The cable-stayed design of the framework is the essence of Aulenti's "strength and beauty". It is like the immense whale bone, stable and full of dynamic sense.

It is like the antenna of City of Arts and Sciences in Valencia, perfectly integrating art, technology, beauty and strength.





12







### 1. Convenient USB Charging

The panel is equipped with USB charging function. Aulenti cares about you in every detail.

2. For Organized Storage, for Easy Classification.

Wooden meteor gray storage drawer makes it easier to sort out small items.

3. The Light Belt Designed to Build Up the Atmosphere

A stylish light belt is installed inside the cabinet's display area to shed soft lights through acrylic board.



### Back Cabinets with Geometric Beauty

The natural wood grain and the matte leather make the cabinet classic and exquisite, and make the whole office trendy and unique.

Cabinets composed of geometric blocks which represent minimalist spirit practice the functions of display and collection to the fullest.

Techniques of grooving and binding the edge and corner overturn the flat opening mode and allow the user to switch the cabinet between storage and display area at will.

### **Urban Elite**

The octagonal desktop
looks infinite with the extension of lines.
The wood grain texture
outlines a sense of mystery and mildness.
The smoothly forged desk legs look powerful
but never too aggressive.
The meeting space is neat, steady and trendy.
It is unique and shows professional demeanor.






### **5 Power Supply Tracks**

Application of modern technologies and humanized configuration help redefine efficiency in workplace. 4 leather-upholstered segments in the middle of the 6.8/8.4m-wide desktop is designed with aluminum alloy frame with each short edge equipped with a track for slideable power plugs. Users seating on four sides of the desk can enjoy convenient power use.





### Slideable Power Plugs

The power supply track is designed with a narrow slot only accessible for its matching plugs. Users can insert plugs into any spot of the track, thus implementing more safe and convenient power use.

#### **Executive Desk**



ED88L/R W3200\*D2250\*H760(mm) W2800\*D2250\*H760(mm)



ED87L/R W2400\*D2050\*H760(mm)

#### Cabinet



ED98 W3830\*D560\*H2130(mm)



ED97 W3200\*D560\*H2130(mm)



ED96 W2530\*D430\*H2130(mm)

### Meeting Table



ED77 W6600\*D2000\*H760(mm) W8400\*D2000\*H760(mm)



ED78 W4800\*D1600\*H760(mm)



ED78 W3600\*D1500\*H760(mm) W2800\*D1200\*H760(mm)

22

#### Material





### Chair



CAL80SQ W620\*D570\*H1170(mm)



CAL60SQ W620\*D585\*H975(mm)

### Material




TP-ZP21H TP-ZP50H

#### Sofa



SA90.1 W850\*D900\*H820(mm)



SA90.3 W2050\*D900\*H820(mm)

#### Material

#### Half Leather


















Coarse Cashmere





SM-SI11B SM-SI25B

### Accessories









# **NEU**

### **Grand Representative**

A complete director table set intended for premium status and ultimate comfort in tandem with the seat of authority.

Inspired by a homage to leaders, this piece was created to demonstrate leadership. The robust table commands attention. This is a director table series with built-in storage. Perfect for a top-level management role.



24

### **Product Specification**



Main Table & Back Storage

WK-NEU-01-PW (L) WK-NEU-01-PW (R) Neu table with Power Track WK-NEU-01-F (L) WK-NEU-01-F (R) Neu table with Flipper Casing WK-NEU-02 Neu back storage







### **Features**

#### **Sliding Storage**

Sliding storage has a black color body on the inside and a woodgrain door with a 45-degree edging.



#### **Private Drawer**

With a digital lock and a lightweight drawer that uses a 45-degree edging as a hidden handle, you can safely store your confidential items away.



### **Power Track**

Removable and adjustable premium plug adapters for office work desk. The sleek and modern design adds a touch of sophistication to any modern office with safety measure and high electrical load capability.



### **Wire Solution Storage**

Swing storage with a black color body on the inside and a woodgrain door with a 45-degree tilt. This storage organizes your cables and conceals them.



### **Flipper Casing**

Designed for the best wire management solution to suit your modern day office needs.



### **Bottom Swing Storage**

The inside body is 18mm thick in BLACK, while the door is MASHA WHITE. The door forgoes a handle and features a 45-degree edging at the top that functions as a hidden handle.



### **Swing Storage**

Clothes hanger with a BLACK inner body and a MASHA WHITE door to organize your attires.



### **Open Shelf**


Everything is 18mm thick BLACK, except for the 25mm thick MASHA WHITE shelf. LED lighting can be added to shelf paneling as an option.



### **Dimension**

WK-NEU-01-PW (L) WK-NEU-01-PW (R)


Main Table 2385W x 1700D x 760H MM



Main Table 2385W x 1700D x 760H MM

WK-NEU-02 **Back Storage** 


2400W x 500D x 2090H MM



#### Power Track WK-PW-01

Power track 400mm + CAT6 Data Module with 2 plug adapters (international socket outlet)





### **Material & Colour Option**

Melamine Laminated Chipboard



ZAORA







CAPUCCINO





MAHOGANY



NOGARO



BLACK

### Recommended colour combination for chipboard & edging



27



& BLACK





IDRANI OAK & BLACK



### Minimalistic design with spacious storages.

Integrating modern design ideas with classic styling while keeping comfort and functionality in mind. It has a mix of modern and classic vibes to it. The back storage is visible in the same finishes as the desks, and the stone pattern on the door panel adds to its allure.



### **Product Specification**



Main Table & Back Storage

WK-NOA-01-F (L) WK-NOA-01-F (R) NOA table with Flipper Casing

WK-NOA-02 NOA back storage





### **Features**

### Open Storage

Each side of the table features open storage in front, on the side, and within the table. It can hold books and magazine collections.



### **Private Drawer**

With a soft-closing drawer, 4-combination numbering lock, and 45-degree angle edging as a hidden handle. The private drawer stores important documents and more personal items.



### Wire Solution Storage

Top storage with flipper casing. Storage with a swing door to conceal and support the wires and cables.



**Swing Storage** 

The wire and cables are concealed and supported by the middle swing door.



### **Back Swing Storage**

The interior is BLACK, and the door is MODI OAK with a slanting edging as a hidden handle. Closed cabinets hides disorganization and make a room appear visually cleaner and more cohesive.



**Height Swing Storage** 

The interior is BLACK and the door is MODI OAK. It can act as a personal storage which includes an adjustable shelf and a suspended clothes bar for hanging your apparels.



### **Open Storage**

Open storage with a full black colour scheme. Ability to organize hardback file documents and also serve as a display rack for decorative pieces.



### **Sliding Storage**

The contrast of materials makes this design more appealing. The sliding door is coated by the stone patterned NEVILLE FAB.




### **Dimension**

WK-NOA-01-F (L) WK-NOA-01-F (R)

Main Table 2450W x 1550D x 760H MM



2000W x 500D x 2000H MM



### **Material & Colour Option**

Melamine Laminated Chipboard

















### Recommended colour combination for chipboard & edging











MASHA WHITE & BLACK

# **ESSENCE**


**Elegant Style** 

Desk with elegant and timeless style and sturdy design.

As an executive, you'll need to look and feel your best to inspire more confidence. Inspired by Industrial look - the minimal but solid design with the combination of natural look of wood grain and rectangle black steel leg. Essence can blend well with any office interior.



### **Product Specification**



Main Table & Back Storage

WK-ESC-01-NB3 Essence table with Indesk netbox N3

WK-ESC-01-F Essence table with Flipper Casing

WK-ESC-02 Essence back storage







### **Features**

### **Open Storage**

The front open storage is great for books, plants, and visitor bags. Shoes and laptop bags should be kept inside the open storage for added security.



### **Private Drawer**

With a hidden handle, the soft-closing drawer is secure with a digital lock. The private drawer is a safe haven for your confidential documents and personal belongings.



### **Wire Management Storage**

The wire management storage with a swing door to conceal and organize wires and cables.



Plug In Station

Tables come with plug in stations on the side table top for easy access.



### Swing Door (With **Cylinder Lock)**

Full body with 18mm door in IDRANI OAK with 1mm edging. Any valuable items and important documents can be stored here and kept safely by the cylindrical lock.



**Small Open Storage** 

Full body 18mm BLACK with 1mm edging with two adjustable shelves. Can hold hardcover file documents and also functions as a display rack for decorations.



### **Big Open Storage**

18mm Idrani oak color with a 1mm edge. Accessories, awards, or decorations can be placed here.



**Swing Door (Without** Lock)


Full body with 18mm door in INDRANI OAK with 1mm edging. Uses slanting edging as a hidden handle and one adjustable shelf.



### **Dimension**

#### WK-ESC-01-NB3

Main Table 2500W x 1000D x 760H MM



#### Centra Netbox WK-NB-2PUO

Centra netbox with 2P x 13a Socket (Nk series), 1U x Data Usb, 10 x Data Outlet




### WK-ESC-01-F

Main Table 2500W x 1000D x 760H MM

WK-ESC-02 **Back Storage** 

2200W x 500D x 1500H MM



### **Material & Colour Option**

Melamine Laminated Chipboard







SHAD ASH







NOGARO



BLACK

### Recommended colour combination for chipboard & edging



IDRANI OAK

& BLACK

ZAORA



35



& BLACK







& BLACK

# **HOMAG**


Modish

Desk with stylish and contemporary style and sturdy design.

Designed for higher ranking officers that require style and comfort for more confident and elegant office furniture.



### **Product Specification**



Main Table & Back Storage

WK-HOMAG-01 HOMAG table



### **Features**

### **Modesty Panel**

Full cover modesty panel provide users with privacy by shielding their legs.



Intensified Security
Comes with numbering
security lock. Offers more
security than a file cabinet
or dresser drawer.



### Wire Management Storage

The wire management storage helps conceal and organize wires and cables.



### Dimension

### WK-HOMAG-01

Main Table 2220W x 2100D x 760H MM



### Material & Colour Option

Melamine Laminated Chipboard







### Blend of modern with traditional elements.

The main table and cabinet has a square shape look with elegant lines. The double colour matching involves Rochelle White and Zean Teak with Solid White to merge modern design ideas into classic styling while maintaining comfort and functionality.



### **Product Specification**



Main Table & Back Storage

WK-MAX-01 Max table

WK-M-W-210 WK-M-H-210 WK-M-O-210 Max high cabinet

**WK-M-H3D** Max high mobile 3 drawer







### **Features**

### Wire Management **Storage**

The wire management storage with a swing door to conceal and organize wires and cables.



Leg Base Desks come with adjustable stopper.




Extra Storage

Comes with optional drawer for more storage.




Flipper Casing Designed for the best wire management solution to suit your



### **Dimension**

### WK-MAX-01

Main Table 2000W x 2000D x 760H MM




### WK-M-W-210

High Cabinet 800W x 450D x 2100H MM




### WK-M-H-210

High Cabinet 800W x 450D x 2100H MM



### WK-M-O-210

High Cabinet 800W x 450D x 2100H MM



### WK-M-H3D

High Mobile 3 Drawer 425W x 490D x 650H MM



### **Material & Colour Option**

Melamine Laminated Chipboard







NOCE NOGARO



BLACK



# **NEXUS**

**Pleasant** 

3 in 1 director table with combination of fixed pedestal and extension cabinet.

This modern yet luxury design is to match a contemporary pattern to cater the lifestyle of energetic modern bosses. NEXUS is special with single sliding door filing storage concept, with 2mm thk external aluminium railing for smooth door opening and hassle free.



### **Product Specification**



Main Table & Back Storage

WK-NEX-01 Nexus table

WK-NEX-05 Nexus back storage





### **Features**

### Large Workspace

3 in 1 combination with fixed pedestal & extension cabinet.




Cabinet Detailing
Melamine laminated
sliding door enhance with
aluminium lining.



### **Sliding Door**


Single sliding door with 2mm thk external aluminium railing for smooth and hassle free door opening.



### **Dimension**

### WK-NEX-01

Main Table 2600W x 2100D x 760H MM



### WK-NEX-05

Back Storage 1800W x 450D x 2000H MM



### **Material & Colour Option**

Melamine Laminated Chipboard





# **SENTI**

### **Cubical Volume**

### Combines with classical elements with cubical aesthetics.

Executive office SENTI provides different storage solutions such as open file drawers, shelves, sliding door cabinet and an external mobile pedestal to suit your needs.



48

### **Product Specification**



Main Table & Back Storage

WK-SENTI-01 Senti table

WK-SENTI-04 Senti back storage

WK-SENTI-03 Senti high mobile 3 drawer







### **Features**

### Open Storage

Features with book shelves storage at table front



### Leg Base Metal base with

adjustable drawer




### Flipper Casing

Designed for the best wire management solution to suit your modern day office needs.



Locking System


Aluminium locking system.



### Dimension


### WK-SENTI-01

Main Table 2000W x 1800D x 760H MM



### WK-SENTI-04

Back Storage 2000W x 520D x 2100H MM



### WK-SENTI-03

High Mobile 3 Drawer 425W x 490D x 670H MM



### Material & Colour Option

Melamine Laminated Chipboard





# Workstation

Spider	54
Verta	62
Next	70
Flex	78
Гаz	84
Beam	88
_ipa	94

# Spider

Spider is a comprehensive o ce set with executive desks, conference tables, and occasional tables included. The encounter of multiple materials-metal and wood breaks the monotony of traditional desks and endows your real estate with an extraordinary charm. A journey of vogue is unwinding in front of






## Single Table




Single Table





Single Link Table



### **Double Table**




**Double Table** 






**Double Link Table** 



### **Executive Table**




**Executive Table** 





**Discussion Table** 



### **Meeting Table**




**Meeting Table** 





60

**Meeting Link Table** 



### **Features**

### Single Front Panel Range

The single front panel range gives an added privacy but not totally cut off from the outside world, it balances privacy and communications.



### **Modesty Range**

When your lower body is covered, you have an added sense of security, allowing you to focus on the task at hand.



### Clamp Netbox

The modular design allows for any service configuration, making it an ideal solution for workstations, meeting and conference tables, collaborative and public spaces.



### In-Desk Netbox

Avoid bending down all the time to plug in your wires when you have a in-desk netbox for your electronics.



### Wireless Charger

Wireless charging eliminates the need for phone cables, allowing for a cable-free workspace in the future.



### Wire Casing

61

The casing hides your wires to conceal the plugs and make it appear more sorted.



#### Wire Terminal

Connecting all wires into one terminal not only gives it a systematic feel, also makes the workspace clutter-free.



# Verta

The conference in Verta series is designed with concise appearances which endow the office space with an easy and relaxed atmosphere.We can implement co-working even in a small space. Here, employees are more willingly to have discussions and active learning in such an environment. Modular units implement free combinations for co-working even in small office spaces.





## Single Table



Single Table

1800W MM
1500W MM
1200W MM
1200W MM
1000W M






### **Double Table**




**Double Table** 





**Double Link Table** 



### **L-Shape Table**




L-Shape Table





**Discussion Table** 




900D MM

# Marketation Corio

### **Meeting Table**




### **Meeting Table**





68

### **Meeting Link Table**



### **Features**

### Single Front Panel Range

The single front panel range gives an added privacy but not totally cut off from the outside world, it balances privacy and communications.



### **Modesty Range**

When your lower body is covered, you have an added sense of security, allowing you to focus on the task at hand.



### Clamp Netbox

The modular design allows for any service configuration, making it an ideal solution for workstations, meeting and conference tables, collaborative and public spaces.



#### **In-Desk Netbox**

Avoid bending down all the time to plug in your wires when you have a in-desk netbox for your electronics.



### Wireless Charger

Wireless charging eliminates the need for phone cables, allowing for a cable-free workspace in the future.



### Wire Casing

The casing hides your wires to conceal the plugs and make it appear more sorted.



### Wire Terminal

Connecting all wires into one terminal not only gives it a systematic feel, also makes the workspace clutter-free.





## **Next**

Our workplace is a place where we come together, collaborate, and create. To introduce a versatile table that can be adjusted to accommodate a variety of situations. Individual focus and team collaboration are facilitated by enabling a dynamic way of working.



## Single Table



Single Table





Single Link Table



### **Double Table**



Double Table





Double Link Table



### **L-Shape Table**



L-Shape Table



### V-Shape Table



74

V-Shape Table



### **Executive Table**



**Executive Table** 



### **Discussion Table**



**Discussion Table** 



### **Meeting Table**



NEXT Meeting Table Range



### **Bar Table**



NEXT Bar Table Range



### **Features**

#### Single Front Panel Range

The single front panel range gives an added privacy but not totally cut off from the outside world, it balances privacy and communications.



#### **Modesty Range**

When your lower body is covered, you have an added sense of security, allowing you to focus on the task at hand.



#### Clamp Netbox

The modular design allows for any service configuration, making it an ideal solution for workstations, meeting and conference tables, collaborative and public spaces.



#### **In-Desk Netbox**

Avoid bending down all the time to plug in your wires when you have a in-desk netbox for your electronics.



#### Wireless Charger

Wireless charging eliminates the need for phone cables, allowing for a cable-free workspace in the future.



#### **Trunking Plate**

The Trunking Plate protects and conceals your cables, preventing workplace hazards and providing a more organised appearance.



#### **Wire Terminal**

Connecting all wires into one terminal not only gives it a systematic feel, also makes the workspace clutter-free.



#### Wire Casing

The casing hides your wires to conceal the plugs and make it appear more sorted.




## Flex

Flex Series is a reliable health guardian, reminding you to alternate sitting and standing and to cultivate a healthy work habit. Involvement, energy and participation are enhanced when you change your body position frequently.



### Single Table



#### FLEX Single Desk Range

The Single Table provides sufficient space for an individual to keep all of their essentials in one location while also encouraging healthy work habits.


#### Selection



Digital Motor

Hand Crank

### **Double Bench Table**



#### FLEX Double Bench Range

A double bench desk is an excellent solution for offices with limited space because it creates a more attractive and organized area while also encouraging teamwork due to coworkers' proximity.

#### Selection






Digital Motor

Hand Crank

### **L-Shape Table**



82

#### FLEX L-Shape Range

The L-shape desk provides more workspace while taking up less space. Unlike traditional tables, the innovative design enables its surfaces to be reachable.

#### Selection



Digital Motor

Hand Crank

### **Features**

### Single Front Panel Range

Lightweight and vibrant to create sufficient separation around the workplace for some much-needed space and self-privacy.



#### **Modesty Range**

Protecting your privacy at work is critical for maintaining complete focus on your tasks and, more importantly, for increasing productivity.



#### Clamp Netbox

Organizing your cables in a single location may help foster a sense of harmony in your workspace, whereas a disorganized one may increase stress or anxiety.



#### **In-Desk Netbox**

Avoid bending down all the time to plug in your wires when you have a in-desk netbox for your electronics.



#### Wireless Charger

Wireless charging eliminates the need for phone cables, allowing for a cable-free workspace in the future.



#### **Trunking Plate**

The Trunking Plate protects and conceals your cables, preventing workplace hazards and providing a more organised appearance.



#### **Cable Tray**

Concealing your netbox within the table with the cable tray can help you stay organized in the workplace by avoiding wire clutter.



#### Wire Casing

By organizing and concealing cables from the outside world, the Wire Casing protects your workplace from hazards.



## Taz

Understanding the need of budget offices, the highly practical systems furniture provides limitless configurations to accommodate any office space. Taz, it's easier to get things done when you have a desk that works for you.





#### Model

Straight Main Table

1200W - 1800W x 740D x 760H MM

Curve Main Table

1800W x 900D x 760H MM

L-Shape Table

1500W/600D x 1500W/600D x 760H MM








## Beam

BEAM Series, Influenced and inspired by the untethered, modern worker who seeks flexibility and convenience. To adapt to new ways of leisure and work, Beam table transitions the workplace from one that's fixed and formal to a space that suits a variety of preferences and working habits.

Beam provides a space to collaborate, gather, dine and spread out. Accommodate small meetings and one-on-one interactions to large gatherings and collaboration sessions.



## Single Table

Single Table



### **Double Bench Table**



Double Table



### **L-Shape Table**



L-Shape Table



### **Bar Table**



Bar Table





Bar Double Table



# Lipa

In work, one email, one call and even one meeting can lead to a connection.

The ratio of success depends on the conections you make with the world. More connections bring higher ratio of success.

Lipa, Create More Connections for Sucess.





### **Executive Space**

#### Creators, Lead the Future

Never deliberately emphasize the status, always stay gentle and humble.

Always keep clear thinking, and link to a wider world.

Lipa, Minimalistic Style, Infinite Imagination, Marvelous Construction, Unworldly Taste.









#### Within Reach, Handy Use

The multi-function side cabinet has two versions. Reasonable inner space partitioning gives its drawers sufficient storage room.

Innovative handle design perfectly fit the point of finger strength so you can open and close the cabinet at ease.

Flip box, frosted with metal, delicate and elegant. Fitted with multi-outlet panel, it meets the power demand of different systems.

### **Working Space**


Dynamic Space
Better Coordinating Experience
Lipa, A Style of Its Own
Teamwork with flexible interaction
Connecting fun and creative ideas freely.





#### "Bespoke", Optimization of Space

Focus on teamwork, I-shaped with cabinets, modular design, proper strorage space of office and personal belongings. "1+1" assembly and array extends infinitely in space, a great improvement of space








#### Diversified Combination, Young Generation Style

L-shaped desk top orderly assembled using the 90°right angle. 2-person team can be formed with a turnaround, making communication more convenient.

A glass screen is fitted in to meet the demand for open and private space at the same time, bringing unprecedented experience to highlight energy and vigor.








#### Dare to Change, True to Oneself

120° workstation, a breakthrough of the conventional office mode. The whole workspace can be broken into threeperson or six-person collaboration workspace, a big increase of work









### Combination of Functions and Intelligence

Shared central cabinet, linking to multi-scenarios of modern office, and realization of proper storage of files and documents with privacy consideration: an independent workstation of your own.



#### Wireless Connection, Cleaner Office

The in-cabinet cable routing safely hides cables. The meticulous attention to details keeps the whole office environment more compact and clean.





#### **Temporary Communication**

Small negotiation table. The mellow shape is consistent with the style of the whole series, meeting demand of small reception or temporary workout.





#### Ample Room, Efficient Meeting

Formal meeting system. The minimalistic desk top and outward legs bring bigger legroom. Even a big meeting of 8-12 people won't find it cramped.

# Discussion

114
118
122
126
130

## Konnect

Discussion tables are where ideas come to life and projects are developed. For a result that mixes together harmony, composure, reliability, and sophistication, the KONNECT series is meant for people to do its namesake: to connect.



### **K1**



#### K1 Type

The symmetrical pattern and a a timeless design that's always blend of materials bring a in season. K1 with a four-star

simple product that excels. base gives the surroundings a Elegant, sedate, and peaceful dramatic profile.



K2






With the dynamism of modernism injected, K2 is beautiful, and beautifully made. Casual yet artistic lines of steel leg bring the tabletop

appropriate support. Capture creative ideas in this inspirational space.





#### K3 Type

An admirable public space should enable multiple activities like meeting guests, savoring coffee.

Available in a round base, K3 can present totally different feelings and harmonize with various surroundings.



# Spider

Spider is a comprehensive o ce set with executive desks, conference tables, and occasional tables included. The encounter of multiple materials-metal and wood breaks the monotony of traditional desks and endows your real estate with an extraordinary charm. A journey of vogue is unwinding in front of



### **Discussion Table**



**Double Link Table** 



### **Features**

#### Single Front Panel Range

The single front panel range gives an added privacy but not totally cut off from the outside world, it balances privacy and communications.



#### **Modesty Range**

When your lower body is covered, you have an added sense of security, allowing you to focus on the task at hand.



#### Clamp Netbox

The modular design allows for any service configuration, making it an ideal solution for workstations, meeting and conference tables, collaborative and public spaces.



#### In-Desk Netbox

Avoid bending down all the time to plug in your wires when you have a in-desk netbox for your electronics.



#### Wireless Charger

Wireless charging eliminates the need for phone cables, allowing for a cable-free workspace in the future.



#### Wire Casing

The casing hides your wires to conceal the plugs and make it appear more sorted.



#### Wire Terminal

Connecting all wires into one terminal not only gives it a systematic feel, also makes the workspace clutter-free.






## **Next**

Our workplace is a place where we come together, collaborate, and create. To introduce a versatile table that can be adjusted to accommodate a variety of situations. Individual focus and team collaboration are facilitated by enabling a dynamic way of working.



### **Discussion Table**



NEXT Discussion Table Range



### **Features**

#### Single Front Panel Range

The single front panel range gives an added privacy but not totally cut off from the outside world, it balances privacy and communications.



#### **Modesty Range**

When your lower body is covered, you have an added sense of security, allowing you to focus on the task at hand.



#### Clamp Netbox

The modular design allows for any service configuration, making it an ideal solution for workstations, meeting and conference tables, collaborative and public spaces.



#### In-Desk Netbox

Avoid bending down all the time to plug in your wires when you have a in-desk netbox for your electronics.



#### Wireless Charger

Wireless charging eliminates the need for phone cables, allowing for a cable-free workspace in the future.



#### **Trunking Plate**

The Trunking Plate protects and conceals your cables, preventing workplace hazards and providing a more organised appearance.



#### Wire Terminal

Connecting all wires into one terminal not only gives it a systematic feel, also makes the workspace clutter-free.



#### Wire Casing

The casing hides your wires to conceal the plugs and make it appear more sorted.




## Verta

The conference in Verta series is designed with concise appearances which endow the office space with an easy and relaxed atmosphere.We can implement co-working even in a small space. Here, employees are more willingly to have discussions and active learning in such an environment. Modular units implement free combinations for co-working even in small office spaces.



128

#### **Discussion Table**



### **Features**

#### Single Front Panel Range

The single front panel range gives an added privacy but not totally cut off from the outside world, it balances privacy and communications.



#### **Modesty Range**

When your lower body is covered, you have an added sense of security, allowing you to focus on the task at hand.



#### Clamp Netbox

The modular design allows for any service configuration, making it an ideal solution for workstations, meeting and conference tables, collaborative and public spaces.



#### In-Desk Netbox

Avoid bending down all the time to plug in your wires when you have a in-desk netbox for your electronics.



#### Wireless Charger

Wireless charging eliminates the need for phone cables, allowing for a cable-free workspace in the future.



#### Wire Casing

129

The casing hides your wires to conceal the plugs and make it appear more sorted.



#### Wire Terminal

Connecting all wires into one terminal not only gives it a systematic feel, also makes the workspace clutter-free.



# Jason

FAS-level white oak from North America painted with food-grade wax oil finishing, Natural texture and colors are exposed with 45-degree beveled edges, creating a perfect combination of beauty and superior touch.








Say no to tedious office filled with cubicles. A modern office should be flexible enough and efficient spatially. For individual working, for meeting, for lunch, for reading... This is a space that has blurred the boundary of office and home.



The environment-friendly felt desk-mounted screen will create a new world for you. No matter for office working or communication, this space is all yours.













It is processed with patented edge-banding technology with wood grain that is as real as the work of Mother Nature.

The four corners are meticulously rounded to provide better support for your arms. Connected with mortise and tenon joint technique, it is a work of craftsmanship.





Nights are long in winter across the Arctic Pole. Finnish people always like to drink a little with several close friends in a time like this. See, who's proposing a toast and starts to sing tipsily yet happily? And who's lighting the campfire and begins another party? The dancing flame illuminates the lake, and lights up the dark winter.





EW80 W2000\*D950\*H760(mm)



EW78 W2400\*D1200\*H760(mm)



EW77 W2400\*D1200\*H1050(mm)



EW71 W1200\*D400\*H1050(mm)



EW72 W1600\*D600\*H1050(mm)



EW77 φ1100\*H1050(mm)



EW90 W2002\*D560\*H1500(mm)



EW25 W1002\*D560\*H610(mm)



EW26 W373\*D440\*H540(mm)



EW91 W1200\*D400\*H1200(mm)



SJ61 W610\*D540\*H760(mm)



SJ60.1 W770\*D690\*H770(mm)



SJ60.1 W1500\*D710\*H770(mm)



EFJ39 W356\*D300\*H41(mm)



EFJ40 W470\*D300\*H41(mm)



EFJ43 W1175\*D350\*H8(mm)



EFJ41 W65\*D65\*H65(mm)



EFJ42 W65\*D65\*H65(mm)

Given that products may be updated constantly, no further notice will be given in regard of changes in specification, and the real product shall be considered as final.


 Material
 EW77/EW90/EW25/EW26/EW91/EFJ43

 Main Color
 Auxiliary Color






Sofa



TM Series



TM-VI90B TM-VI82B TM-VI81B TM-VI64B TM-VI50B TM-VI21B TM-VI11B TM-VI10B TM-VI42B TM-VI30B TM-VI29B TM-VI27B

S-SD Series



# Meeting

eff	114
landic	118
tro	122

## Spider

When employees get, far-reaching viewpoints, clear thinking, an open mind, and a high degree of flexibility are all aspects they pay attention to. Teff takes these demands into consideration and aims to indulge you with the most satisfying training experience.





## **Features**

Easy Storing
Easy storing specification to save space.



Modesty Panel
When your lower body
is covered, you have an
added sense of security, allowing you to focus on the task at hand.



Model

5FT TABLE WK-TF-15-W-M(S) 1500W x 600D x 750H MM




6FT TABLE WK-TF-18-W-M(S) 1800W x 600D x 750H MM




## Mandic

Efficiency always takes the first priority when it comes to staff training. Mandic collects desks, cabinets, and white boards for efficient learning. The feet design takes inspiration from elegant ballet dancers and the chair is easy to move with omni-directional castors. Mandic tables can be easily folded and stacked, saving more room for different training lessons.







Two tables piecing together for cooperative training



Linear arrangement for professional training




U-shaped arrangement for core training



Arc-shaped arrangement for massive training

For Sitting Still and for Moving Around, Its Arc Shape triggers Your Learning Enthusiasm

The castor can be lockedffering you your own learning space in a crowded conference.



#### Easy to Stack, More Space for Sharing



The innovative design of the foldable desktop with a switch in the middle edge allows you to turn it by 90 using only one hand. The modesty panel moves with the desktop to maintain its all-time beauty. Mandic could be stacked tightly in straight lines to save more space.





DM61 W1200\*D550\*H750(mm) W1400\*D550\*H750(mm) W1500\*D550\*H750(mm) W1600\*D550\*H750(mm)



DM62 W1200\*D550\*H750(mm) W1400\*D550\*H750(mm) W1500\*D550\*H750(mm) W1600\*D550\*H750(mm)



**DM43** W901\*D418\*H946(mm)



**DM33** W1641\*D580\*H1855(mm)



**DM32** W1641\*D580\*H1855(mm)



**DM34** W1534\*D318\*H280(mm)

#### Main Colors







Product specification changes are subject to the real product. No further notice prior to changes.

## **Atro**

Designed in a classic shape, Atro meeting table follows a traditional harmonious philosophy and looks simpl yet sleek. It forgoes all unnecessary fancy elements and stesses its role as a platform for group dicussions. With ample clearance provided for your legs, you can have a comfortable feeling throughout the whole meeting.



## Model









2T Table Set WK-MET-10-2T 3000W x 1500D x 760H MM

4T Table Set WK-MET-10-4T 4500W x 1500D x 760H MM

**6T Table Set WK-MET-10-6T**6000W x 1500D x 760H MM

**8T Table Set WK-MET-10-8T**7500W x 1500D x 760H MM

Colours



Black





Modesty

Mahogany

Black

# Storage

Stack	162
Caddy	168
Metalink	172
Mcab	180
Steel	186

## Stack

STACK bring flexibility, security, convenience and an enhanced aesthetic to the modern workplace. A choice of colors and locking mechanisms to suit the needs of various end-users is available. Locating lockers within the work environment allows individuals to quickly and easily store and access their personal belongings and work-related materials.



Storage Series



#### **Lower Locker**

Type A

Cylinder Lock c/w Steel Handle(H1) W-STK-A-L12-H1-W 412W/446D/ 832H mm

Cylinder Lock c/w Leather Handle(H2) W-STK-A-L12-H2-W 412W/446D/ 832H mm

Numbering Lock W-STK-A-L26-W 412W/446D/ 832H mm

Cylinder Lock c/w Steel Handle(H1)

> 832H mm Cylinder Lock c/w Leather Handle(H2)

W-STK-A-L12-H1-B 412W/446D/

W-STK-A-L12-H2-B 412W/446D/ 832H mm

**Numbering Lock** W-STK-A-L26-B 412W/446D/ 832H mm

Type B

Cylinder Lock c/w Steel Handle(H1) W-STK-B-L12-H1-W 412W/446D/ 832H mm

Cylinder Lock c/w Leather Handle(H2) W-STK-B-L12-H2-W 412W/446D/ 832H mm

Numbering Lock W-STK-B-L26-W 412W/446D/ 832H mm

Cylinder Lock c/w Steel Handle(H1) W-STK-B-L12-H1-B 412W/446D/ 832H mm

Cylinder Lock c/w Leather Handle(H2) W-STK-B-L12-H2-B 412W/446D/ 832H mm

Numbering Lock W-STK-B-L26-B 412W/446D/ 832H mm



#### Meduim Locker

Type C

W-STK-C-L12-H1-W

Cylinder Lock c/w Leather Handle(H2) W-STK-C-L12-H2-W 412W/446D/ 1242H mm

Numbering Lock W-STK-C-L26-W 412W/446D/ 1242H mm

Cylinder Lock c/w Steel Handle(H1) 412W/446D/ 1242H mm

> Cylinder Lock c/w Leather Handle(H2) W-STK-C-L12-H2-B 412W/446D/ 1242H mm

412W/446D/

1242H mm

Cylinder Lock c/w

Steel Handle(H1)

W-STK-C-LI12-H1-B

Numbering Lock W-STK-C-L26-B 412W/446D/ 1242H mm

Type D

Cylinder Lock c/w Steel Handle(H1) W-STK-D-L12-H1-W 412W/446D/ 1242H mm

Cylinder Lock c/w Leather Handle(H2) W-STK-D-L12-H2-W 412W/446D/ 1242H mm

412W/446D/ 1242H mm

Numbering Lock W-STK-D-L26-W Cylinder Lock c/w Steel Handle(H1) W-STK-D-L12-H1-B 412W/446D/

Cylinder Lock c/w Leather Handle(H2) W-STK-D-L12-H2-B 412W/446D/ 1242H mm

> Numbering Lock W-STK-D-L26-B 412W/446D/ 1242H mm

1242H mm





Storage Series

#### Type E

Cylinder Lock c/w Steel Handle(H1) W-STK-E-LI2-H1-W 412W/446D/

1242H mm Cylinder Lock c/w Leather Handle(H2) W-STK-E-LI2-H2-W

**Numbering Lock** W-STK-E-L26-W 412W/446D/ 1242H mm

412W/446D/

1242H mm

Cylinder Lock c/w Steel Handle(H1) W-STK-E-LI2-H1-B 412W/446D/ 1242H mm

Cylinder Lock c/w Leather Handle(H2) W-STK-E-LI2-H2-B 412W/446D/ 1242H mm

Numbering Lock W-STK-E-L26-B 412W/446D/ 1242H mm



#### **High Locker**

Type F

Cylinder Lock c/w Steel Handle(H1) W-STK-F-LI2-H1-W 412W/446D/ 1652H mm

Cylinder Lock c/w Leather Handle(H2) W-STK-F-LI2-H2-W 412W/446D/ 1652H mm

Numbering Lock W-STK-F-L26-W 412W/446D/ 1652H mm

Cylinder Lock c/w Steel Handle(H1) W-STK-F-LI2-H1-B 412W/446D/ 1652H mm

Cylinder Lock c/w Leather Handle(H2) W-STK-F-LI2-H2-B 412W/446D/ 1652H mm

Numbering Lock W-STK-F-L26-B 412W/446D/ 1652H mm

Cylinder Lock c/w Steel Handle(H1) W-STK-G-LI2-H1-W 412W/446D/ 1652H mm

Cylinder Lock c/w Leather Handle(H2) W-STK-G-LI2-H2-W 412W/446D/ 1652H mm

Numbering Lock W-STK-G-L26-W 412W/446D/ 1652H mm

Type G

Cylinder Lock c/w Steel Handle(H1) W-STK-G-LI2-H1-B 412W/446D/ 1652H mm

> Cylinder Lock c/w Leather Handle(H2) W-STK-G-LI2-H2-B 412W/446D/ 1652H mm

> > Numbering Lock W-STK-G-L26-B 412W/446D/ 1652H mm



Cylinder Lock c/w Steel Handle(H1) W-STK-H-LI2-H1-W 412W/446D/ 1652H mm

Cylinder Lock c/w Leather Handle(H2) W-STK-H-LI2-H2-W 412W/446D/ 1652H mm

Numbering Lock W-STK-H-L26-W 412W/446D/ 1652H mm

Cylinder Lock c/w Steel Handle(H1) W-STK-H-LI2-H1-B 412W/446D/

1652H mm

Cylinder Lock c/w Leather Handle(H2) W-STK-H-LI2-H2-B 412W/446D/ 1652H mm

**Numbering Lock** W-STK-H-L26-B 412W/446D/ 1652H mm

Type I

Cylinder Lock c/w Steel Handle(H1) W-STK-I-LI2-H1-W 412W/446D/ 1652H mm

Cylinder Lock c/w Leather Handle(H2) W-STK-I-LI2-H2-W 412W/446D/ 1652H mm

Numbering Lock W-STK-I-L26-W 412W/446D/ 1652H mm

Cylinder Lock c/w Steel Handle(H1) W-STK-I-LI2-H1-B 412W/446D/ 1652H mm

Cylinder Lock c/w Leather Handle(H2) W-STK-I-LI2-H2-B 412W/446D/ 1652H mm

Numbering Lock W-STK-I-L26-B 412W/446D/ 1652H mm



#### **Door Locking Types**



Cylinder Lock with Steel Handle

167




Cylinder Lock with Leather Handle



Numbering Lock

## Caddy

Caddy capacity is an adaptable offering that keeps your effects protected and organized. With open and private spaces, it offer more that adequate authoritative stockpiling with the additional advantage of expandable security.



Storage Series



#### Medium Metal **High Cabinet**

OPEN SHELF CABINET T-CD-904570-OS1S 900W/450D/700H MM











#### **Metal Mobile** Pedestal

MOBILE PEDESTAL CABINET BF

T-CD-405049-2D 400W/500D/485H MM





T-CD-405060-3D 400W/500D/600H MM



#### Multi-Purpose **Metal Cabinet**

MULTI-PURPOSE OPEN SHELF RIGHT

T-CD-905060-3D0S(R) 900W/500D/600H MM



MULTI-PURPOSE OPEN MULTI-PURPOSE TAMBOUR SHELF LEFT DOOR RIGHT

T-CD-905060-3D0S(L) T-CD-905060-3DTD(R) 900W/500D/600H MM 900W/500D/600H MM



MULTI-PURPOSE TAMBOUR DOOR LEFT

T-CD-905060-3DTD(L) 900W/500D/600H MM





## Metalink

Declutter your working space for maximum efficiency. Organise and keep your work necessities in our MG/M-B/ML .



#### MG



#### **Feature**



**Body Surface** 18mm thk PVC chipboard in Dark Grey colours



Top Surface 25mm thk melamine laminated chipboard in Maple colours



174

Edging 2mm thk PVC in Maple colours for top surface & 0.3mm thk in Dark Grey colours



18mm thk melamine laminated chipboard in Maple colours

#### Drawer

MOBILE 2 DRAWER WK-MG-M2D

425W/490D/ 540H mm



MOBILE 3 DRAWER WK-MG-M3D

425W/490D/540H mm





WK-MG-H3D

HIGH MOBILE 3 DRAWER

425W/490D/650H mm

#### **Low Cabinet**

Half Height Cabinet

**Height Cabinet** 

OPEN SHELF CABINET WK-MG-76-0

750W/450D/ 760H mm



SLIDING DOOR CABINET WK-MG-76-D2



18 PIGEON HOLE CABINET

750W/450D/ 760H mm

WK-MG-76-18P

SWING DOOR CABINET WK-MG-76-D1

750W/450D/ 760H mm



SLIDING HALF HEIGHT CABINET

WK-MG-130-D2

900W/450D/ 1300H mm

750W/450D/ 760H mm



OPEN HALF HEIGHT CABINET WK-MG-130-0

900W/450D/ 1300H mm



OPEN HIGH CABINET

900W/450D/ 2100H mm

WK-MG-210-0

SWING HALF HEIGHT CABINET WK-MG-130-D1



900W/450D/ 1300H mm



HIGH CUPBOARD WITH SWING GLASS DOOR WK-MG-210-G1

900W/450D/ 2100H mm











## 425W/490D/650H mm

HIGH MOBILE 3 DRAWER

WK-MB-H3D

#### MB



#### **Feature**




**Body Surface** 18mm thk PVC chipboard in Black colours



Top Surface 25mm thk melamine laminated chipboard in optional colours



2mm thk PVC in optional colours for top surface & 2mm thk in Black colour for cabinet panel



18mm thk melamine laminated chipboard in optional colours

#### Drawer

MOBILE 2 DRAWER WK-MB-M2D

425W/490D/ 540H mm



MOBILE 3 DRAWER WK-MB-M3D

425W/490D/540H mm





**Low Cabinet** 

OPEN SHELF CABINET WK-MB-76-0

750W/450D/ 760H mm



SLIDING DOOR CABINET WK-MB-76-D2

750W/450D/ 760H mm

18 PIGEON HOLE CABINET WK-MB-76-18P 750W/450D/ 760H mm



SWING DOOR CABINET WK-MB-76-D1 750W/450D/ 760H mm





#### **Half Height Cabinet**

OPEN HALF HEIGHT CABINET WK-MB-130-0

900W/450D/ 1300H mm



SWING HALF HEIGHT CABINET WK-MB-130-D1



900W/450D/ 1300H mm



WK-MB-130-D2

900W/450D/ 1300H mm

SLIDING HALF HEIGHT CABINET



Height Cabinet

OPEN HIGH CABINET WK-MB-210-0

900W/450D/ 2100H mm



HIGH CUPBOARD WITH SWING GLASS DOOR WK-MB-210-G1

900W/450D/ 2100H mm



177

SWING DOOR WK-MB-210-D1

HIGH CUPBOARD WITH

900W/450D/ 2100H mm




WK-MB-5 1500W x 450D x 2100H MM

HIGH CUPBOARD



#### ML



#### **Feature**



**Body Surface** 18mm thk PVC chipboard in Dark Grey colours



Top Surface 25mm thk melamine laminated chipboard in Maple colours



178

2mm thk PVC in Maple colours for top surface & 0.3mm thk in Dark Grey colours



18mm thk melamine laminated chipboard in Maple colours

#### Drawer

MOBILE 2 DRAWER WK-ML-M2D

425W/490D/ 540H mm



MOBILE 3 DRAWER WK-ML-M3D

425W/490D/540H mm





HIGH MOBILE 3 DRAWER

425W/490D/650H mm

WK-ML-H3D

**Low Cabinet** 

OPEN SHELF CABINET WK-ML-76-0

750W/450D/ 760H mm



SLIDING DOOR CABINET WK-ML-76-D2

750W/450D/ 760H mm

18 PIGEON HOLE CABINET WK-ML-76-18P 750W/450D/ 760H mm



SWING DOOR CABINET WK-ML-76-D1

750W/450D/ 760H mm



SLIDING HALF HEIGHT CABINET

WK-ML-130-D2

900W/450D/ 1300H mm

#### Half Height Cabinet

Height

Cabinet

OPEN HIGH CABINET

900W/450D/ 2100H mm

WK-ML-210-0

OPEN HALF HEIGHT CABINET WK-ML-130-0

900W/450D/ 1300H mm



HIGH CUPBOARD WITH

900W/450D/ 2100H mm

SWING GLASS DOOR

WK-ML-210-G1

SWING HALF HEIGHT CABINET WK-ML-130-D1





900W/450D/ 1300H mm



#### HIGH CUPBOARD WK-ML-5 1500W/450D/ 2100H mm














## Mcab

The MCAB Series is ideal for storing files, supplies, and equipment. From storage, combi storage, and drawers that are mobile to half high combi storage, there's an office cabinetry solution for every space





182

#### 650/760 Storage

MCAB SWING STORAGE WK-M-8S-A

WK-M-8M-A

800W/450D/760H mm



MCAB OPEN STORAGE WK-M-8S-D 800W/450D/650H mm

WK-M-8M-D 800W/450D/760H mm



MCAB CPU STORAGE (SWING) WK-M-8S-G

320W/450D/650H mm



800W/450D/650H mm



WK-M-8S-B

WK-M-8M-B

MCAB DRAWER WK-M-8S-E

480W/450D/650H mm



MCAB SLIDING STORAGE

800W/450D/650H mm 800W/450D/650H mm WK-M-8M-C 800W/450D/760H mm



MCAB OPEN STORAGE

WK-M-8S-C

MCAB CPU STORAGE (OPEN) WK-M-8S-F

320W/450D/650H mm



#### 800W Combi Storage

DRAWER + CPU STORAGE WK-M-8S-EF 800W/450D/650H mm



DRAWER + CPU STORAGE WK-M-8S-EG

800W/450D/650H mm



#### **Drawer Mobile**

MCAB 3 DRAWER STORAGE WK-M-3D

425W/490D/540H mm



MCAB 2 DRAWER STORAGE WK-M-2D

425W/490D/540H mm



MCAB 3 DRAWER HIGH STORAGE WK-M-H3D

425W/490D/650H mm



#### 1300H Storage

MCAB SWING STORAGE WK-M-8L-A

800W/450D/1300H mm



MCAB SLIDING STORAGE WK-M-8L-B

800W/450D/1300H mm



MCAB OPEN STORAGE WK-M-8L-C

800W/450D/1300H mm



#### 1650H Storage

MCAB SLIM STORAGE WK-M-W-165

300W/450D/1650H mm



2100H Storage

MCAB OPEN STORAGE WK-M-O-210 800W/450D/2100H mm



MCAB SWING STORAGE WK-M-W-210

800W/450D/2100H mm



SWING + SLIDING

WK-M-16S-AB

MCAB EXECUTIVE STORAGE WK-M-H-210

800W/450D/2100H mm



#### 1600W Combi storage

SWING + SWING WK-M-16S-AA

1600W/450D/650H mm WK-M-16M-AA 1600W/450D/760H mm



SWING + HALF SWING WK-M-16S-AD 1600W/450D/650H mm WK-M-16M-AD 1600W/450D/760H mm



1600W/450D/650H mm WK-M-16M-AB 1600W/450D/760H mm



SLIDING + SLIDING WK-M-16S-BB

1600W/450D/650H mm WK-M-16M-BB 1600W/450D/760H mm



184

SWING + OPEN WK-M-16S-AC

1600W/450D/650H mm WK-M-16M-AC 1600W/450D/760H mm



#### SLIDING + OPEN WK-M-16S-BC

1600W/450D/650H mm WK-M-16M-BC 1600W/450D/760H mm



#### SLIDING + HALF SWING WK-M-16S-BD

1600W/450D/650H mm

WK-M-16M-BD 1600W/450D/760H mm



#### HALF SWING + HALF SWING WK-M-16S-DD

1600W/450D/650H mm WK-M-16M-DD 1600W/450D/760H mm



#### SLIDING + DRAWER + CPU STORAGE

WK-M-16S-BEF 1600W/450D/650H mm



OPEN + DRAWER + BAG STORAGE

WK-M-16S-CEG 1600W/450D/650H mm



WK-M-16S-CC 1600W/450D/650H mm

OPEN + OPEN

1600W/450D/760H mm



#### SWING + DRAWER + CPU STORAGE

WK-M-16S-AEF 1600W/450D/650H mm



#### STORAGE

1600W/450D/650H mm



#### CPU STORAGE

1600W/450D/650H mm



WK-M-16S-CD 1600W/450D/650H mm

WK-M-16M-CC





#### SWING + DRAWER + BAG

WK-M-16S-BEG



#### HALF SWING + DRAWER +

WK-M-16S-DEF



#### WK-M-16M-CD 1600W/450D/760H mm

OPEN + HALF SWING



#### SWING + DRAWER + BAG STORAGE

WK-M-16S-AEG

1600W/450D/650H mm



#### OPEN + DRAWER + CPU STORAGE

WK-M-16S-CEF 1600W/450D/650H mm



#### HALF SWING + DRAWER + **BAG STORAGE**

WK-M-16S-DEG 1600W/450D/650H mm



#### Half High Combi Storage

SWING + SWING WK-M-16L-AA



SLIDING + SLIDING WK-M-16L-BB 1600W/450D/1300H mm



#### SWING + SLIDING WK-M-16L-AB

1600W/450D/1300H mm



SWING + OPEN WK-M-16L-BC 1600W/450D/1300H mm



SWING + OPEN WK-M-16L-AC 1600W/450D/1300H mm



OPEN + OPEN WK-M-16L-CC 1600W/450D/1300H mm



## Steel

The Steel Series storage solution offers mobile compactors, full height cupboards, and half height cupboards; to be complemented with steel lockers, pedestal desk, locker stands and benches, boltless racks, waste paper bins, key safe, and other accessories.



## Model

#### **Mobile Compactor**



ST-138-4B 4 Bay Mobile Compactor 2440W/915D/2175H mm

ST-138-5B 5 Bay Mobile Compactor 2860W/915D/2175H mm

ST-138-6B 6 Bay Mobile Compactor 3280W/915D/2175H mm

ST-138-7B 7 Bay Mobile Compactor 3700W/915D/2175H mm

ST-138-8B 8 Bay Mobile Compactor

4120W/915D/2175H mm

ST-138-9B 9 Bay Mobile Compactor 4540W/915D/2175H mm ST-138-10B 10 Bay Mobile Compactor 4960W/915D/2175H mm

Size Per Bay 420W/915D/2175H mm Balance of Track when Closed 760W mm

#### **Features**



Centre Locking



Carton Box



Hard Cover File

#### Full Height Cupboard



Glass Sliding Door C/W 3 Adjustable Shelves 915W/457D/1828H mm



Steel Sliding Door C/W 3 Adjustable Shelves 915W/457D/1828H mm



Steel Swinging Door C/W 3 Adjustable Shelves 915W/457D/1828H mm



ST-118(W) Full Height Cupboard C/W 3 Adjustable Shelves 915W/457D/1828H mm

#### Half Height Cupboard



ST-110 Glass Sliding Door C/W Single Adjustable Shelves 915W/457D/915H mm



Steel Sliding Door C/W Single Adjustable Shelves 915W/457D/915H mm



Steel Swinging Door C/W 2 Adjustable Shelves 915W/457D/1016H mm



ST-112(W) Half Height Cupboard C/W 2 Adjustable Shelves 915W/457D/1016H mm



Storage Series



ST-113A

6 Pigeon Holes Side Table 915W/381D/890H mm



ST-S2H

Shoe Locker C/W 2 Shelves 915W/381D/915H mm

#### **Full Height Cupboard**



ST-106A

4 Drawers Filing Cabinet with Recess Handle 463W/609D/1320H mm



ST-106A(LB)

4 Drawers Filing Cabinet with Locking Bar 463W/613D/1380H mm



ST-106B

3 Drawers Filing Cabinet with Recess Handle 468W/609D/1016H mm



ST-106B(LB)

3 Drawers Filing Cabinet with Locking Bar 463W/613D/1056H mm



ST-106C

**Features** 

2 Drawers Filing Cabinet with Recess Handle 468W/609D/711H mm



ST-106C(LB)

2 Drawers Filing Cabinet with Locking Bar 483W/613D/751H mm



#### Colours



Anti-tilt mechanism 1 drawer can only be open, one at a time

190







Beige

Brown

**Light Grey** 

#### Steel Locker



ST-3D45

3 Door Steel Locker 1143W/457D/1828H mm



ST-18W

18 Holes Steel Locker 1143W/457D/1828H mm



4 Compartment Steel Locker

ST-4D15 381W/381D/1828H mm ST-4D18

381W/457D/1828H mm



ST-6D45

6 Door Steel Locker 1143W/457D/1828H mm



1 Compartment Steel Locker

ST-1D15 381W/381D/1828H mm 381W/457D/1828H mm



#### 6 Compartment Steel Locker ST-6D15

381W/381D/1828H mm ST-6D18

381W/457D/1828H mm



ST-12D45

12 Door Steel Locker 1143W/457D/1828H mm



2 Compartment Steel Locker ST-2D15

381W/381D/1828H mm ST-2D18 381W/457D/1828H mm




ST-18D45

18 Door Steel Locker 1143W/457D/1828H mm



3 Compartment Steel Locker ST-3D15

381W/381D/1828H mm ST-3D18





Lock



Key Lock



Numbering Lock

#### Colours







Beige

Brown

**Light Grey** 

# Partition

Tech	194
-System	198
creen	238

## I-Tech

Creativity and passion will always be shackled by the rigid office setting exuding an infinite dullness. Fixed Office System of I-tech can be matched and mixed into different combinations: linear, X-shaped, H-shaped, L-shaped, S-shaped, Y-shaped...variable office setting will always intrigue people's working passion.







Many people nowadays are in sub-health status as a result of long sitting, and working efficiency is thus severely degraded. The height-adjustable system is for sit-to-stand working mode, it could be controlled by smart phones, and workstation reservation is also available on it. Keep up with the 5G era with I-tech system for digital and highly efficient working.

# 現的條約 Desk 0022 14:00-18:00 14:00-16:00 私人工位 可预约工位

Workstation Reservation for Co-working Space

#### I-TECH

Smart Height-adjustable Office System



Manual Control and App Control



An alarm will be triggered to remind you of changing your posture.



Sitting/standing time and calorie consumption data will be recorded for health analysis.

It has a fallback function, with which the desktop will automatically fall back whenever it detects an obstacle during its height-adjusting process.



When the height-adjusting system goes wrong, an error code will be displayed on the screen to specifically indicate its problem.

## S-System

The S-System is a flexible design and interactive concept. Professional yet open, people can feel much freer in a democratic space and engage with one another for a more commune working experience.



## Link

#### 2 Seater Concept 1

PT-FFOT-135x80 FULL FABRIC W/O TRUNKING

2 nos

PT-CP120 CORNER POST

1200H mm

PT-EP120

**END POST** 

1200H mm

WK-MLS15

760H mm 2 nos

C/W GROMMET

MCAB SINGLE SEATER TABLE

1500W/600D x 1500W/600D x

2 nos

PT-FFOT-120x150

1350H/800W mm

FULL FABRIC W/O TRUNKING 1200H/1500W mm

2 nos

PT-JP135

JOINT POST

1350H mm

3 nos

PT-HGCT-120x75

HALF GLASS CENTRE TRUNKING 1200H/750W mm

PT-JP120

4 nos

JOINT POST 1200H mm

WK-HB-80

2 nos

HANGING BOOKSHELF

785W x 320D x 240H mm

2 nos

PT-CUS-EP **END POST** 150H mm 2 nos

WK-M-3D

MCAB 3 DRAWER MOBILE

2 nos

WK-M-16M-8D

MCAB 1600W COMBI STORAGE 425W x 490D x 540H mm 1600W x 450D x 760H mm

1 nos

## **2 Seater Workstation**




#### Concept 1

#### **Feature**



Hanging Bookshelf 15kg- the mininum loadit can support.

#### **Technical Specification**



200

Power Source

support.

15kg- the mininum loadit can

TRUNKING

PT-CP135

WK-CCW-150x60 WK-ML-M3D MOBILE 3 DRAWER

RD-02 (R) TABLE LEG 2 nos

2 nos

PT-BK-02-F

### Link

## 2 Seater Workstation



#### Concept 2


#### **Feature**



Power Source 15kg- the mininum loadit can support.

Glass Panel 15kg- the mininum loadit can

#### **Technical Specification**



Concept 2

2 Seater

PT-FFOT-135x90

FULL FABRIC W/O TRUNKING 1350H x 900W mm

2 nos

PT-FFOT-135x45

FULL FABRIC W/O TRUNKING 1350H x 450W mm

FULL GLASS W/O TRUNKING

1200H x 900W mm

2 nos

PT-HGCT-120x75 PT-FGOT-120X90

HALF GLASS C/W CENTRE TRUNKING

1200H x 750W mm

2 nos

PT-TP120 TEE POST 1200H mm 1 no

1 nos

2 nos

PT-JP120

JOIN POST

1200H mm

PT-CUS-EP **END POST** CURVE CORNER WORKTOP 150H mm 1500W/600D x 1500W/600D x 25THK mm 4 nos

2 nos

WK-ML-130-D2 SLIDING HALF HEIGHT CABINET 900W x 450D x 1300H mm

2 nos

PT-BK-02-F RIGHT BRACKET (BIG) LEFT BRACKET (BIG)

1 no 1 no

425W x 490D x 540H mm

2 nos

RD-02 (L) TABLE LEG

PT-HGDT-135x75

1350H x 750W mm

2 nos

1 no

MCAB STANDARD DESK WITH

FULL FABRIC W/O TRUNKING 1050H x 1500W mm

PT-FFOT-105x150

1 no

HALF GLASS W/O TRUNKING

1200H x 1500W mm 2 nos

PT-HGOT-120x150

PT-JP135

JOINT POST 1350H mm 5 nos

ALUMINIUM PROFILE

PT-CUS-EP

END POST

300H mm

1 no

1500W x 740D x 760H mm

2 nos

WK-M-3D

MCAB 3 DRAWER MOBILE 425W x 490D x 540H mm

2 nos

# Link

### 4 Seater Concept 1

#### PT-HGDT-135x45

PT-FFDT-135x75

1350H x 750W mm

TRUNKING

2 nos

HALF GLASS C/W DOUBLE TRUNKING

FULL FABRIC C/W DOUBLE

1350H x 450W mm

2 nos

#### PT-CP135

CORNER POST 1350H mm

2 nos

#### PT-EP105 **END POST** 1050H mm

1 no

#### WK-HB75

HANGING BOOKSHELF 735W x 320D x 240H mm

4 nos

#### WK-M-16S-BEF

MCAB 1600W COMBI 1600W x 450D x 650H mm

2 nos

#### WK-M-LS15 MCAB SINGLE SEATER TABLE C/W GROMMET

1500W/600D x 1500W/600D x 760H mm

2 nos

### Concept 1

#### **Feature**




Hanging Bookshelf 15kg- the mininum loadit can support.



Power Source 15kg- the mininum loadit can support.

#### **Technical Specification**

**4 Seater Workstation** 



PT-HGCT-135x60

2 nos

PT-TP165

TEE POST

PT-JP135

JOINT POST

1350H mm

WK-ML-M3D

MOBILE 3 DRAWER

425W x 490D x 540H mm

**END POST** 

4 nos

RD-02(L)

TABLE LEG 3 nos

RD-02(R) TABLE LEG 3 nos

4 nos

PT-BK-02-F

PT-BK-03-F LEFT BRACKET (SMALL)

1 nos

RIGHT BRACKET (SMALL)

1 nos

## Link

PT-HGCT-135x150

1350H x 1500W mm

TRUNKING

4 nos

PT-TP135

TEE POST

1350H mm

PT-JP165

JOINT POST

1650H mm

PT-EP165

END POST

1650H mm

2 nos

2 nos

1 no

HALF GLASS C/W CENTER

# **4 Seater Workstation**



Concept 2


#### **Feature**



Hanging Bookshelf 15kg- the mininum loadit can support.

Power Source 15kg- the mininum loadit can

#### **Technical Specification**



PT-FFCT-165x75 FULL FABRIC C/W CENTER TRUNKING

1650H x 750W mm 4 nos

PT-HGCT-135x75

HALF GLASS C/W CENTER TRUNKING

1350H x 750W mm

1 no

PT-SP135 SQUARE POST 1350H mm 1 no

PT-EP135 **END POST** 1350H mm 4 nos

WK-HB75 HANGING BOOKSHELF 735W x 355D x 445H mm

4 nos

WK-ML-76-D2 SLIDING DOOR CABINET

750W x 450D x 760H mm 2 nos

PT-BK-01-F LEFT BRACKET (BIG)

3 nos

RIGHT BRACKET (BIG) 3 nos

PT-BK-04-F

PT-JP120

1 no

#### WK-HB75

2 nos

WK-HC80(SF) HANGING CABINET-FLIP DOOR TYPE WITH SOFT CLOSING

785W x 355D x 445H mm

1 no

#### WK-DIC-01-S

MCAB SQUARE DISCUSSION

1500W/600D x 1500W x 600D mm 900W x 900D x 760D mm

1 no

#### WK-M-8M-A

MCAB SWING STORAGE 800W x 450D x 760H mm

HANGING BOOKSHELF

735W x 355D x 445H mm

WITH SOFT CLOSING

1 no

### Link

PT-FFCT-180x75

1800H x 750W mm

TRUNKING

PT-CUS-EP

END POST

600H mm

PT-TP120

TEE POST

1200H mm

1 no

2 nos

FULL FABRIC C/W CENTER

PT-HGCT-120x75

1200H x 750W mm

TRUNKING

11 nos

PT-EP120

END POST

1200H mm

PT-JP180

JOINT POST

1800H mm 4 nos

WK-HC75(SF)

2 nos

2 nos

2 nos

WK-M-3D

WK-M-LS15

C/W GROMMET

HANGING CABINET-FLIP DOOR

TYPE WITH SOFT CLOSING

MCAB SINGLE SEATER TABLE

MCAB DRAWER MOBILE 480W x 450D x 650H mm

735W x 355D x 445H mm

3 nos

HALF GLASS C/W CENTER

Administrator

Concept 1

## **Administrator Workstation**



#### Concept 1


#### **Feature**



Hanging Bookshelf 15kg- the mininum loadit can support.

#### **Technical Specification**





Power Source 15kg- the mininum loadit can

208

PT-HGCT-180x80

2 nos

2 nos

A25 PARTITION

1350H x 300H mm

1 no

SLIDING + HALF SWING 1600W x 450D x 760H mm

1 no

### **Administrator Workstation**



#### Concept 2

#### **Feature**




Hanging Bookshelf 15kg- the mininum loadit can support.



Power Source 15kg- the mininum loadit can

#### **Technical Specification**



### Link

#### Administrator Concept 2

### PT-HGCT-120x80

#### HALF GLASS C/W CENTER TRUNKING

1200H x 800W mm 9 nos

#### PT-FGOT-120x80

FULL GLASS WITHOUT TRUNKING

1200H x 800W mm

1 no

#### PT-CUS-EP END POST 600H mm

3 nos

#### PT-TP120 TEE POST 1200H mm 1 no

#### WK-HC80(SF)

HANGING CABINET-FLIP DOOR TYPE WITH SOFT CLOSING

785W x 355D x 445H mm

5 nos

#### WK-M-18 (F)

MCAB STANDARD DESK WITH FLIPPER CASING

1800W x 740D x 760H mm

1 no

#### WK-M-3D

MCAB DRAWER MOBILE 480W x 450D x 650H mm

2 nos

#### PT-FFCT-180x80

FULL FABRIC C/W CENTER TRUNKING

1800H x 800W mm

6 nos

#### PT-FGOT-180x80

FULL GLASS WITHOUT TRUNKING

1800H x 800W mm

3 nos

#### PT-EP180 **END POST** 1800H mm

#### PT-CP120 CORNER POST 1200H mm

2 nos

#### WK-HB80

HANGING BOOKSHELF WITH SOFT CLOSING

785W x 355D x 445H mm

3 nos

### PT-M-PAR15 (P)

JOINT POST 1200H mm 7 nos

### PT-CP180

#### WK-M15-2S (P)

MCAB 2 SEATER WITH ALUMINIUM PROFILE

1500W x 1480D x 760H mm

1 no

#### WK-M-16S-AD

MCAB 1600W COMBI STORAGE

PT-FFDT-180x90

1800H x 900W mm

PT-HGDT-135x45

1350H x 450W mm

TRUNKING

3 nos

PT-CP135

1350H mm

PT-EP135

END POST

1350H mm 1 no

1 no

CORNER POST

HALF GLASS C/W DOUBLE

TRUNKING

FULL FABRIC C/W DOUBLE

PT-FFDT-180x45

1800H x 450W mm

PT-HGDT-180x90

1800H x 900W mm

PT-FGOT-135x45

1350H x 450W mm

TRUNKING

TRUNKING

1 no

1 no

1 no

PT-JP180

JOINT POST

1800H mm

WK-WT-90x45

STRAIGHT WORKTOP

HANGING CABINET-FLIP DOOR

TYPE WITH SOFT CLOSING

885W x 320D x 240H mm

MCAB 1300H STORAGE

900W x 450D mm

4 nos

2 nos

WK-HB90

WK-M-8L-B

(SLIDING)

1 no

FULL FABRIC C/W DOUBLE

HALF GLASS C/W DOUBLE

FULL GLASS W/O TRUNKING

885W x 355D x 445H mm

2 nos

WK-M-EXEC-18(T)

LARGE FLIPER CASING 1800W x 450D x 760H mm

1 no

MOBILE

800W x 450D x 1300H mm 425W x 490D x 650H mm

WK-M-H3D

PT-FFDT-180x75

FULL FABRIC C/W DOUBLE TRUNKING

1800H x 750W mm

1 no

PT-FGOT-135x90

FULL GLASS W/O TRUNKING

1 no

2 nos

HANGING CABINET-FLIP DOOR TYPE WITH SOFT CLOSING

MCAB EXECUTIVE TABLE WITH

MCAB 3 DRAWER HIGH

1 no

1350H x 900W mm

JOINT POST 1350H mm

PT-EP180

WK-HC75(SF)

HANGING CABINET-FLIP DOOR TYPE WITH SOFT CLOSING

735W x 355D x 445H mm

1 no

WK-M-16M-BD

MCAB 1600W COMBINATION STORAGE SLIDING + HALF SWING

1600W x 450D x 760H mm

### **Executive Workstation**



#### Concept 1


#### **Feature**



Hanging Bookshelf 15kg- the mininum loadit can support.

Power Source 15kg- the mininum loadit can support.

#### **Technical Specification**



212 213

Executive

Concept 1

### **Executive Workstation**




#### Concept 1

#### **Feature**



Hanging Bookshelf 15kg- the mininum loadit can support.

**Technical Specification** 



### Link

### Executive Concept 2

PT-FFCT-180x90

TRUNKING

PT-HGDT-135x90

HALF GLASS C/W DOUBLE

TRUNKING

1350H x 900W mm

2 nos

PT-FGOT-135x90

FULL GLASS W/O TRUNKING 1350H x 900W mm

3 nos

PT-CP135

1 no

PT-JP180

JOINT POST 1800H mm 2 nos

WK-HC90(SF)

HANGING CABINET-FLIP DOOR TYPE WITH SOFT CLOSING

885W x 355D x 445H mm

3 nos

FULL FABRIC C/W CENTER

1800H x 900W mm

3 nos

PT-FFDT-135x90

FULL FABRIC C/W DOUBLE TRUNKING

1350H x 900W mm

1 no

CORNER POST 1350H mm

PT-EP135

END POST 1350H mm

2 nos

WK-M-EXEC-18(T)

MCAB EXECUTIVE TABLE WITH LARGE FLIPER CASING

1800W x 450D x 760H mm

1 no

PT-HGDT-135x45

HALF GLASS C/W DOUBLE TRUNKING

1350H x 450W mm

PT-HGOT-135x90

PT-HGOT-135x45

HALF GLASS W/O TRUNKING

1350H x 450W mm

HALF GLASS W/O TRUNKING

1350H x 900W mm

1 no

1 no

PT-JP135

JOINT POST 1350H mm

7 nos

PT-CUS-EP

CUSTOMADE END POST

450H mm 2 nos

WK-M-16M-BD

MCAB 1600W COMBINATION STORAGE SLIDING + HALF SWING

1600W x 450D x 760H mm

1 no

214

Power Source

15kg- the mininum loadit can

# **Reception Counter**



#### Concept 1


#### **Feature**



Hanging Bookshelf 15kg- the mininum loadit can support.

Power Source 15kg- the mininum loadit can

#### **Technical Specification**



### Link

PT-HGCT-120x75

1200H x 750W mm

TRUNKING

PT-JP105

JOINT POST

1050H mm

3 nos

HALF GLASS C/W CENTER

**Reception Counter** Concept 1

PT-FFCT-105x75

FULL FABRIC C/W CENTER TRUNKING

1050H x 750W mm

2 nos

PT-EP120 **END POST** 1200H mm

2 nos

WK-C150x30 FULLY LIGHT GREY

WK-ML-130-D OPEN HALF HEIGHT 900W x 450D x 1300H mm

1 no

LEFT BRACKET (BIG)

3 nos

PT-BK-04-F

RIGHT BRACKET (SMALL)

1 no

2 nos

PT-CP120

CORNER POST 1200H mm

PT-CUS-EP

END POST 150H mm 2 nos

COUNTER TOP IN

1500W x 300D x 25THK mm

1 no

RD-02(L) TABLE LEG

1 no

PT-BK-02-F

RIGHT BRACKET (BIG)

2 nos

PT-BK-05-F

COUNTER BRACKET (LEFT)

3 nos

PT-HGCT-120x45

HALF GLASS C/W CENTER TRUNKING

1200H x 450W mm

2 nos

PT-JP120 JOINT POST

1200H mm 4 nos

WK-WT150x75

STRAIGHT WORKTOP IN FULLY LIGHT GREY

1500W x 750D x 25THK mm

3 nos

WK-ML-130-D2

MOBILE 3 DRAWER SLIDING HALF HEIGHT CABINET 425W x 490D x 540H mm 900W x 450D x 1300H mm

3 nos

WK-ML-M3D

RD-02(R) TABLE LEG

2 nos

1 no

PT-BK-03-F

LEFT BRACKET (SMALL)

1 no

PT-BK-06-F

COUNTER BRACKET (RIGHT)

3 nos

# **Reception Counter**



#### Concept 2


#### **Feature**



Hanging Bookshelf 15kg- the mininum loadit can support.

Power Source 15kg- the mininum loadit can

### **Technical Specification**



#### Lorem ipsum

### Link

**Reception Counter** Concept 2

PT-FFDT-120x120

TRUNKING

PT-EP120 END POST 1200H mm 2 nos

PT-BK-06-F COUNTER SUPPORT BRACKET (RIGHT)

90W x 75H mm 2 nos

WK-WT150x75 STRAIGHT WORKTOP 1500W x 300D x 25THK mm

WK-SL 75 SIDE SUPPORTING PANEL

2 nos

WK-ML-76-D2 SLIDING DOOR CABINET 750W x 450D x 760H mm 2 nos

FULL FABRIC C/W DOUBLE

1200H x 1200W mm

2 nos

PT-CUS-EP **END POST** 150H mm 2 nos

PT-BK-01-F

2 nos

SLIDING HALF HEIGHT CABINET 720W x 735H mm 900W x 450D x 1300H mm

4 nos

WK-ML-76-D1

SLIDING DOOR CABINET 750W x 450D x 760H mm

FULL FABRIC C/W DOUBLE TRUNKING

1050H x 1500W mm

PT-FFDT-105x150

1 no

PT-BK-05-F COUNTER SUPPORT BRACKET (LEFT)

90W x 75H mm

WK-WT120x75

PT-BK-02-F

2 nos

PT-JP105

JOINT POST

1050H mm

3 nos

WK-C-150-30 COUNTER TOP

1500W x 300D x 25THK mm

1 no

STRAIGHT WORKTOP 1200W x 300D x 25THK mm

RIGHT BRACKET (BIG)

387W x 167H mm

2 nos

LEFT BRACKET (BIG) 387W x 167H mm

WK-ML-130-D2 WK-ML-130-D2

> SLIDING HALF HEIGHT CABINET 900W x 450D x 1300H mm


> > 4 nos


2 nos

WK-M-H3D

MCAB 3 DRAWER HIGH MOBILE 425W x 490D x 650H mm

4 nos





#### **Bracket Position**










Table Mounting Bracket Table Mounting Bracket

Counter Support Bracket



# PARTITION SPECIFICATION



# Style

#### **End Post**

PT-EP105 1050H mm
PT-EP120 1200H mm
PT-EP135 1350H mm
PT-EP150 1500H mm
PT-EP165 1650H mm
PT-EP180 1800H mm



#### **Square Post**

PT-SP105 1050H mm
PT-SP120 1200H mm
PT-SP135 1350H mm
PT-SP150 1500H mm
PT-SP165 1650H mm
PT-SP180 1800H mm



#### **Tee Post**

PT-TP105 1050H mm PT-TP120 1200H mm PT-TP135 1350H mm PT-TP150 1500H mm PT-TP165 1650H mm PT-TP180 1800H mm



#### **Corner Post**

PT-CP105 1050H mm PT-CP120 1200H mm PT-CP135 1350H mm PT-CP150 1500H mm PT-CP165 1650H mm PT-CP180 1800H mm



#### Joint Post

PT-JP105 1050H mm
PT-JP120 1200H mm
PT-JP135 1350H mm
PT-JP150 1500H mm
PT-JP165 1650H mm
PT-JP180 1800H mm



#### <u>Stabilizer</u>

PT-ST 300W x 50D mm



#### **Triangle Post**

PT-TRP105 1050H mm
PT-TRP120 1200H mm
PT-TRP135 1350H mm
PT-TRP150 1500H mm
PT-TRP165 1650H mm
PT-TRP180 1800H mm




### Model

Full Fabric without trunking (PT-FFOT)



Height - 1050mm		Height - 1200mm		Height - 1350mm	
PT-FFOT - 105 x 45	1050H x 450W mm	PT-FFOT - 120 x 45	1200H x 450W mm	PT-FFOT - 135 x 45	1350H x 450W mm
PT-FFOT - 105 x 60	1050H x 600W mm	PT-FFOT - 120 x 60	1200H x 600W mm	PT-FFOT - 135 x 60	1350H x 600W mm
PT-FFOT - 105 x 75	1050H x 750W mm	PT-FFOT - 120 x 75	1200H x 750W mm	PT-FFOT - 135 x 75	1350H x 750W mm
PT-FFOT - 105 x 80	1050H x 800W mm	PT-FFOT - 120 x 80	1200H x 800W mm	PT-FFOT - 135 x 80	1350H x 800W mm
PT-FFOT - 105 x 90	1050H x 900W mm	PT-FFOT - 120 x 90	1200H x 900W mm	PT-FFOT - 135 x 90	1350H x 900W mm
PT-FFOT - 105 x 105	1050H x 1050W mm	PT-FFOT - 120 x 105	1200H x 1050W mm	PT-FFOT - 135 x 105	1350H x 1050W mm
PT-FFOT - 105 x 120	1050H x 1200W mm	PT-FFOT - 120 x 120	1200H x 1200W mm	PT-FFOT - 135 x 120	1350H x 1200W mm
PT-FFOT - 105 x 135	1050H x 1350W mm	PT-FFOT - 120 x 135	1200H x 1350W mm	PT-FFOT - 135 x 135	1350H x 1350W mm
PT-FFOT - 105 x 150	1050H x 1500W mm	PT-FFOT - 120 x 150	1200H x 1500W mm	PT-FFOT - 135 x 150	1350H x 1500W mm
PT-FFOT - 105 x 160	1050H x 1600W mm	PT-FFOT - 120 x 160	1200H x 1600W mm	PT-FFOT - 135 x 160	1350H x 1600W mm
PT-FFOT - 105 x 165	1050H x 1650W mm	PT-FFOT - 120 x 165	1200H x 1650W mm	PT-FFOT - 135 x 165	1350H x 1650W mm
PT-FFOT - 105 x 180	1050H x 1800W mm	PT-FFOT - 120 x 180	1200H x 1800W mm	PT-FFOT - 135 x 180	1350H x 1800W mm
Height - 1500mm		Height - 1650mm		Height - 1800mm	
Height - 1500mm PT-FFOT - 150 x 45	1500H x 450W mm	Height - 1650mm PT-FFOT - 165 x 45	1650H x 450W mm	Height - 1800mm PT-FFOT - 180 x 45	1800H x 450W mm
J	1500H x 450W mm 1500H x 600W mm	0	1650H x 450W mm 1650H x 600W mm	J	1800H x 450W mm 1800H x 600W mm
PT-FFOT - 150 x 45		PT-FFOT - 165 x 45		PT-FFOT - 180 x 45	
PT-FFOT - 150 x 45 PT-FFOT - 150 x 60	1500H x 600W mm	PT-FFOT - 165 x 45 PT-FFOT - 165 x 60	1650H x 600W mm	PT-FFOT - 180 x 45 PT-FFOT - 180 x 60	1800H x 600W mm
PT-FFOT - 150 x 45 PT-FFOT - 150 x 60 PT-FFOT - 150 x 75	1500H x 600W mm 1500H x 750W mm	PT-FFOT - 165 x 45 PT-FFOT - 165 x 60 PT-FFOT - 165 x 75	1650H x 600W mm 1650H x 750W mm	PT-FFOT - 180 x 45 PT-FFOT - 180 x 60 PT-FFOT - 180 x 75	1800H x 600W mm 1800H x 750W mm
PT-FFOT - 150 x 45 PT-FFOT - 150 x 60 PT-FFOT - 150 x 75 PT-FFOT - 150 x 80	1500H x 600W mm 1500H x 750W mm 1500H x 800W mm 1500H x 900W mm	PT-FFOT - 165 x 45 PT-FFOT - 165 x 60 PT-FFOT - 165 x 75 PT-FFOT - 165 x 80	1650H x 600W mm 1650H x 750W mm 1650H x 800W mm 1650H x 900W mm	PT-FFOT - 180 x 45 PT-FFOT - 180 x 60 PT-FFOT - 180 x 75 PT-FFOT - 180 x 80	1800H x 600W mm 1800H x 750W mm 1800H x 800W mm
PT-FFOT - 150 x 45 PT-FFOT - 150 x 60 PT-FFOT - 150 x 75 PT-FFOT - 150 x 80 PT-FFOT - 150 x 90	1500H x 600W mm 1500H x 750W mm 1500H x 800W mm 1500H x 900W mm 1500H x 1050W mm	PT-FFOT - 165 x 45 PT-FFOT - 165 x 60 PT-FFOT - 165 x 75 PT-FFOT - 165 x 80 PT-FFOT - 165 x 90	1650H x 600W mm 1650H x 750W mm 1650H x 800W mm 1650H x 900W mm	PT-FFOT - 180 x 45 PT-FFOT - 180 x 60 PT-FFOT - 180 x 75 PT-FFOT - 180 x 80 PT-FFOT - 180 x 90	1800H x 600W mm 1800H x 750W mm 1800H x 800W mm 1800H x 900W mm 1800H x 1050W mm
PT-FFOT - 150 x 45 PT-FFOT - 150 x 60 PT-FFOT - 150 x 75 PT-FFOT - 150 x 80 PT-FFOT - 150 x 90 PT-FFOT - 150 x 105	1500H x 600W mm 1500H x 750W mm 1500H x 800W mm 1500H x 900W mm 1500H x 1050W mm	PT-FFOT - 165 x 45 PT-FFOT - 165 x 60 PT-FFOT - 165 x 75 PT-FFOT - 165 x 80 PT-FFOT - 165 x 90 PT-FFOT - 165 x 105	1650H x 600W mm 1650H x 750W mm 1650H x 800W mm 1650H x 900W mm 1650H x 1050W mm	PT-FFOT - 180 x 45 PT-FFOT - 180 x 60 PT-FFOT - 180 x 75 PT-FFOT - 180 x 80 PT-FFOT - 180 x 90 PT-FFOT - 180 x 105 PT-FFOT - 180 x 120	1800H x 600W mm 1800H x 750W mm 1800H x 800W mm 1800H x 900W mm 1800H x 1050W mm
PT-FFOT - 150 x 45 PT-FFOT - 150 x 60 PT-FFOT - 150 x 75 PT-FFOT - 150 x 80 PT-FFOT - 150 x 105 PT-FFOT - 150 x 105	1500H x 600W mm 1500H x 750W mm 1500H x 800W mm 1500H x 900W mm 1500H x 1050W mm 1500H x 1200W mm	PT-FFOT - 165 x 45 PT-FFOT - 165 x 60 PT-FFOT - 165 x 75 PT-FFOT - 165 x 80 PT-FFOT - 165 x 90 PT-FFOT - 165 x 105 PT-FFOT - 165 x 120	1650H x 600W mm 1650H x 750W mm 1650H x 800W mm 1650H x 900W mm 1650H x 1050W mm 1650H x 1200W mm	PT-FFOT - 180 x 45 PT-FFOT - 180 x 60 PT-FFOT - 180 x 75 PT-FFOT - 180 x 80 PT-FFOT - 180 x 90 PT-FFOT - 180 x 105 PT-FFOT - 180 x 120	1800H x 600W mm 1800H x 750W mm 1800H x 800W mm 1800H x 900W mm 1800H x 1050W mm 1800H x 1200W mm
PT-FFOT - 150 x 45 PT-FFOT - 150 x 60 PT-FFOT - 150 x 75 PT-FFOT - 150 x 80 PT-FFOT - 150 x 105 PT-FFOT - 150 x 120 PT-FFOT - 150 x 135	1500H x 600W mm 1500H x 750W mm 1500H x 800W mm 1500H x 900W mm 1500H x 1050W mm 1500H x 1200W mm 1500H x 1350W mm	PT-FFOT - 165 x 45 PT-FFOT - 165 x 60 PT-FFOT - 165 x 75 PT-FFOT - 165 x 80 PT-FFOT - 165 x 90 PT-FFOT - 165 x 105 PT-FFOT - 165 x 120 PT-FFOT - 165 x 135	1650H x 600W mm 1650H x 750W mm 1650H x 800W mm 1650H x 900W mm 1650H x 1050W mm 1650H x 1200W mm 1650H x 1350W mm	PT-FFOT - 180 x 45 PT-FFOT - 180 x 60 PT-FFOT - 180 x 75 PT-FFOT - 180 x 80 PT-FFOT - 180 x 90 PT-FFOT - 180 x 105 PT-FFOT - 180 x 120 PT-FFOT - 180 x 135	1800H x 600W mm 1800H x 750W mm 1800H x 800W mm 1800H x 900W mm 1800H x 1050W mm 1800H x 1200W mm 1800H x 1350W mm 1800H x 1500W mm
PT-FFOT - 150 x 45 PT-FFOT - 150 x 60 PT-FFOT - 150 x 75 PT-FFOT - 150 x 80 PT-FFOT - 150 x 105 PT-FFOT - 150 x 120 PT-FFOT - 150 x 135 PT-FFOT - 150 x 150	1500H x 600W mm 1500H x 750W mm 1500H x 800W mm 1500H x 900W mm 1500H x 1050W mm 1500H x 1200W mm 1500H x 1350W mm 1500H x 1500W mm	PT-FFOT - 165 x 45 PT-FFOT - 165 x 60 PT-FFOT - 165 x 75 PT-FFOT - 165 x 80 PT-FFOT - 165 x 105 PT-FFOT - 165 x 120 PT-FFOT - 165 x 135 PT-FFOT - 165 x 150	1650H x 600W mm 1650H x 750W mm 1650H x 800W mm 1650H x 900W mm 1650H x 1050W mm 1650H x 1200W mm 1650H x 1350W mm 1650H x 1500W mm	PT-FFOT - 180 x 45 PT-FFOT - 180 x 60 PT-FFOT - 180 x 75 PT-FFOT - 180 x 80 PT-FFOT - 180 x 90 PT-FFOT - 180 x 105 PT-FFOT - 180 x 120 PT-FFOT - 180 x 135 PT-FFOT - 180 x 150	1800H x 600W mm 1800H x 750W mm 1800H x 800W mm 1800H x 900W mm 1800H x 1050W mm 1800H x 1200W mm 1800H x 1350W mm 1800H x 1500W mm

Full Fabric c/w Centre Trunking (PT-FFCT)



Height - 1050mm		Height - 1200mm		Height - 1350mm	
PT-FFCT - 105 x 45	1050H x 450W mm	PT-FFCT - 120 x 45	1200H x 450W mm	PT-FFCT - 135 x 45	1350H x 450W mm
PT-FFCT - 105 x 60	1050H x 600W mm	PT-FFCT - 120 x 60	1200H x 600W mm	PT-FFCT - 135 x 60	1350H x 600W mm
PT-FFCT - 105 x 75	1050H x 750W mm	PT-FFCT - 120 x 75	1200H x 750W mm	PT-FFCT - 135 x 75	1350H x 750W mm
PT-FFCT - 105 x 80	1050H x 800W mm	PT-FFCT - 120 x 80	1200H x 800W mm	PT-FFCT - 135 x 80	1350H x 800W mm
PT-FFCT - 105 x 90	1050H x 900W mm	PT-FFCT - 120 x 90	1200H x 900W mm	PT-FFCT - 135 x 90	1350H x 900W mm
PT-FFCT - 105 x 105	1050H x 1050W mm	PT-FFCT - 120 x 105	1200H x 1050W mm	PT-FFCT - 135 x 105	1350H x 1050W mm
PT-FFCT - 105 x 120	1050H x 1200W mm	PT-FFCT - 120 x 120	1200H x 1200W mm	PT-FFCT - 135 x 120	1350H x 1200W mm
PT-FFCT - 105 x 135	1050H x 1350W mm	PT-FFCT - 120 x 135	1200H x 1350W mm	PT-FFCT - 135 x 135	1350H x 1350W mm
PT-FFCT - 105 x 150	1050H x 1500W mm	PT-FFCT - 120 x 150	1200H x 1500W mm	PT-FFCT - 135 x 150	1350H x 1500W mm
PT-FFCT - 105 x 160	1050H x 1600W mm	PT-FFCT - 120 x 160	1200H x 1600W mm	PT-FFCT - 135 x 160	1350H x 1600W mm
PT-FFCT - 105 x 165	1050H x 1650W mm	PT-FFCT - 120 x 165	1200H x 1650W mm	PT-FFCT - 135 x 165	1350H x 1650W mm
PT-FFCT - 105 x 180	1050H x 1800W mm	PT-FFCT - 120 x 180	1200H x 1800W mm	PT-FFCT - 135 x 180	1350H x 1800W mm
Height - 1500mm		Height - 1650mm		Height - 1800mm	
PT-FFCT - 150 x 45	1500H x 450W mm	PT-FFCT - 165 x 45	1650H x 450W mm	PT-FFCT - 180 x 45	1800H x 450W mm
PT-FFCT - 150 x 60	1500H x 600W mm	PT-FFCT - 165 x 60	1650H x 600W mm	PT-FFCT - 180 x 60	1800H x 600W mm
PT-FFCT - 150 x 75	1500H x 750W mm	PT-FFCT - 165 x 75	1650H x 750W mm	PT-FFCT - 180 x 75	1800H x 750W mm
PT-FFCT - 150 x 80	1500H x 800W mm	PT-FFCT - 165 x 80	1650H x 800W mm	PT-FFCT - 180 x 80	1800H x 800W mm
PT-FFCT - 150 x 90	1500H x 900W mm	PT-FFCT - 165 x 90	1650H x 900W mm	PT-FFCT - 180 x 90	1800H x 900W mm
PT-FFCT - 150 x 105	1500H x 1050W mm	PT-FFCT - 165 x 105	1650H x 1050W mm	PT-FFCT - 180 x 105	1800H x 1050W mm
PT-FFCT - 150 x 120	1500H x 1200W mm	PT-FFCT - 165 x 120	1650H x 1200W mm	PT-FFCT - 180 x 120	1800H x 1200W mm
PT-FFCT - 150 x 135	1500H x 1350W mm	PT-FFCT - 165 x 135	1650H x 1350W mm	PT-FFCT - 180 x 135	1800H x 1350W mm

 PT-FFCT - 150 x 150
 1500H x 1500W mm
 PT-FFCT - 165 x 150
 1650H x 1500W mm
 PT-FFCT - 180 x 150
 1800H x 1500W mm

 PT-FFCT - 150 x 160
 1500H x 1600W mm
 PT-FFCT - 165 x 160
 1650H x 1600W mm
 PT-FFCT - 180 x 160
 1800H x 1600W mm

**PT-FFCT - 150 x 165** 1500H x 1650W mm **PT-FFCT - 165 x 165** 1650H x 1650W mm

PT-FFCT - 150 x 180 1500H x 1800W mm PT-FFCT - 165 x 180

### Full Fabric c/w Bottom Trunking (PT-FFBT)



Height - 1050mm		Height - 1200mm		Height - 1350mm	
PT-FFBT - 105 x 45	1050H x 450W mm	PT-FFBT - 120 x 45	1200H x 450W mm	PT-FFBT - 135 x 45	1350H x 450W mm
PT-FFBT - 105 x 60	1050H x 600W mm	PT-FFBT - 120 x 60	1200H x 600W mm	PT-FFBT - 135 x 60	1350H x 600W mm
PT-FFBT - 105 x 75	1050H x 750W mm	PT-FFBT - 120 x 75	1200H x 750W mm	PT-FFBT - 135 x 75	1350H x 750W mm
PT-FFBT - 105 x 80	1050H x 800W mm	PT-FFBT - 120 x 80	1200H x 800W mm	PT-FFBT - 135 x 80	1350H x 800W mm
PT-FFBT - 105 x 90	1050H x 900W mm	PT-FFBT - 120 x 90	1200H x 900W mm	PT-FFBT - 135 x 90	1350H x 900W mm
PT-FFBT - 105 x 105	1050H x 1050W mm	PT-FFBT - 120 x 105	1200H x 1050W mm	PT-FFBT - 135 x 105	1350H x 1050W mm
PT-FFBT - 105 x 120	1050H x 1200W mm	PT-FFBT - 120 x 120	1200H x 1200W mm	PT-FFBT - 135 x 120	1350H x 1200W mm
PT-FFBT - 105 x 135	1050H x 1350W mm	PT-FFBT - 120 x 135	1200H x 1350W mm	PT-FFBT - 135 x 135	1350H x 1350W mm
PT-FFBT - 105 x 150	1050H x 1500W mm	PT-FFBT - 120 x 150	1200H x 1500W mm	PT-FFBT - 135 x 150	1350H x 1500W mm
PT-FFBT - 105 x 160	1050H x 1600W mm	PT-FFBT - 120 x 160	1200H x 1600W mm	PT-FFBT - 135 x 160	1350H x 1600W mm
PT-FFBT - 105 x 165	1050H x 1650W mm	PT-FFBT - 120 x 165	1200H x 1650W mm	PT-FFBT - 135 x 165	1350H x 1650W mm
PT-FFBT - 105 x 180	1050H x 1800W mm	PT-FFBT - 120 x 180	1200H x 1800W mm	PT-FFBT - 135 x 180	1350H x 1800W mm
Height - 1500mm		Height - 1650mm		Height - 1800mm	
Height - 1500mm PT-FFBT - 150 x 45	1500H x 450W mm	Height - 1650mm PT-FFBT - 165 x 45	1650H x 450W mm	Height - 1800mm PT-FFBT - 180 x 45	1800H x 450W mm
o .	1500H x 450W mm 1500H x 600W mm	J	1650H x 450W mm 1650H x 600W mm	o .	1800H x 450W mm 1800H x 600W mm
PT-FFBT - 150 x 45		PT-FFBT - 165 x 45		PT-FFBT - 180 x 45	
PT-FFBT - 150 x 45 PT-FFBT - 150 x 60	1500H x 600W mm	PT-FFBT - 165 x 45 PT-FFBT - 165 x 60	1650H x 600W mm	PT-FFBT - 180 x 45 PT-FFBT - 180 x 60	1800H x 600W mm
PT-FFBT - 150 x 45 PT-FFBT - 150 x 60 PT-FFBT - 150 x 75	1500H x 600W mm 1500H x 750W mm	PT-FFBT - 165 x 45 PT-FFBT - 165 x 60 PT-FFBT - 165 x 75	1650H x 600W mm 1650H x 750W mm	PT-FFBT - 180 x 45 PT-FFBT - 180 x 60 PT-FFBT - 180 x 75	1800H x 600W mm 1800H x 750W mm
PT-FFBT - 150 x 45 PT-FFBT - 150 x 60 PT-FFBT - 150 x 75 PT-FFBT - 150 x 80	1500H x 600W mm 1500H x 750W mm 1500H x 800W mm	PT-FFBT - 165 x 45 PT-FFBT - 165 x 60 PT-FFBT - 165 x 75 PT-FFBT - 165 x 80	1650H x 600W mm 1650H x 750W mm 1650H x 800W mm	PT-FFBT - 180 x 45 PT-FFBT - 180 x 60 PT-FFBT - 180 x 75 PT-FFBT - 180 x 80	1800H x 600W mm 1800H x 750W mm 1800H x 800W mm
PT-FFBT - 150 x 45 PT-FFBT - 150 x 60 PT-FFBT - 150 x 75 PT-FFBT - 150 x 80 PT-FFBT - 150 x 90	1500H x 600W mm 1500H x 750W mm 1500H x 800W mm 1500H x 900W mm	PT-FFBT - 165 x 45 PT-FFBT - 165 x 60 PT-FFBT - 165 x 75 PT-FFBT - 165 x 80 PT-FFBT - 165 x 90	1650H x 600W mm 1650H x 750W mm 1650H x 800W mm 1650H x 900W mm	PT-FFBT - 180 x 45 PT-FFBT - 180 x 60 PT-FFBT - 180 x 75 PT-FFBT - 180 x 80 PT-FFBT - 180 x 90	1800H x 600W mm 1800H x 750W mm 1800H x 800W mm 1800H x 900W mm
PT-FFBT - 150 x 45 PT-FFBT - 150 x 60 PT-FFBT - 150 x 75 PT-FFBT - 150 x 80 PT-FFBT - 150 x 90 PT-FFBT - 150 x 105	1500H x 600W mm 1500H x 750W mm 1500H x 800W mm 1500H x 900W mm 1500H x 1050W mm	PT-FFBT - 165 x 45 PT-FFBT - 165 x 60 PT-FFBT - 165 x 75 PT-FFBT - 165 x 80 PT-FFBT - 165 x 90 PT-FFBT - 165 x 105 PT-FFBT - 165 x 120	1650H x 600W mm 1650H x 750W mm 1650H x 800W mm 1650H x 900W mm	PT-FFBT - 180 x 45 PT-FFBT - 180 x 60 PT-FFBT - 180 x 75 PT-FFBT - 180 x 80 PT-FFBT - 180 x 90 PT-FFBT - 180 x 105	1800H x 600W mm 1800H x 750W mm 1800H x 800W mm 1800H x 900W mm 1800H x 1050W mm
PT-FFBT - 150 x 45 PT-FFBT - 150 x 60 PT-FFBT - 150 x 75 PT-FFBT - 150 x 80 PT-FFBT - 150 x 90 PT-FFBT - 150 x 105 PT-FFBT - 150 x 120	1500H x 600W mm 1500H x 750W mm 1500H x 800W mm 1500H x 900W mm 1500H x 1050W mm	PT-FFBT - 165 x 45 PT-FFBT - 165 x 60 PT-FFBT - 165 x 75 PT-FFBT - 165 x 80 PT-FFBT - 165 x 90 PT-FFBT - 165 x 105 PT-FFBT - 165 x 120	1650H x 600W mm 1650H x 750W mm 1650H x 800W mm 1650H x 900W mm 1650H x 1050W mm 1650H x 1200W mm	PT-FFBT - 180 x 45 PT-FFBT - 180 x 60 PT-FFBT - 180 x 75 PT-FFBT - 180 x 80 PT-FFBT - 180 x 90 PT-FFBT - 180 x 105 PT-FFBT - 180 x 120	1800H x 600W mm 1800H x 750W mm 1800H x 800W mm 1800H x 900W mm 1800H x 1050W mm 1800H x 1200W mm
PT-FFBT - 150 x 45 PT-FFBT - 150 x 60 PT-FFBT - 150 x 75 PT-FFBT - 150 x 80 PT-FFBT - 150 x 90 PT-FFBT - 150 x 105 PT-FFBT - 150 x 120 PT-FFBT - 150 x 135	1500H x 600W mm 1500H x 750W mm 1500H x 800W mm 1500H x 900W mm 1500H x 1050W mm 1500H x 1200W mm	PT-FFBT - 165 x 45 PT-FFBT - 165 x 60 PT-FFBT - 165 x 75 PT-FFBT - 165 x 80 PT-FFBT - 165 x 90 PT-FFBT - 165 x 105 PT-FFBT - 165 x 120 PT-FFBT - 165 x 135	1650H x 600W mm 1650H x 750W mm 1650H x 800W mm 1650H x 900W mm 1650H x 1050W mm 1650H x 1200W mm 1650H x 1350W mm	PT-FFBT - 180 x 45 PT-FFBT - 180 x 60 PT-FFBT - 180 x 75 PT-FFBT - 180 x 80 PT-FFBT - 180 x 90 PT-FFBT - 180 x 105 PT-FFBT - 180 x 120 PT-FFBT - 180 x 135	1800H x 600W mm 1800H x 750W mm 1800H x 800W mm 1800H x 900W mm 1800H x 1050W mm 1800H x 1200W mm 1800H x 1350W mm
PT-FFBT - 150 x 45 PT-FFBT - 150 x 60 PT-FFBT - 150 x 75 PT-FFBT - 150 x 80 PT-FFBT - 150 x 90 PT-FFBT - 150 x 105 PT-FFBT - 150 x 120 PT-FFBT - 150 x 135 PT-FFBT - 150 x 150	1500H x 600W mm 1500H x 750W mm 1500H x 800W mm 1500H x 900W mm 1500H x 1050W mm 1500H x 1200W mm 1500H x 1350W mm	PT-FFBT - 165 x 45 PT-FFBT - 165 x 60 PT-FFBT - 165 x 75 PT-FFBT - 165 x 80 PT-FFBT - 165 x 90 PT-FFBT - 165 x 105 PT-FFBT - 165 x 120 PT-FFBT - 165 x 135 PT-FFBT - 165 x 150 PT-FFBT - 165 x 160	1650H x 600W mm 1650H x 750W mm 1650H x 800W mm 1650H x 900W mm 1650H x 1050W mm 1650H x 1200W mm 1650H x 1350W mm	PT-FFBT - 180 x 45 PT-FFBT - 180 x 60 PT-FFBT - 180 x 75 PT-FFBT - 180 x 80 PT-FFBT - 180 x 90 PT-FFBT - 180 x 105 PT-FFBT - 180 x 120 PT-FFBT - 180 x 135 PT-FFBT - 180 x 150	1800H x 600W mm 1800H x 750W mm 1800H x 800W mm 1800H x 900W mm 1800H x 1050W mm 1800H x 1200W mm 1800H x 1350W mm
PT-FFBT - 150 x 45 PT-FFBT - 150 x 60 PT-FFBT - 150 x 80 PT-FFBT - 150 x 90 PT-FFBT - 150 x 105 PT-FFBT - 150 x 120 PT-FFBT - 150 x 135 PT-FFBT - 150 x 150 PT-FFBT - 150 x 160	1500H x 600W mm 1500H x 750W mm 1500H x 800W mm 1500H x 900W mm 1500H x 1050W mm 1500H x 1200W mm 1500H x 1350W mm 1500H x 1500W mm	PT-FFBT - 165 x 45 PT-FFBT - 165 x 60 PT-FFBT - 165 x 75 PT-FFBT - 165 x 80 PT-FFBT - 165 x 90 PT-FFBT - 165 x 105 PT-FFBT - 165 x 120 PT-FFBT - 165 x 135 PT-FFBT - 165 x 150 PT-FFBT - 165 x 160	1650H x 600W mm 1650H x 750W mm 1650H x 800W mm 1650H x 900W mm 1650H x 1050W mm 1650H x 1200W mm 1650H x 1350W mm 1650H x 1500W mm 1650H x 1600W mm	PT-FFBT - 180 x 45 PT-FFBT - 180 x 60 PT-FFBT - 180 x 75 PT-FFBT - 180 x 80 PT-FFBT - 180 x 90 PT-FFBT - 180 x 105 PT-FFBT - 180 x 120 PT-FFBT - 180 x 135 PT-FFBT - 180 x 150	1800H x 600W mm 1800H x 750W mm 1800H x 800W mm 1800H x 900W mm 1800H x 1050W mm 1800H x 1200W mm 1800H x 1350W mm

#### Half Glass without **Trunking** (PT-HGOT)



Height - 1650mm

**PT-HGOT - 165 x 45** 1650H x 450W mm

**PT-HGOT - 165 x 60** 1650H x 600W mm

**PT-HGOT - 165 x 75** 1650H x 750W mm

PT-HGOT - 165 x 80 1650H x 800W mm

PT-HGOT - 165 x 90 1650H x 900W mm

PT-HGOT - 165 x 105 1650H x 1050W mm

PT-HGOT - 165 x 135 1650H x 1350W mm PT-HGOT - 165 x 150 1650H x 1500W mm PT-HGOT - 165 x 160 1650H x 1600W mm

Height - 1200mm Height - 1350mm PT-HGOT - 120 x 45 1200H x 450W mm PT-HGOT - 135 x 45 1350H x 450W mm PT-HGOT - 120 x 60 1200H x 600W mm PT-HGOT - 135 x 60 1350H x 600W mm PT-HGOT - 120 x 75 1200H x 750W mm PT-HGOT - 135 x 75 1350H x 750W mm PT-HGOT - 120 x 80 1200H x 800W mm PT-HGOT - 135 x 80 1350H x 800W mm PT-HGOT - 120 x 90 1200H x 900W mm PT-HGOT - 135 x 90 1350H x 900W mm PT-HGOT - 120 x 105 1200H x 1050W mm PT-HGOT - 135 x 105 1350H x 1050W mm PT-HGOT - 120 x 120 1200H x 1200W mm PT-HGOT - 135 x 120 1350H x 1200W mm **PT-HGOT - 120 x 135** 1200H x 1350W mm PT-HGOT - 135 x 135 1350H x 1350W mm **PT-HGOT - 120 x 150** 1200H x 1500W mm **PT-HGOT - 135 x 150** 1350H x 1500W mm PT-HGOT - 120 x 160 1200H x 1600W mm PT-HGOT - 135 x 160 1350H x 1600W mm

Height - 1800mm

PT-HGOT - 180 x 45

PT-HGOT - 180 x 60

PT-HGOT - 180 x 75

PT-HGOT - 180 x 80

PT-HGOT - 180 x 90

PT-HGOT - 165 x 120 1650H x 1200W mm PT-HGOT - 180 x 120 1800H x 1200W mm

PT-HGOT - 180 x 105 1800H x 1050W mm

1800H x 450W mm

1800H x 600W mm

1800H x 800W mm

1800H x 900W mm

Height - 1500mm PT-HGOT - 150 x 45 1500H x 450W mm PT-HGOT - 150 x 60 1500H x 600W mm PT-HGOT - 150 x 75 1500H x 750W mm PT-HGOT - 150 x 80 1500H x 800W mm PT-HGOT - 150 x 90 1500H x 900W mm PT-HGOT - 150 x 105 1500H x 1050W mm PT-HGOT - 150 x 120 1500H x 1200W mm **PT-HGOT - 150 x 135** 1500H x 1350W mm **PT-HGOT - 150 x 150** 1500H x 1500W mm PT-HGOT - 150 x 160 1500H x 1600W mm


Full Fabric **Double Trunking** (PT-FFDT)

Height - 1050mm

**PT-FFDT - 105 x 45** 1050H x 450W mm

PT-FFDT - 105 x 60 1050H x 600W mm

PT-FFDT - 105 x 75 1050H x 750W mm



P1-FFD1 - 105 X /5	1050H X 750W mm	P1-PP1 - 120 X 75	1200H X 750W MM
PT-FFDT - 105 x 80	1050H x 800W mm	PT-FFDT - 120 x 80	1200H x 800W mm
PT-FFDT - 105 x 90	1050H x 900W mm	PT-FFDT - 120 x 90	1200H x 900W mm
PT-FFDT - 105 x 105	1050H x 1050W mm	PT-FFDT - 120 x 105	1200H x 1050W mm
PT-FFDT - 105 x 120	1050H x 1200W mm	PT-FFDT - 120 x 120	1200H x 1200W mm
PT-FFDT - 105 x 135	1050H x 1350W mm	PT-FFDT - 120 x 135	1200H x 1350W mm
PT-FFDT - 105 x 150	1050H x 1500W mm	PT-FFDT - 120 x 150	1200H x 1500W mm
PT-FFDT - 105 x 160	1050H x 1600W mm	PT-FFDT - 120 x 160	1200H x 1600W mm
PT-FFDT - 105 x 165	1050H x 1650W mm	PT-FFDT - 120 x 165	1200H x 1650W mm
PT-FFDT - 105 x 180	1050H x 1800W mm	PT-FFDT - 120 x 180	1200H x 1800W mm
Height - 1500mm		Height - 1650mm	
PT-FFDT - 150 x 45	1500H x 450W mm	PT-FFDT - 165 x 45	1650H x 450W mm
PT-FFDT - 150 x 60	1500H x 600W mm	PT-FFDT - 165 x 60	1650H x 600W mm
PT-FFDT - 150 x 60 PT-FFDT - 150 x 75	1500H x 600W mm 1500H x 750W mm	PT-FFDT - 165 x 60 PT-FFDT - 165 x 75	1650H x 600W mm 1650H x 750W mm
PT-FFDT - 150 x 75	1500H x 750W mm	PT-FFDT - 165 x 75	1650H x 750W mm
PT-FFDT - 150 x 75 PT-FFDT - 150 x 80	1500H x 750W mm 1500H x 800W mm	PT-FFDT - 165 x 75 PT-FFDT - 165 x 80	1650H x 750W mm 1650H x 800W mm
PT-FFDT - 150 x 75 PT-FFDT - 150 x 80 PT-FFDT - 150 x 90	1500H x 750W mm 1500H x 800W mm 1500H x 900W mm	PT-FFDT - 165 x 75 PT-FFDT - 165 x 80 PT-FFDT - 165 x 90	1650H x 750W mm 1650H x 800W mm 1650H x 900W mm
PT-FFDT - 150 x 75 PT-FFDT - 150 x 80 PT-FFDT - 150 x 90 PT-FFDT - 150 x 105	1500H x 750W mm 1500H x 800W mm 1500H x 900W mm 1500H x 1050W mm	PT-FFDT - 165 x 75 PT-FFDT - 165 x 80 PT-FFDT - 165 x 90 PT-FFDT - 165 x 105	1650H x 750W mm 1650H x 800W mm 1650H x 900W mm 1650H x 1050W mm
PT-FFDT - 150 x 75 PT-FFDT - 150 x 80 PT-FFDT - 150 x 90 PT-FFDT - 150 x 105 PT-FFDT - 150 x 120	1500H x 750W mm 1500H x 800W mm 1500H x 900W mm 1500H x 1050W mm 1500H x 1200W mm	PT-FFDT - 165 x 75 PT-FFDT - 165 x 80 PT-FFDT - 165 x 90 PT-FFDT - 165 x 105 PT-FFDT - 165 x 120	1650H x 750W mm 1650H x 800W mm 1650H x 900W mm 1650H x 1050W mm 1650H x 1200W mm
PT-FFDT - 150 x 75 PT-FFDT - 150 x 80 PT-FFDT - 150 x 90 PT-FFDT - 150 x 105 PT-FFDT - 150 x 120 PT-FFDT - 150 x 135	1500H x 750W mm 1500H x 800W mm 1500H x 900W mm 1500H x 1050W mm 1500H x 1200W mm 1500H x 1350W mm	PT-FFDT - 165 x 75 PT-FFDT - 165 x 80 PT-FFDT - 165 x 90 PT-FFDT - 165 x 105 PT-FFDT - 165 x 120 PT-FFDT - 165 x 135	1650H x 750W mm 1650H x 800W mm 1650H x 900W mm 1650H x 1050W mm 1650H x 1200W mm
PT-FFDT - 150 x 75 PT-FFDT - 150 x 80 PT-FFDT - 150 x 90 PT-FFDT - 150 x 105 PT-FFDT - 150 x 120 PT-FFDT - 150 x 135 PT-FFDT - 150 x 150	1500H x 750W mm 1500H x 800W mm 1500H x 900W mm 1500H x 1050W mm 1500H x 1200W mm 1500H x 1350W mm	PT-FFDT - 165 x 75 PT-FFDT - 165 x 80 PT-FFDT - 165 x 90 PT-FFDT - 165 x 105 PT-FFDT - 165 x 120 PT-FFDT - 165 x 135 PT-FFDT - 165 x 150	1650H x 750W mm 1650H x 800W mm 1650H x 900W mm 1650H x 1050W mm 1650H x 1200W mm 1650H x 1350W mm
PT-FFDT - 150 x 75 PT-FFDT - 150 x 80 PT-FFDT - 150 x 90 PT-FFDT - 150 x 105 PT-FFDT - 150 x 120 PT-FFDT - 150 x 150 PT-FFDT - 150 x 160	1500H x 750W mm 1500H x 800W mm 1500H x 900W mm 1500H x 1050W mm 1500H x 1200W mm 1500H x 1350W mm 1500H x 1500W mm	PT-FFDT - 165 x 75 PT-FFDT - 165 x 80 PT-FFDT - 165 x 90 PT-FFDT - 165 x 105 PT-FFDT - 165 x 120 PT-FFDT - 165 x 150 PT-FFDT - 165 x 150 PT-FFDT - 165 x 160	1650H x 750W mm 1650H x 800W mm 1650H x 900W mm 1650H x 1050W mm 1650H x 1200W mm 1650H x 1350W mm 1650H x 1500W mm

Height - 1200mm


PT-FFDT - 120 x 45 1200H x 450W mm

PT-FFDT - 120 x 60 1200H x 600W mm

PT-FFDT - 120 x 75 1200H x 750W mm

Height - 1350mm **PT-FFDT - 135 x 45** 1350H x 450W mm PT-FFDT - 135 x 60 1350H x 600W mm PT-FFDT - 135 x 75 1350H x 750W mm PT-FFDT - 135 x 80 PT-FFDT - 135 x 90 1350H x 900W mm PT-FFDT - 135 x 105 1350H x 1050W mm PT-FFDT - 135 x 120 1350H x 1200W mm **PT-FFDT - 135 x 135** 1350H x 1350W mm PT-FFDT - 135 x 150 1350H x 1500W mm PT-FFDT - 135 x 160 1350H x 1600W mm **PT-FFDT - 135 x 165** 1350H x 1650W mm PT-FFDT - 135 x 180 1350H x 1800W mm Height - 1800mm PT-FFDT - 180 x 45 1800H x 450W mm PT-FFDT - 180 x 60 1800H x 600W mm PT-FFDT - 180 x 75 1800H x 750W mm PT-FFDT - 180 x 80 1800H x 800W mm PT-FFDT - 180 x 90 1800H x 900W mm PT-FFDT - 180 x 105 1800H x 1050W mm PT-FFDT - 180 x 120 1800H x 1200W mm PT-FFDT - 180 x 135 1800H x 1350W mm PT-FFDT - 180 x 150 1800H x 1500W mm PT-FFDT - 180 x 160 1800H x 1600W mm

Half Glass C/W **Center Trunking** (PT-HGCT)




Height - 1200mm Height - 1350mm Height - 1500mm **PT-HGCT - 120 x 45** 1200H x 450W mm 1500H x 450W mm **PT-HGCT - 135 x 45** 1350H x 450W mm PT-HGCT - 150 x 45 PT-HGCT - 120 x 60 1200H x 600W mm PT-HGCT - 135 x 60 1350H x 600W mm 1500H x 600W mm PT-HGCT - 150 x 60 PT-HGCT - 120 x 75 1200H x 750W mm PT-HGCT - 135 x 75 1350H x 750W mm PT-HGCT - 150 x 75 1500H x 750W mm PT-HGCT - 120 x 80 1200H x 800W mm PT-HGCT - 135 x 80 1350H x 800W mm PT-HGCT - 150 x 80 1500H x 800W mm PT-HGCT - 120 x 90 1200H x 900W mm **PT-HGCT - 135 x 90** 1350H x 900W mm PT-HGCT - 150 x 90 PT-HGCT - 120 x 105 1200H x 1050W mm PT-HGCT - 135 x 105 1350H x 1050W mm PT-HGCT - 150 x 105 1500H x 1050W mm PT-HGCT - 120 x 120 1200H x 1200W mm PT-HGCT - 135 x 120 1350H x 1200W mm **PT-HGCT - 150 x 120** 1500H x 1200W mm PT-HGCT - 120 x 135 1200H x 1350W mm PT-HGCT - 135 x 135 1350H x 1350W mm PT-HGCT - 150 x 135 1500H x 1350W mm **PT-HGCT - 120 x 150** 1200H x 1500W mm **PT-HGCT - 135 x 150** 1350H x 1500W mm **PT-HGCT - 150 x 150** 1500H x 1500W mm PT-HGCT - 120 x 160 1200H x 1600W mm PT-HGCT - 135 x 160 1350H x 1600W mm **PT-HGCT - 150 x 160** 1500H x 1600W mm

Height - 1650mm **PT-HGCT - 165 x 45** 1650H x 450W mm PT-HGCT - 165 x 60 1650H x 600W mm **PT-HGCT - 165 x 75** 1650H x 750W mm PT-HGCT - 165 x 80 1650H x 800W mm **PT-HGCT - 165 x 90** 1650H x 900W mm PT-HGCT - 165 x 105 1650H x 1050W mm PT-HGCT - 180 x 105 1800H x 1050W mm PT-HGCT - 165 x 120 1650H x 1200W mm PT-HGCT - 180 x 120 1800H x 1200W mm **PT-HGCT - 165 x 135** 1650H x 1350W mm PT-HGCT - 165 x 150 1650H x 1500W mm PT-HGCT - 165 x 160 1650H x 1600W mm

Height - 1800mm PT-HGCT - 180 x 45 1800H x 450W mm PT-HGCT - 180 x 60 1800H x 600W mm PT-HGCT - 180 x 75 1800H x 800W mm PT-HGCT - 180 x 80 PT-HGCT - 180 x 90 1800H x 900W mm

#### Half Glass c/w Bottom Trunking (PT-HGBT)



Height - 1650mm

**PT-HGBT - 165 x 45** 1650H x 450W mm

**PT-HGBT - 165 x 60** 1650H x 600W mm

**PT-HGBT - 165 x 75** 1650H x 750W mm

**PT-HGBT - 165 x 80** 1650H x 800W mm

**PT-HGBT - 165 x 135** 1650H x 1350W mm

**PT-HGBT - 165 x 150** 1650H x 1500W mm

**PT-HGBT - 165 x 160** 1650H x 1600W mm

PT-HGDT - 165 x 135 1650H x 1350W mm
PT-HGDT - 165 x 150 1650H x 1500W mm
PT-HGDT - 165 x 160 1650H x 1600W mm

**PT-HGBT - 165 x 90** 1650H x 900W mm

Height - 1200mm		Height - 1350mm		Height - 1500mm	
PT-HGBT - 120 x 45	1200H x 450W mm	PT-HGBT - 135 x 45	1350H x 450W mm	PT-HGBT - 150 x 45	1500H x 450W mm
PT-HGBT - 120 x 60	1200H x 600W mm	PT-HGBT - 135 x 60	1350H x 600W mm	PT-HGBT - 150 x 60	1500H x 600W mm
PT-HGBT - 120 x 75	1200H x 750W mm	PT-HGBT - 135 x 75	1350H x 750W mm	PT-HGBT - 150 x 75	1500H x 750W mm
PT-HGBT - 120 x 80	1200H x 800W mm	PT-HGBT - 135 x 80	1350H x 800W mm	PT-HGBT - 150 x 80	1500H x 800W mm
PT-HGBT - 120 x 90	1200H x 900W mm	PT-HGBT - 135 x 90	1350H x 900W mm	PT-HGBT - 150 x 90	1500H x 900W mm
PT-HGBT - 120 x 105	1200H x 1050W mm	PT-HGBT - 135 x 105	1350H x 1050W mm	PT-HGBT - 150 x 105	1500H x 1050W mm
PT-HGBT - 120 x 120	1200H x 1200W mm	PT-HGBT - 135 x 120	1350H x 1200W mm	PT-HGBT - 150 x 120	1500H x 1200W mm
PT-HGBT - 120 x 135	1200H x 1350W mm	PT-HGBT - 135 x 135	1350H x 1350W mm	PT-HGBT - 150 x 135	1500H x 1350W mm
PT-HGBT - 120 x 150	1200H x 1500W mm	PT-HGBT - 135 x 150	1350H x 1500W mm	PT-HGBT - 150 x 150	1500H x 1500W mm
PT-HGBT - 120 x 160	1200H x 1600W mm	PT-HGBT - 135 x 160	1350H x 1600W mm	PT-HGBT - 150 x 160	1500H x 1600W mm

**PT-HGBT - 180 x 45** 1800H x 450W mm

**PT-HGBT - 180 x 60** 1800H x 600W mm

**PT-HGBT - 180 x 75** 1800H x 750W mm

PT-HGBT - 180 x 80 1800H x 800W mm


PT-HGBT - 180 x 90 1800H x 900W mm

Height - 1800mm

PT-HGBT - 165 x 105 1650H x 1050W mm PT-HGBT - 180 x 105 1800H x 1050W mm PT-HGBT - 165 x 120 1650H x 1200W mm PT-HGBT - 180 x 120 1800H x 1200W mm

**PT-HGDT - 165 x 120** 1650H x 1200W mm **PT-HGDT - 180 x 120** 1800H x 1200W mm

### Half Glass c/w Double Trunking (PT-HGDT)



Height - 1200mm		Height - 1350mm		Height - 1500mm	
PT-HGDT - 120 x 45	1200H x 450W mm	PT-HGDT - 135 x 45	1350H x 450W mm	PT-HGDT - 150 x 45	1500H x 450W mm
PT-HGDT - 120 x 60	1200H x 600W mm	PT-HGDT - 135 x 60	1350H x 600W mm	PT-HGDT - 150 x 60	1500H x 600W mm
PT-HGDT - 120 x 75	1200H x 750W mm	PT-HGDT - 135 x 75	1350H x 750W mm	PT-HGDT - 150 x 75	1500H x 750W mm
PT-HGDT - 120 x 80	1200H x 800W mm	PT-HGDT - 135 x 80	1350H x 800W mm	PT-HGDT - 150 x 80	1500H x 800W mm
PT-HGDT - 120 x 90	1200H x 900W mm	PT-HGDT - 135 x 90	1350H x 900W mm	PT-HGDT - 150 x 90	1500H x 900W mm
PT-HGDT - 120 x 105	1200H x 1050W mm	PT-HGDT - 135 x 105	1350H x 1050W mm	PT-HGDT - 150 x 105	1500H x 1050W mm
PT-HGDT - 120 x 120	1200H x 1200W mm	PT-HGDT - 135 x 120	1350H x 1200W mm	PT-HGDT - 150 x 120	1500H x 1200W mm
PT-HGDT - 120 x 135	1200H x 1350W mm	PT-HGDT - 135 x 135	1350H x 1350W mm	PT-HGDT - 150 x 135	1500H x 1350W mm
PT-HGDT - 120 x 150	1200H x 1500W mm	PT-HGDT - 135 x 150	1350H x 1500W mm	PT-HGDT - 150 x 150	1500H x 1500W mm
PT-HGDT - 120 x 160	1200H x 1600W mm	PT-HGDT - 135 x 160	1350H x 1600W mm	PT-HGDT - 150 x 160	1500H x 1600W mm
Height - 1650mm		Height - 1800mm			
PT-HGDT - 165 x 45	1650H x 450W mm	PT-HGDT - 180 x 45	1800H x 450W mm		
PT-HGDT - 165 x 60	1650H x 600W mm	PT-HGDT - 180 x 60	1800H x 600W mm		
PT-HGDT - 165 x 75	1650H x 750W mm	PT-HGDT - 180 x 75	1800H x 750W mm		
PT-HGDT - 165 x 80	1650H x 800W mm	PT-HGDT - 180 x 80	1800H x 800W mm		
PT-HGDT - 165 x 90	1650H x 900W mm	PT-HGDT - 180 x 90	1800H x 900W mm		
PT-HGDT - 165 x 105	1650H x 1050W mm	PT-HGDT - 180 x 105	1800H x 1050W mm		

### Full Glass without Trunking (PT-FGOT)



Height - 1200mm		Height - 1350mm		Height - 1500mm	
PT-FGOT - 120 x 45	1050H x 450W mm	PT-FGOT - 135 x 45	1050H x 450W mm	PT-FGOT - 150 x 45	1050H x 450W mm
PT-FGOT - 120 x 60	1050H x 600W mm	PT-FGOT - 135 x 60	1050H x 600W mm	PT-FGOT - 150 x 60	1050H x 600W mm
PT-FGOT - 120 x 75	1050H x 750W mm	PT-FGOT - 135 x 75	1050H x 750W mm	PT-FGOT - 150 x 75	1050H x 750W mm
PT-FGOT - 120 x 80	1050H x 800W mm	PT-FGOT - 135 x 80	1050H x 800W mm	PT-FGOT - 150 x 80	1050H x 800W mm
PT-FGOT - 120 x 90	1050H x 900W mm	PT-FGOT - 135 x 90	1050H x 900W mm	PT-FGOT - 150 x 90	1050H x 900W mm
PT-FGOT - 120 x 105	1050H x 1050W mm	PT-FGOT - 135 x 105	1050H x 1050W mm	PT-FGOT - 150 x 105	1050H x 1050W mm
PT-FGOT - 120 x 120	1050H x 1200W mm	PT-FGOT - 135 x 120	1050H x 1200W mm	PT-FGOT - 150 x 120	1050H x 1200W mm
Height - 1650mm		Height - 1800mm			
Height - 1650mm PT-FGOT - 165 x 45	1050H x 450W mm	_	1050H x 450W mm		
o .	1050H x 450W mm 1050H x 600W mm	PT-FGOT - 180 x 45	1050H x 450W mm 1050H x 600W mm		
PT-FGOT - 165 x 45		PT-FGOT - 180 x 45 PT-FGOT - 180 x 60			
PT-FGOT - 165 x 45 PT-FGOT - 165 x 60	1050H x 600W mm	PT-FGOT - 180 x 45 PT-FGOT - 180 x 60 PT-FGOT - 180 x 75	1050H x 600W mm		
PT-FGOT - 165 x 45 PT-FGOT - 165 x 60 PT-FGOT - 165 x 75	1050H x 600W mm 1050H x 750W mm 1050H x 800W mm	PT-FGOT - 180 x 45 PT-FGOT - 180 x 60 PT-FGOT - 180 x 75 PT-FGOT - 180 x 80	1050H x 600W mm 1050H x 750W mm		
PT-FGOT - 165 x 45 PT-FGOT - 165 x 60 PT-FGOT - 165 x 75 PT-FGOT - 165 x 80	1050H x 600W mm 1050H x 750W mm 1050H x 800W mm 1050H x 900W mm	PT-FGOT - 180 x 45 PT-FGOT - 180 x 60 PT-FGOT - 180 x 75 PT-FGOT - 180 x 80	1050H x 600W mm 1050H x 750W mm 1050H x 800W mm 1050H x 900W mm		
PT-FGOT - 165 x 45 PT-FGOT - 165 x 60 PT-FGOT - 165 x 75 PT-FGOT - 165 x 80 PT-FGOT - 165 x 90	1050H x 600W mm 1050H x 750W mm 1050H x 800W mm 1050H x 900W mm 1050H x 1050W mm	PT-FGOT - 180 x 45 PT-FGOT - 180 x 60 PT-FGOT - 180 x 75 PT-FGOT - 180 x 80 PT-FGOT - 180 x 90	1050H x 600W mm 1050H x 750W mm 1050H x 800W mm 1050H x 900W mm 1050H x 1050W mm		

#### Full Glass C/W Buttom Trunking (PT-FGBT)



Height - 1200mm		Height - 1350mm		Height - 1500mm	
PT-FGBT - 120 x 45	1050H x 450W mm	PT-FGBT - 135 x 45	1050H x 450W mm	PT-FGBT - 150 x 45	1050H x 450W mn
PT-FGBT - 120 x 60	1050H x 600W mm	PT-FGBT - 135 x 60	1050H x 600W mm	PT-FGBT - 150 x 60	1050H x 600W mr
PT-FGBT - 120 x 75	1050H x 750W mm	PT-FGBT - 135 x 75	1050H x 750W mm	PT-FGBT - 150 x 75	1050H x 750W mn
PT-FGBT - 120 x 80	1050H x 800W mm	PT-FGBT - 135 x 80	1050H x 800W mm	PT-FGBT - 150 x 80	1050H x 800W mr
PT-FGBT - 120 x 90	1050H x 900W mm	PT-FGBT - 135 x 90	1050H x 900W mm	PT-FGBT - 150 x 90	1050H x 900W mr
PT-FGBT - 120 x 105	1050H x 1050W mm	PT-FGBT - 135 x 105	1050H x 1050W mm	PT-FGBT - 150 x 105	1050H x 1050W m
PT-FGBT - 120 x 120	1050H x 1200W mm	PT-FGBT - 135 x 120	1050H x 1200W mm	PT-FGBT - 150 x 120	1050H x 1200W m
Height - 1650mm		Height - 1800mm			
PT-FGBT - 165 x 45	1050H x 450W mm	PT-FGBT - 180 x 45	1050H x 450W mm		
PT-FGBT - 165 x 60	1050H x 600W mm	PT-FGBT - 180 x 60	1050H x 600W mm		
PT-FGBT - 165 x 75	1050H x 750W mm	PT-FGBT - 180 x 75	1050H x 750W mm		
PT-FGBT - 165 x 80	1050H x 800W mm	PT-FGBT - 180 x 80	1050H x 800W mm		
PT-FGBT - 165 x 90	1050H x 900W mm	PT-FGBT - 180 x 90	1050H x 900W mm		
PT-FGBT - 165 x 105	1050H x 1050W mm	PT-FGBT - 180 x 105	1050H x 1050W mm		
PT-FGBT - 165 x 120	1050H x 1200W mm	PT-FGBT - 180 x 120	1050H x 1200W mm		

#### Curve Full Fabric (PT-CFF)



Height - 1500mm

PT-CFF - 150 x 60 1050H x 600W mm PT-CFF - 150 x 75 1050H x 750W mm

Height - 1050mm		Height - 1200mm		Height - 1350mm	
PT-CFF - 105 x 60	1050H x 600W mm	PT-CFF - 120 x 60	1050H x 600W mm	PT-CFF - 135 x 60	1050H x 600W mm
PT-CFF - 105 x 75	1050H x 750W mm	PT-CFF - 120 x 75	1050H x 750W mm	PT-CFF - 135 x 75	1050H x 750W mm

# **Table Top**

#### **Curve Half Perspex** (PT-CHP)



Height - 1200mm Height - 1350mm			Height - 1500mm			
	PT-CHP - 120 x 60	1050H x 600W mm	PT-CHP - 135 x 60	1050H x 600W mm	PT-CHP - 150 x 60	1050H x 600W m
	DT-CUD - 120 v 75	1050H v 750W mm	DT_CUD - 175 v 75	10E0H v 7E0W mm	DT-CUD - 150 v 75	10E0H v 7E0W m

### **Curve Full Perspex** (PT-CFP)




Height - 1200mm		Height - 1350mm		Height - 1500mm	
PT-CFP - 120 x 60	1050H x 600W mm	PT-CFP - 135 x 60	1050H x 600W mm	PT-CFP - 150 x 60	1050H x 600W mm
PT-CFP - 120 x 75	1050H v 750W mm	PT-CFP - 135 v 75	1050H v 750W mm	PT-CFP - 150 x 75	1050H v 750W mm

#### Straight Worktop



VK-WT - 60 x 45	600H x 450W x 25THK mm	WK-WT - 165 x 60	1650H x 600W x 25THK mr
VK-WT - 75 x 45	750H x 450W x 25THK mm	WK-WT - 180 x 60	1800H x 600W x 25THK mn
VK-WT - 90 x 45	900H x 450W x 25THK mm	WK-WT - 60 x 75	600H x 750W x 25THK mn
VK-WT - 105 x 45	1050H x 450W x 25THK mm	WK-WT - 75 x 75	750H x 750W x 25THK mr
VK-WT - 120 x 45	1200H x 450W x 25THK mm	WK-WT - 90 x 75	900H x 750W x 25THK mr
VK-WT - 60 x 60	600H x 600W x 25THK mm	WK-WT - 105 x 75	1050H x 750W x 25THK mr
VK-WT - 75 x 60	750H x 600W x 25THK mm	WK-WT - 120 x 75	1200H x 750W x 25THK mn
VK-WT - 90 x 60	900H x 600W x 25THK mm	WK-WT - 135 x 75	1350H x 750W x 25THK mn
VK-WT - 105 x 60	1050H x 600W x 25THK mm	WK-WT - 150 x 75	1500H x 750W x 25THK mn
VK-WT - 120 x 60	1200H x 600W x 25THK mm	WK-WT - 165 x 75	1650H x 750W x 25THK mn
VK-WT - 135 x 60	1350H x 600W x 25THK mm	WK-WT - 180 x 75	1800H x 750W x 25THK mr
VK-WT - 150 x 60	1500H x 600W x 25THK mm		


#### **Curve Corner Worktop**



WK-CCW - 150 x 60 1500W/600D x 1500W/600D x 25THK mm WK-CCW - 165 x 60 1650W/600D x 1650W/600D x 25THK mm WK-CCW - 150 x 75 1500W/750D x 1500W/750D x 25THK mm WK-CCW - 165 x 75 1650W/750D x 1650W/750D x 25THK mm


#### **Curve Corner Top** (Left)





WK-CC - 120 x 60 (L) 1200W/600D x 1200W/600D x 25THK mm WK-CC - 150 x 60 (L) 1500W/600D x 1500W/600D x 25THK mm WK-CC - 180 x 60 (L) 1800W/600D x 1800W/600D x 25THK mm 1200W/750D x 1200W/750D x 25THK mm 1500W/750D x 1500W/750D x 25THK mm WK-CC - 180 x 75 (L) 1800W/750D x 1800W/750D x 25THK mm

#### **Curve Corner Top** (Right)



WK-CC - 120 x 60 (R) 1200W/600D x 1200W/600D x 25THK mm WK-CC - 150 x 60 (R) 1500W/600D x 1500W/600D x 25THK mm WK-CC - 180 x 60 (R) 1800W/600D x 1800W/600D x 25THK mm WK-CC - 120 x 75 (R) 1200W/750D x 1200W/750D x 25THK mm WK-CC - 150 x 75 (R) 1500W/750D x 1500W/750D x 25THK mm WK-CC - 180 x 75 (R) 1800W/750D x 1800W/750D x 25THK mm

#### Round End Top



WK-RET - 120 x 60 1200W x 600D x 25THK mm WK-RET - 150 x 60 1500W x 600D x 25THK mm WK-RET - 180 x 60 1800W x 600D x 25THK mm WK-RET - 120 x 75 1200W x 750D x 25THK mm WK-RET - 150 x 75 1500W x 750D x 25THK mm WK-RET - 180 x 75 1800W x 750D x 25THK mm

Counter Worktop (Left)	WK-CW - 120 x 60 (L) WK-CW - 150 x 60 (L)	1200W x 600D x 25THK mm 1500W x 600D x 25THK mm	
D	WK-CW - 180 x 60 (L)	1800W x 600D x 25THK mm	
	WK-CW - 120 x 75 (L)	1200W x 750D x 25THK mm	
	WK-CW - 150 x 75 (L)	1500W x 750D x 25THK mm	
	WK-CW - 180 x 75 (L)	1800W x 750D x 25THK mm	
Counter Worktop		4000W 5000 05TUV	
(Right)	WK-CW 150 x 60 (R)	1200W x 600D x 25THK mm 1500W x 600D x 25THK mm	
	WK-CW - 150 x 60 (R)	1800W x 600D x 25THK mm	
D	WK-CW - 120 x 75 (R)		
	WK-CW - 150 x 75 (R)		
	WK-CW - 180 x 75 (R)	1800W x 750D x 25THK mm	
Round Extension Top	WK-RXT - 60 (L)	750W x 600D x 25THK mm	
(Left)	WK-RXT - 75 (L)	900W x 750D x 25THK mm	
w		300 W X 700 D X 20 W W W W W W W W W W W W W W W W W W	
Round Extension Top	WK-RXT - 60 (R)	750W x 600D x 25THK mm	
(Right)	WK-RXT - 75 (R)	900W x 750D x 25THK mm	
RIGHT W			
Connection Worktop	WK-CNW - 60	600W x 600D x 25THK mm	
	WK-CNW - 75	750W x 750D x 25THK mm	
W			
Connection Worktop	WK-HRT - 95	475W x 950D x 25THK mm	
	WK-HRT -125	625W x 1250D x 25THK mm	
w	WK-HRT - 155	775W x 15550D x 25THK mm	
D			


### Semi-Oval Worktop WK-SOW - 180 x 60 1800W x 600D x 25THK mm WK-SOW - 210 x 60 2100W x 600D x 25THK mm **WK-SOW - 240 x 60** 2400W x 600D x 25THK mm **WK-SOW - 210 x 75** 2100W x 750D x 25THK mm **WK-SOW - 240 x 75** 2400W x 750D x 25THK mm 120°Hexagon Worktop

WK-HWT 330W x 25THK mm



**Corner Worktop** 

WK-CWT - 90 x 45	900W/450D x 900W/450D x 25THK mm
WK-CWT - 90 x 60	900W/600D x 900W/600D x 25THK mm
WK-CWT - 90 x 75	900W/750D x 900W/750D x 25THK mm
WK-CWT - 105 x 45	1050W/450D x 1050W/450D x 25THK mm
WK-CWT - 105 x 60	1050W/600D x 1050W/600D x 25THK mm
WK-CWT - 105 x 75	1050W/750D x 1050W/750D x 25THK mm
WK-CWT - 120 x 60	1200W/750D x 1200W/750D x 25THK mm
WK-CWT - 120 x 75	1200W/750D x 1200W/750D x 25THK mm



WK-C - 45 x 30 450W x 300D x 25THK mm

WK-C - 60 x 30	600W x 300D x 25THK mm
WK-C - 75 x 30	750W x 300D x 25THK mm
WK-C - 90 x 30	900W x 300D x 25THK mm
WK-C - 120 x 30	1200W x 300D x 25THK mm
WK-C - 150 x 30	1500W x 300D x 25THK mm
WK-C - 180 x 30	1800W x 300D x 25THK mm

WK-TWT



1072W/660D x 330L/7660D x 25THK mm

235



# rtition Series

### **Accessories**

### Hanging Cabinet -Flip Door Type



WK-HC 60	585W x 355D x 445H mm
WK-HC 75	735W x 355D x 445H mm
WK-HC 80	785W x 355D x 445H mm
WK-HC 90	885W x 355D x 445H mm
WK-HC 105	1035W x 355D x 445H mm
WK-HC 120	1185W x 355D x 445H mm

### Hanging Cabinet -Flip Door Type with Soft Closing



WK-HC 60 (SF)	585W x 355D x 445H mr
WK-HC 75 (SF)	735W x 355D x 445H mr
WK-HC 80 (SF)	785W x 355D x 445H mr
WK-HC 90 (SF)	885W x 355D x 445H mr
WK-HC 105 (SF)	1035W x 355D x 445H mr
WK-HC 120 (SF)	1185W x 355D x 445H mr

#### Hanging Bookshelf



WK-HB 60	585W x 355D x 445H m
WK-HB 75	735W x 355D x 445H m
WK-HB 80	785W x 355D x 445H m
WK-HB 90	885W x 355D x 445H m
WK-HB 105	1035W x 355D x 445H m

#### Side Supporting panel



WK-SL 45	420W x 735H mm
WK-SL 60	570W x 735H mm
WK-SL 75	720W x 735H mm

#### Cantilever Leg



PT-CT 45 450W x 735H mm
PT-CT 60 600W x 735H mm
PT-CT 75 750W x 735H mm

#### **Tubular Stand**



RD-ETS 50W x 50D x 735H mm

#### **Tubular Stand**



RD-TS 75W x 75D x 735H mm

# RD-02 (L) RD-02 (R)

600W x 62D x 735H mm



600W x 70D x 735H mm

**RD-11** 

#### **RD-06**



600W x 70D x 735H mm

#### RD-09 (L) RD-09 (R)



600W x 62D x 735H mm

#### RD-10



600W x 70D x 735H mm



600W x 70D x 735H mm

# Screen

With post-pandemic working environment in mind, this Screen series offers partitions that create an appropriate social distance. These partitions not only enable privacy and safety, but they also add to grandeur with minimal obstructed view.



# Chipboard



238

# **Chipboard Range**

#### Standard 300H

**W-SC-CB60X30** 550W x 300H x 18THK mm

**W-SC-CB74X30** 690W x 300H x 18THK mm

W-SC-CB90X30

850W x 300H x 18THK mm W-SC-CB120X30

1150W x 300H x 18THK mm **W-SC-CB150X30** 1450W x 300H x 18THK mm

W-SC-CB180X30

1750W x 300H x 18THK mm

Applicable bracket :

L-Bracket WK-BK-26



#### Standard 500H

W-SC-CB60X50 550W x 500H x 18THK mm

W-SC-CB74X50 690W x 500H x 18THK mm W-SC-CB90X50

850W x 500H x 18THK mm **W-SC-CB120X50** 

1150W x 500H x 18THK mm W-SC-CB150X50 1450W x 500H x 18THK mm

**W-SC-CB180X50** 1750W x 500H x 18THK mm Applicable bracket :









Leg Bracket
(3 Column Single Table)
TR-F-PAR-BR1

Leg Bracket (3 Column L-Shape Table) TR-F-PAR-BR1L

#### Standard 700H

**W-SC-CB60X70** 550W x 700H x 18THK mm

**W-SC-CB74X70** 690W x 700H x 18THK mm

**W-SC-CB90X70** 850W x 700H x 18THK mm

W-SC-CB120X70 1150W x 700H x 18THK mm

**W-SC-CB150X70** 1450W x 700H x 18THK mm

**W-SC-CB180X70** 1750W x 700H x 18THK mm pplicable bracket :



#### Standard 850H

W-SC-CB120X85 1150W x 850H x 18THK mm W-SC-CB150X85 1450W x 850H x 18THK mm

W-SC-CB180X85 1750W x 850H x 18THK mm

239



Leg Bracket (2 Column L-Shape Table) TR-F-PAR-BR2L



- INTTAK

Applicable bracket :

Leg Bracket
(3 Column Single Table)
TR-F-PAR-BR1

### Standard 500H

T-Bracket WK-BK-25

Applicable bracket :



#### W-SC-FA60X50 550W x 500H x 18THK mm W-SC-FA74X50

**Fabric Range** 

#### 850W x 500H x 18THK mm W-SC-FA120X50 1150W x 500H x 18THK mm W-SC-FA150X50 1450W x 500H x 18THK mm W-SC-FA180X50 1750W x 500H x 18THK mm

W-SC-FA90X50

690W x 500H x 18THK mm

Applicable bracket :

#### Standard 700H

Standard 300H

550W x 300H x 18THK mm

690W x 300H x 18THK mm

850W x 300H x 18THK mm

1450W x 300H x 18THK mm W-SC-FA180X30

1750W x 300H x 18THK mm

W-SC-FA60X30

W-SC-FA74X30

W-SC-FA90X30

W-SC-FA120X30 1150W x 300H x 18THK mm

W-SC-FA150X30

W-SC-FA60X70 550W x 700H x 18THK mm

W-SC-FA74X70 690W x 700H x 18THK mm

W-SC-FA90X70 850W x 700H x 18THK mm

W-SC-FA120X70 1150W x 700H x 18THK mm

W-SC-FA150X70 1450W x 700H x 18THK mm W-SC-FA180X70



### Standard 850H

W-SC-FA120X85 1150W x 850H x 18THK mm W-SC-FA150X85 1450W x 850H x 18THK mm W-SC-FA180X85 1750W x 850H x 18THK mm



1750W x 700H x 18THK mm



240

**Fabric** 

## **Acrylic**



# **Acrylic Range**

#### Standard 500H

**P-SC-3AC60X50L** 550W x 500H x 3THK mm

**P-SC-3AC75X50L** 700W x 500H x 3THK mm

**P-SC-3AC90X50L** 850W x 500H x 3THK mm

P-SC-3AC120X50L

1150W x 500H x 3THK mm P-SC-3AC150X50L

1450W x 500H x 3THK mm P-SC-3AC180X50L

1750W x 500H x 3THK mm

Applicable bracket :

L-Bracke WK-BK-





#### Combine

#### U-Type

**P-SC-3AC60X60X50-U** 550W x 550D x 500H mm

P-SC-3AC75X60X50-U 700W x 550D x 500H mm

**P-SC-3AC90X60X50-U** 850W x 550D x 500H mm

**P-SC-3AC120X60X50-U** 1150W x 550D x 500H mm

P-SC-3AC150X60X50-U 1450W x 550D x 500H mm

P-SC-3AC180X60X50-U 1750W x 550D x 500H mm Applicable bracke

L Acrylic Bracket WK-BK-30(TT)

#### Side by Side (Single Type)

**P-SC-3AC120X60X50-S** (550W + 550W) x 550D x 500H mm

P-SC-3AC150X60X50-S (700W + 700W) x 550D x 500H mm


P-SC-3AC180X60X50-S (850W + 850W) x 550D x 500H mm

P-SC-3AC240X60X50-S

(1150W + 1150W) x 550D x 500H mm P-SC-3AC300X60X50-S

(1450W + 1450W) x 550D x 500H mm

**P-SC-3AC360X60X50-S** (1750W + 1750W) x 550D x 500H mm



#### Back to Back (Double Type)

**P-SC-3AC120X90X50-D** 850W x (550D + 550D) x 500H mm

**P-SC-3AC120X120X50-D** 1150W x (550D + 550D) x 500H mm

**P-SC-3AC120X150X50-D** 1450W x (550D + 550D) x 500H mm


**P-SC-3AC120X180X50-D** 1750W x (550D + 550D) x 500H mm Applicable bracket :

L Acrylic Bracket WK-BK-30(TT)

### Round Table

P-SC-3AC120X120X50-R (550W + 550W) x (550D + 550D) x 500H P-SC-3AC150X150X50-R (700W + 700W) x (700D + 700D) x 500H Applicable bracket :

L Acrylic Bracket
WK-BK-30(TT)



### **Colours**

#### Chipboard



#### **Fabric**

Jasper



#### Galaxy



#### Alexandra



#### Brute



#### Exotica




#### Vintage



# Pod

I-Space	248
Cove	260
01	272

# Embark on an interstellar trip







Focus: A space of your own



Communication: A conversation between you and me




Teamwork: Brainstorming at any time



Relaxation: Enjoy a moment of tranquility



MOVABLE BOOTH









#### Acoustic insulation

high-density acoustic felt and other acoustic materials ensure a distraction-proof environment.

#### Pleasant ventilation

Ultra-silent and energy-saving ventilation indulges you with a refreshing breeze every minute.



#### Eye-comfort lighting

4000K (color temperature) natural light LED ensures a comfortable lighting experience.




#### Convenient charging

 $100\mbox{-}230\mbox{V}/50\mbox{Hz}$  and  $12\mbox{V-USB}$  adapt to most main stream devices.











Create a private space in an open-plan workspace for making phone calls, reception, communication, and ad-hoc work.



### **PRIVATE**

### Meeting space

A choice between privacy and semi-privacy allows you to make phone/video calls expediently, and offers a solution to ad-hoc discussions.



### Brainstorming space

A high-resilient back cushion gives your waist soft support when you stand up.

#### Booth/Silent Capsule/ Occasional Table/Working Table/Conference Table/Sofa









DNA20.100100G

DNA24.200156G W1000\*D1000\*H2377(mm) W2000\*D1560\*H2445(mm) W2500\*D2500\*H2445(mm) W1340\*D610\*H756(mm)

DNA27.250250G

SNA30L/R.2.MR

SNA30L/R.3.MR W2280\*D600\*H756(mm)



DSN70.100060 W1000\*D600\*H750(mm)



DSN72.100060



DSN74.180587 W1000\*D600\*H1050(mm) W1805\*D870\*H1050(mm)



DSN76.170090 W1700\*D900\*H750(mm)



DSN78.170090 W1700\*D900\*H1050(mm)



DNA29.021016GW W210\*D165\*H100(mm)



DNA28.029029GN W290\*D290\*H160(mm)

#### Sofa Material

#### TM-VI











































TM-CI



TM-Cl10B TM-Cl21B TM-Cl29B TM-Cl29B TM-Cl30B TM-Cl35B TM-Cl42B TM-Cl50B TM-Cl60B TM-Cl62B TM-Cl80B TM-Cl81B



TM-CI82B TM-CI83B

#### Capsule Material

#### External veneer



Matte white

#### Internal veneer

#### TM-CI



















TM-Cl10B TM-Cl21B TM-Cl29B TM-Cl29B TM-Cl30B TM-Cl35B TM-Cl35B TM-Cl50B TM-Cl60B TM-Cl60B TM-Cl60B TM-Cl80B TM-Cl80B



TM-CI82B TM-CI83B Grey felt





Moonlight Grey carpetWhite oak Aluminum Oxidized Mist





Glass

Frame back

Steel plate

Occational Table Material

Table board

S-77





S-57

Meteor grey

Base

# Cove

Through our work we have researched the best work-places and found out that they all have specifically assigned areas for the different activities that take place at the office: Collaboration, Communication, Concentration and Chill-out. Cove, creating smart and comfortable workspace.



### **G** PodWork



#### **Pod Range**

### Type A1

Body Panel TR-CO-G1 1300W x 1800D x 1350H MM

Table Top W-CO-G1-F

1210W x 740D x 25THK MM

### Type A2

Body Panel TR-CO-G2 1600W x 1800D x 1350H MM

Table Top **W-CO-G2-F** 1510W x 740D x 25THK MM



### **U PodWork**



#### Pod Range

#### Type A1

Body Panel **TR-CO-U1** 1300W x 900D x 1350H MM

Table Top W-CO-U1-F 1210W x 740D x 25THK MM



### Type A2

Body Panel **TR-CO-U2** 1600W x 900D x 1350H MM

Table Top **W-CO-U2-F** 1510W x 740D x 25THK MM



# **Xpress PodWork**



#### Pod Range

### Type C1

Body Panel **TR-CO-XP1** 1000W x 900D x 1800H MM


Table Top **W-CO-XP1-G** 910W x 740D x 25THK MM



#### Type C2

Body Panel **TR-CO-XP1** 1000W x 900D x 1800H MM

Table Top **W-CO-XP2-G** 910W x 740D x 25THK MM



# G PodWork c/w Sofa



#### **Pod Range**

#### Type B1

Body Panel **TR-CO-GS1** 1300W x 1450D x 1350H MM


W-CO-GS1-F 1210W x 740D x 25THK MM




### Type B2

Body Panel **TR-CO-GS2** 1600W x 1450D x 1350H MM

Table Top W-CO-GS2-F 1510W x 740D x 25THK MM



# Meeting PodWork c/w Sofa



#### **Pod Range**

#### Type D1

Body Panel


**TR-CO-M1** 1600W x 500D x 1500H MM

W-CO-M1

1510W x 450D x 25THK MM

Centre Table Structure

W-N180X90-DCW-F 1800W x 900D x 760H MM





#### **Pod Range**


#### Type E1

Body Panel TR-CO-MS1

1300W x 2150D x 1500H MM

Table Top

**W-CO-MS1-F** 900W x 800D x 25THK MM



### Type E2


Body Panel

TR-CO-MS2

1800W x 2150D x 1500H MM


Table Top

W-CO-MS2-F 1200W x 800D x 25THK MM




# od Series


### **Cove Accessories**




### **Hanging Steel Board Range**Peg Board




#### Box Board




#### Hanging Board



### Hanging Steel Board Range



#### Shelf type B



269


### Shelf type D Shelf type C 125W MM 125W MM ST-COVE-ACC6 ST-COVE-ACC7 top view 125W x 80D x 30H MM top view 125W x 80D x 30H MM 125W MM 80D MM 80D MM 125W MM front view front view side view side view Shelf type E 165W MM 165W MM 80D MM top view front view side view




ST-COVE-ACC8

165W x 80D x 90H MM


In-Desk Netbox



WK-NB-3P Centra netbox with 3P x 13a Socket (Nk Series)



WK-NB-3PO Centra netbox with 3P x 13a Socket (Nk Series) and 10 x Data Outlet RJ45



WK-CNB-2PUO Centra netbox with 2P x 13a Socket (Nk Series) 1U x Data USB, 10 x Data Outlet RJ45

Pearl Netbox



WK-ACC-NP-1 Pearl netbox with 1 socket outlet (GB)



WK-ACC-NP-2 Pearl netbox with 1 socket outlet (INT)



WK-ACC-NP-3 Pearl netbox with Twin Usb Charger

### **Colours**

# Chipboard Fabric Jasper



Galaxy

Brute









# **D1**

Flexibility of a workplace is like the eco-system of an island: with different natural elements to make it vibrant and rich. D series includes screens, tables, seatings, and other office facilities, which integrate working, communication, leisure and other workingmodes harmoniously, providing a healthy office ecosystem.







1200mm-high panel screen with acoustic material surrounding the desk helps build an individual working space where you are freed from visual and sound interference.



How to balance me-working and co-working? A screen in the middle let users flexibly switch between focused work and discussion with a partner beside.

# Office **Leisure Zone**







#### Leisure zone

Be there when you need a time off. A leisure unit built with D series products: a single sofa with high backrest, a panel screen, and a matching table top. Relaxing/reading/working/resting here when users need a time alone would be a perfect choice.





#### Specification

### D1







ST43.MR W720\*D210\*H1200(mm)



DD82.090020 W900\*D200\*H168(mm)



ST39.1.MR.DW W620\*D840\*H1610(mm)



ST41.R.MR W1290\*D620\*H1800(mm)



ST45.MR W370\*D120\*H450(R=160)(mm)



DD83L.050040 W500\*D400\*H168(mm)



ST39.1.MR.GW W620\*D840\*H2010(mm)



ST42.L.MR W1290\*D620\*H1200(mm)



ST46.MR W420\*D120\*H450(R=180)(mm)



DD83R.050040 W500\*D400\*H168(mm)



ST47.MR

ST42.R.MR W1290\*D620\*H1200(mm)

W150\*D180\*H22(mm)

DD81.045020 W450\*D200\*H168(mm)




ST40 W450\*D200\*H170(mm)

#### Material

#### SM-PC



#### Bench feet



#### Tabletop Tabletop Base steel tube/Corbel



# Accessories

Planto		28
Smart	Solution	28

# **Planto**

Our plant boxes can be utilised as a temporary storage to create cosy corners in a spacious room, or as a stylish divider. Suitable for plants, magazines, books, and decorative items, these timeless steel aesthetics are available in two colours.



# essories Series

## Model









**ST-PLAN-02-B** 270W x 270D x 365H mm



**ST-PLAN-03-B** 270W x 270D x 565H mm



**ST-PLAN-04-B** 270W x 270D x 765H mm



**ST-PLAN-05-B** 270W x 270D x 965H mm

#### **Features**



Steel Frame



Stable and study legbase

#### Steel Frame Colour



BLACK

# cessories Series

# **Smart Solution**

Modular design allows any configuration of services, making it an ideal solution for Workstations, Meeting & Conference tables, Collaborative & Public spaces, as well as vertical surfaces including screens, walls or soft furniture







#### Model



#### DATA POWER & MODULES

	<b>*</b>	- A
Р	U	0
Power	Data USB	Data Outlet RJ45

#### WK-CNB-3P

Anthena netbox with 3P x 13a Socket (Nk series)



#### WK-CNB-2PU

Anthena netbox with 2P x 13a Socket (Nk series) and 1U x Data Usb




#### WK-CNB-2PO

Anthena netbox with 2P x 13a Socket (Nk series) and 1O x Data Outlet RJ45



#### WK-CNB-3PU

Anthena netbox with 3P x 13a Socket (Nk series) and 1U x Data Usb



#### WK-CNB-3PO

Anthena netbox with 3P x 13a Socket (Nk series) and 1O x Data Outlet RJ45



#### WK-CNB-2PUO

Anthena netbox with 2P x 13a Socket (Nk series), 1U x Data Usb, 1O x Data Outlet RJ45



#### WK-CNB-4PU

Anthena netbox with 4P x 13a Socket (Nk series) and 1U x Data Usb




#### WK-CNB-4PO

Anthena netbox with 4P x 13a Socket (Nk series) and 1O x Data Outlet RJ45



#### WK-CNB-3PUO

Anthena netbox with 3P x 13a Socket (Nk series), 1U x Data Usb, 1O x Data Outlet RJ45





#### Model



DATA POWER & MODULES

	4	-LD
Р	U	0
Power	Data USB	Data Outlet

#### WK-NB-3P

Centra netbox with 3P x 13a Socket (Nk series).



#### WK-NB-3PO

Centra netbox with 3P x 13a Socket (Nk series) and 1O x Data Outlet RJ45.



#### WK-NB-2PUO

Centra netbox with 2P x 13a Socket (Nk series), 1U x Data Usb, 1O x Data Outlet



## **Pearl Netbox**



Model



DATA POWER & MODULES

	8	<b>÷</b>
socket outlet	socket outlet (int)	Data USB

WK-ACC-NP-1 Pearl netbox with 1 socket outlet (GB)



WK-ACC-NP-2 Pearl netbox with 1 socket outlet (INT)



WK-ACC-NP-3 Pearl netbox with Twin USB charger



#### Colours **Pearl Netbox**











**Clamp Netbox** 

BLACK

In-Desk Netbox



# Zens + Wireless Charger




#### Model




15W Wireless Fast Charger for Android and iOS, surface and sub-surface (3-5mm) installation

# Zens + Wireless Charger



Model



WK-PW-01 Power track 400mm + CAT6 Data Module with 2 plug adapters (international socket outlet) TR-PW-02
1 plug adapter
(international socket outlet)





# Wire Casing



Model
WIRE CASING

#### Wire Casing Premium



WK-WC1 1200MM LENGTH Smooth and 2 way flexible movements

Colour option



CK WHITE

#### Wire Casing Standard



TR-WC2 1000MM LENGTH 1 way flexible movement

Colour option



#### **Technical Specification**

Spider

Single Table



Standard Table W-S120X74-S-F 1200W/740D/ 760H mm

W-S150X74-S-F 1500W/740D/ 760H mm

W-S180X74-S-F 1800W/740D/ 760H mm

W-S120X74-S2-F 760H mm

W-S150X74-S2-F 3000W/740D/ 760H mm

W-S180X74-S2-F 3600W/740D/ 760H mm

Single Link Table



2 Seater

3 Seater W-S120X74-S3-F 3600W/740D/ 760H mm

> W-S150X74-S3-F 4500W/740D/ 760H mm

W-S180X74-S3-F 5400W/740D/ 760H mm

Double Table



Standard Desk (600D) W-S120X120-D2-F 1200W/1200D/ 760H mm

W-S150X120-D2-F 1500W/1200D/ 760H mm

W-S180X120-D2-F 1800W/1200D/ 760H mm

Standard Desk (740D) W-S120X148-D2-F 1200W/1480D/ 760H mm

W-S150X148-D2-F 1500W/1480D/ 760H mm

W-S180X148-D2-F 1800W/1480D/ 760H mm

Double Link Table



4 Seater (600D) W-S120X120-D4-F 2400W/1200D/ 760H mm

W-S150X120-D4-F 3000W/1200D/ 760H mm

W-S180X120-D4-F 3600W/1200D/ 760H mm

4 Seater (740D) W-S120X148-D4-F 2400W/1480D/ 760H mm

W-S150X148-D4-F 3000W/1480D/ 760H mm

W-S180X148-D4-F 3600W/1480D/ 760H mm

6 Seater (600D) W-S120X120-D6-F 3600W/1200D/ 760H mm

W-S150X120-D6-F 4500W/1200D/ 760H mm

W-S180X120-D6-F 5400W/1200D/ 760H mm

6 Seater (740D) W-S120X148-D6-F 3600W/1480D/ 760H mm

W-S150X148-D6-F 4500W/1480D/ 760H mm

W-S180X148-D6-F 5400W/1480D/ 760H mm

Executive Table



Standard Desk W-S150X60-EX-F 1500W/600D x 1500W/600D 760H mm

W-S180X60-EX-F 1800W/600D x 1800W/600D 760H mm

Discussion Table



Standard Desk W-S90X90-DC-F 900W/900D/ 760H mm

W-S120X90-DC-F 1200W/900D/ 760H mm

W-S150X90-DC-F 1500W/900D/ 760H mm

W-S180X90-DC-F 1800W/900D/ 760H mm

Meeting Table



Standard Table (1200D) W-S120X120-M-F 760H mm

W-S150X120-M-F 1500W/1200D/ 760H mm

W-S180X120-M-F 1800W/1200D/ 760H mm

Standard Table (1480D) W-S120X148-M-F 1200W/1480D/ 760H mm

W-S150X148-M-F 760H mm

W-S180X148-M-F 1800W/1480D/ 760H mm

Meeting Link Table



2 Table Top (1200D) W-S120X120-M2-F 760H mm

W-S150X120-M2-F 3000W/1200D/ 760H mm

W-S180X120-M2-F 3600W/1200D/ 760H mm

3 Table Top W-S120X120-M3-F 3600W/1200D/ 760H mm

W-S150X120-M3-F 4500W/1200D/ 760H mm

W-S180X120-M3-F 760H mm

2 Table Top (1480D) W-S120X148-M2-F 2400W/1480D/ 760H mm

W-S150X148-M2-F 3000W/1480D/ 760H mm

W-S180X148-M2-F 3600W/1480D/ 760H mm

3 Table Top W-S120X148-M3-F 3600W/1480D/ 760H mm

W-S150X148-M3-F 4500W/1480D/ 760H mm

W-S180X148-M3-F 5400W/1480D/ 760H mm

#### **Single Partition Range**

Chipboard Front Panel (C/w F-Bracket)

Fabric Front Panel (C/w F-Bracket)



Standard 500H W-SC-CB60X50F 550W/500H/ 18THK mm

W-SC-CB74X50F 690W/500H/ 18THK mm

W-SC-CB90X50F 850W/500H/ 18THK mm

1150W/500H/ 18THK mm W-SC-CB150X50F

W-SC-CB120X50F

1450W/500H/ 18THK mm W-SC-CB180X50F

1750W/500H/ 18THK mm

Standard 700H W-SC-CB60X70F 550W/700H/ 18THK mm

W-SC-CB74X70F 690W/700H/ 18THK mm

W-SC-CB90X70F 850W/700H/ 18THK mm

1150W/700H/ 18THK mm W-SC-CB150X70F

1450W/700H/

W-SC-CB120X70F

18THK mm W-SC-CB180X70F 1750W/700H/

18THK mm



Standard 500H P-SC-FA60X50F 550W/500H/ 18THK mm

P-SC-FA74X50F P-SC-FA74X70F 690W/500H/ 690W/700H/ 18THK mm 18THK mm

P-SC-FA90X50F 850W/500H/ 18THK mm

P-SC-FA120X50F 1150W/500H/ 18THK mm

P-SC-FA150X50F 1450W/500H/ 18THK mm

P-SC-FA180X50F 1750W/500H/ 18THK mm

Standard 700H P-SC-FA60X70F 550W/700H/ 18THK mm

P-SC-FA90X70F

850W/700H/ 18THK mm P-SC-FA120X70F

18THK mm P-SC-FA150X70F 1450W/700H/

1150W/700H/

P-SC-FA180X70F 1750W/700H/ 18THK mm

18THK mm

Chipboard Partition (c/w L-Bracket)





Standard 300H W-SC-CB120X30L 1150W/300H/ 18THK mm

W-SC-CB150X30L 18THK mm

W-SC-CB180X30L 1750W/300H/ 18THK mm

Standard 500H W-SC-CB120X50L 1150W/500H/ 18THK mm

W-SC-CB150X50L 18THK mm

W-SC-CB180X50L 1750W/500H/ 18THK mm

W-SC-CB150X30T 1450W/300H/ 18THK mm

Standard 300H

W-SC-CB120X30T

W-SC-CB180X30T 1750W/300H/

18THK mm

Standard 500H W-SC-CB120X50T

1150W/500H/

18THK mm

1150W/300H/ 18THK mm

Chipboard Partition (c/w T-Bracket)

W-SC-CB150X50T 18THK mm

W-SC-CB180X50T 1750W/500H/ 18THK mm

#### Single Partition Range

Fabric Partition (c/w L-Bracket)

#### Fabric Partition (c/w T-Bracket)



Standard 300H P-SC-FA120X30L 1150W/300H/ 18THK mm

P-SC-FA150X30L 1450W/300H/ 18THK mm

P-SC-FA180X30L 18THK mm

Standard 500H P-SC-FA120X50L 1150W/500H/ 18THK mm

18THK mm

18THK mm

Standard 300H

P-SC-FA150X50L 1450W/500H/

P-SC-FA180X50L



P-SC-FA120X30T 1150W/300H/ 18THK mm

P-SC-FA150X30T 1450W/300H/ 18THK mm

P-SC-FA180X30T 1750W/300H/ 18THK mm

Standard 500H P-SC-FA120X50L 1150W/300H/ 18THK mm

P-SC-FA150X50T 1450W/300H/ 18THK mm P-SC-FA180X50T

18THK mm

#### **Modesty Range**

Chipboard Modesty (c/w L-Bracket)

Chipboard Modesty (c/w T-Bracket)



Trapezium W-MTR-CB120X48L 1050W/480H/ 18THK mm

W-MTR-CB150X48L 18THK mm

W-MTR-CB180X48L 1650W/480H/ 18THK mm



Rectangle W-MTR-CB120X48L 1050W/480H/ 18THK mm

W-MTR-CB150X48L 18THK mm

W-MTR-CB180X48L 1650W/480H/ 18THK mm

#### **Modesty Range**

Fabric Modesty (c/w L-Bracket)


Fabric Modesty (c/w T-Bracket)



Trapezium P-MTR-CB120X48L 1050W/480H/ 18THK mm

P-MTR-CB150X48L 1350W/480H/ 18THK mm

P-MTR-CB180X48L 1650W/480H/ 18THK mm



Rectangle P-MTR-CB120X48L 1050W/480H/ 18THK mm

P-MTR-CB150X48L 1350W/480H/ 18THK mm

P-MTR-CB180X48L 1650W/480H/ 18THK mm

#### **Electronics Range**

Clamp Netbox



WK-CNB-3P Anthena netbox with





· . · . . o

WK-CNB-2PU Anthena netbox with 2P x 13a Socket (Nk Series) 3P x 13a Socket (Nk Series) and 1U x Data USB

[ · ; · ; · o ] WK-CNB-3PO Anthena netbox with

WK-CNB-4PU Anthena netbox with and 10 x Data Outlet RJ45 and 10 x Data Outlet RJ45 1U x Data USB

WK-CNB-3PUO Anthena netbox with 1U x Data USB, 10 x Data Outlet RJ45



WK-CNB-3PU Anthena netbox with and 1U x Data USB

WK-CNB-2PUO Anthena netbox with 2P x 13a Socket (Nk Series) 4P x 13a Socket (Nk Series) 1U x Data USB, 10 x Data and 1O x Data Outlet RJ45 Outlet RJ45

WK-CNB-4PO

Anthena netbox with

In-Desk Netbox



WK-NB-3P Centra netbox with 3P x 13a Socket (Nk Series)



WK-NB-3PO Centra netbox with 3P x 13a Socket (Nk Series) and 10 x Data Outlet RJ45



WK-CNB-2PUO Centra netbox with 2P x 13a Socket (Nk Series) 1U x Data USB, 1O x Data Outlet RJ45



WK-ACC-NP-1 Pearl netbox with 1 socket outlet (GB)

Pearl Netbox



WK-ACC-NP-2 Pearl netbox with 1 socket outlet (INT)



WK-ACC-NP-3 Pearl netbox with Twin Usb Charger

#### Wire Management Range

Trunking Plate




Trunking (Type A) TT-NX-TRUN-A 500W/128D/110H mm with 0.7mm steel sheet



Trunking (Type B) TT-NX-TRUN-B-120 920W/302D/125H mm for table length 1200 mm

TT-NX-TRUN-B-150 1220W/302D/125H mm for table length 1500 mm

TT-NX-TRUN-B-180 1520W/302D/125H mm for table length 1800 mm





Trunking (Type A) TT-NX-TERM-S 666W/300D/50THK mm Wire terminal small

Wire Casing



Wire Casing Premium WK-WC1 1200 mm length Smooth and 2 way flexible movements



Wire Casing Standard TR-WC2 1000 mm length 1 way flexible movement Power Track



WK-PW-01 Power track 400mm + CAT6 Data Module with 2 plug adapters (international socket outlet)



TR-PW-02 1 plug adapter (international socket outlet)

#### Colours

#### Table Top Chipboard

Wood Grain Colour



Havana

Oak













Oak











Grey

Edging Colour Option

Black

White Light Grey

#### Modesty & Screen Chipboard

Wood Grain Colour



Oak



White



White



Oak











Solid Colour

Black





Comfy Latte

\*special order by project

#### Textured Colour



Fab

#### Verta

#### **Technical Specification**

Single Table



Standard Table W-V120X74-SB-F 1200W/740D/ 760H mm

W-V150X74-SB-F 1500W/740D/ 760H mm

W-V180X74-SB-F 1800W/740D/ 760H mm

#### Single Link Table



2 Seater W-V120X74-S2B-F 2400W/740D/ 760H mm

W-V150X74-S2B-F 3000W/740D/ 760H mm

W-V180X74-S2B-F 3600W/740D/ 760H mm

3 Seater W-V120X74-S3B-F 3600W/740D/

760H mm

W-V150X74-S3B-F 4500W/740D/ 760H mm

W-V180X74-S3B-F 5400W/740D/ 760H mm

#### Double Table



Standard Desk W-V120X148-D2B-F 1200W/1480D/ 760H mm

W-V150X148-D2B-F 1500W/1480D/ 760H mm

W-V180X148-D2B-F 1800W/1480D/ 760H mm

#### Double Link Table



4 Seater W-V120X148-D4B-F 2400W/1480D/ 760H mm

3000W/1480D/ 760H mm

W-V150X148-D4B-F

W-V180X148-D4B-F 760H mm

6 Seater W-V120X148-D6B-F 3600W/1480D/ 760H mm

W-V150X148-D6B-F 4500W/1480D/ 760H mm

W-V180X148-D6B-F 760H mm

#### L-Shape Table c/w Grommet



Standard Desk W-V150X60-LB-G 1500W/600D x 1500W/600D 760H mm

W-V180X60-LB-G 1800W/600D x 1800W/600D 760H mm

#### Discussion Table



Standard Desk W-V90X90-DCB-F 900W/900D/ 760H mm

W-V120X90-DCB-F 1200W/900D/ 760H mm

W-V150X90-DCB-F 1500W/900D/ 760H mm

W-V180X90-DCB-F 1800W/900D/ 760H mm

Meeting Table



1 Table Top W-V120X120-MB-F 1200W/1200D/ 760H mm

W-V150X120-MB-F 1500W/1200D/ 760H mm

W-V180X120-MB-F 1800W/1200D/ 760H mm

Meeting Link Table



2 Table Top W-V120X120-M2B-F 2400W/1200D/ 760H mm

W-V150X120-M2B-F 3000W/1200D/ 760H mm

W-V180X120-M2B-F 3600W/1200D/ 760H mm


3 Table Top W-V120X120-M3B-F 3600W/1200D/ 760H mm

W-V150X120-M3B-F 4500W/1200D/ 760H mm

W-V180X120-M3B-F 5400W/1200D/ 760H mm

#### Single Partition Range

Chipboard Front Panel (C/w F-Bracket)





Standard 500H W-SC-CB60X50F 550W/500H/ 18THK mm

W-SC-CB74X50F 690W/500H/

18THK mm

1150W/500H/

1450W/500H/

18THK mm

W-SC-CB150X50F

18THK mm

W-SC-CB90X50F 850W/500H/

18THK mm W-SC-CB120X50F Standard 500H P-SC-FA60X50F 550W/500H/ 18THK mm

W-SC-CB74X70F 690W/700H/ 18THK mm

Standard 700H

550W/700H/

18THK mm

W-SC-CB60X70F

W-SC-CB90X70F 850W/700H/ 18THK mm

W-SC-CB120X70F 1150W/700H/ 18THK mm

W-SC-CB150X70F

W-SC-CB180X50F 1750W/500H/ 18THK mm

P-SC-FA74X50F 690W/500H/ 18THK mm

P-SC-FA90X50F 850W/500H/ 18THK mm

1450W/700H/ 18THK mm

W-SC-CB180X70F 1750W/700H/ 18THK mm



Standard 700H P-SC-FA60X70F 550W/700H/ 18THK mm

P-SC-FA74X70F 690W/700H/ 18THK mm

P-SC-FA90X70F 850W/700H/ 18THK mm

P-SC-FA120X50F P-SC-FA120X70F 1150W/500H/ 1150W/700H/ 18THK mm 18THK mm

P-SC-FA150X50F 1450W/500H/ 18THK mm

P-SC-FA180X50F 1750W/500H/ 18THK mm

P-SC-FA150X70F 1450W/700H/ 18THK mm

P-SC-FA180X70F 1750W/700H/ 18THK mm

#### Chipboard Partition (c/w L-Bracket)



Standard 300H W-SC-CB120X30L 1150W/300H/ 18THK mm

W-SC-CB150X30L 1450W/300H/ 18THK mm

W-SC-CB180X30L 1750W/300H/ 18THK mm

Standard 500H W-SC-CB120X50L 1150W/500H/ 18THK mm

W-SC-CB150X50L 1450W/500H/ 18THK mm

W-SC-CB180X50L 1750W/500H/ 18THK mm

Chipboard Partition (c/w T-Bracket)



Standard 300H W-SC-CB120X30T 1150W/300H/ 18THK mm

W-SC-CB150X30T 1450W/300H/ 18THK mm

W-SC-CB180X30T 1750W/300H/ 18THK mm

W-SC-CB120X50T 1150W/500H/ 18THK mm

Standard 500H

W-SC-CB150X50T 1450W/500H/ 18THK mm

W-SC-CB180X50T 1750W/500H/ 18THK mm

#### **Single Partition Range**

Fabric Partition (c/w L-Bracket)

Fabric Partition (c/w T-Bracket)



Standard 300H P-SC-FA120X30L 1150W/300H/ 18THK mm

P-SC-FA150X30L P-SC-FA150X50L 1450W/300H/ 1450W/500H/ 18THK mm

P-SC-FA180X30L 18THK mm

Standard 500H P-SC-FA120X50L 1150W/500H/ 18THK mm

18THK mm

P-SC-FA180X50L 18THK mm

Standard 300H P-SC-FA120X30T 1150W/300H/ 18THK mm

1450W/300H/ 18THK mm

P-SC-FA150X30T

P-SC-FA180X30T 18THK mm

Standard 500H P-SC-FA120X50T 1150W/300H/ 18THK mm

P-SC-FA150X50T 1450W/300H/ 18THK mm

P-SC-FA180X50T 18THK mm

#### **Modesty Range**

Chipboard Modesty (c/w L-Bracket)



Trapezium W-MTR-CB120X48L 1050W/480H/ 18THK mm

W-MTR-CB150X48L 1350W/480H/ 18THK mm

W-MTR-CB180X48L 1650W/480H/ 18THK mm

Chipboard Modesty (c/w T-Bracket)




Rectangle W-MTR-CB120X48L 1050W/480H/ 18THK mm

W-MTR-CB150X48L 1350W/480H/ 18THK mm

W-MTR-CB180X48L 1650W/480H/ 18THK mm

#### **Modesty Range**

Fabric Modesty (c/w L-Bracket)



Trapezium P-MTR-FA120X48L 1050W/480H/ 18THK mm

P-MTR-FA150X48L 18THK mm

P-MTR-FA180X48L 1650W/480H/ 18THK mm

Fabric Modesty (c/w T-Bracket)



Rectangle P-MTR-FA120X48L 1050W/480H/ 18THK mm

P-MTR-FA150X48L 18THK mm

P-MTR-FA180X48L 1650W/480H/ 18THK mm

#### **Electronics Range**

Clamp Netbox



WK-CNB-3P Anthena netbox with 3P x 13a Socket (Nk Series) Lorem Ipsum





WK-CNB-2PO Anthena netbox with



WK-CNB-3PO Anthena netbox with 2P x 13a Socket (Nk Series) 3P x 13a Socket (Nk Series) 4P x 13a Socket (Nk Series) 3P x 13a Socket (Nk Series) and 10 x Data Outlet RJ45 and 10 x Data Outlet RJ45 1U x Data USB



WK-CNB-4PU Anthena netbox with




WK-CNB-3PUO Anthena netbox with 1U x Data USB, 10 x Data Outlet RJ45



WK-CNB-2PU Anthena netbox with 2P x 13a Socket (Nk Series) and 1U x Data USB



WK-CNB-3PU Anthena netbox with 3P x 13a Socket (Nk Series) and 1U x Data USB



WK-CNB-2PUO Anthena netbox with 2P x 13a Socket (Nk Series) 4P x 13a Socket (Nk Series) 1U x Data USB, 10 x Data and 1O x Data Outlet RJ45 Outlet RJ45



WK-CNB-4PO Anthena netbox with

Pearl Netbox



WK-ACC-NP-1 Pearl netbox with 1 socket outlet (GB)



WK-ACC-NP-2 Pearl netbox with 1 socket outlet (INT)



WK-ACC-NP-3 Pearl netbox with Twin Usb Charger

#### Wire Management Range

Trunking Plate



Trunking (Type A) TT-NX-TRUN-A 500W/128D/110H mm with 0.7mm steel sheet

#### Small Wire Terminal



Trunking (Type A)
TT-NX-TERM-S 666W/300D/50THK mm Wire terminal small

Wire Casing



Wire Casing Premium WK-WC1 1200 mm length Smooth and 2 way flexible movements



Wire Casing Standard TR-WC2 1000 mm length 1 way flexible movement

#### Colours

#### Table Top Chipboard

Wood Grain Colour



Havana

Oak



White



White





Oak







Fully Light Grey

Edging Colour Option

Black

White Light Grey

#### Modesty & Screen Chipboard

Wood Grain Colour















Modi Oak Shad Ash





Solid Colour





Fully Light Grey



Latte

\*special order by project

#### Textured Colour



Neville Fab

#### Next Standard

Single Table



Standard Table W-N120X74-SW 1200W/740D/ 760H mm

W-N150X74-SW 1500W/740D/ 760H mm

W-N180X74-SW 1800W/740D/ 760H mm

Double Table



Standard Desk W-N120X148-D2W 1200W/1480D/ 760H mm

W-N150X148-D2W 1500W/1480D/ 760H mm

W-N180X148-D2W 1800W/1480D/ 760H mm

L-Shape



Standard Desk W-N150X60-LW-G 1500W/600D/ X 1500W/600D/ 760H mm

1800W/600D/ X 1800W/600D/ 760H mm

Single Link Table



2 Seater W-N120X74-S2W 2400W/740D/ 760H mm

W-N150X74-S2W 3000W/740D/ 760H mm

W-N180X74-S2W 3600W/740D/ 760H mm



3 Seater W-N120X74-S3W 3600W/740D/ 760H mm

W-N150X74-S3W 4500W/740D/ 760H mm

W-N180X74-S3W 5400W/740D/ 760H mm



4 Seater W-N120X74-S4W 4800W/740D/ 760H mm

W-N150X74-S4W 6000W/740D/ 760H mm

W-N180X74-S4W 7200W/740D/ 760H mm

Double Link Table



4 Seater W-N120X148-D4W 2400W/1480D/ 760H mm

W-N150X148-D4W 3000W/1480D/ 760H mm

W-N180X148-D4W 3600W/1480D/ 760H mm



6 Seater W-N120X148-D6W 3600W/1480D/ 760H mm

W-N150X148-D6W 4500W/1480D/ 760H mm

W-N180X148-D6W 5400W/1480D/ 760H mm



8 Seater W-N120X148-D8W 4800W/1480D/ 760H mm

W-N150X148-D8W 6000W/1480D/ 760H mm

W-N180X148-D8W 7200W/1480D/ 760H mm



Standard Desk W-N120-VRW-G 1200W/600D/ X 1200W/600D/ 760H mm

V-Shape

W-N180X60-LW-G

Discussion Table



Standard Desk W-N90X90-DCW 900W/900D/ 760H mm

W-N120X90-DCW 1200W/900D/ 760H mm

W-N150X90-DCW 1500W/900D/ 760H mm

W-N180X90-DCW 1800W/900D/ 760H mm

Meeting Table



Standard Table W-N120X120-MW 1200W/1200D/ 760H mm

W-N150X120-MW 1500W/1200D/ 760H mm

W-N180X120-MW 1800W/1200D/ 760H mm

Standard Table W-N120X148-MW 1200W/1480D/ 760H mm

W-N150X148-MW 1500W/1480D/ 760H mm

W-N180X148-MW 1800W/1480D/ 760H mm

Meeting Link Table



2 Table Top W-N120X120-M2W 2400W/1200D/ 760H mm


W-N150X120-M2W 3000W/1200D/ 760H mm

W-N180X74-S2W 3600W/1200D/ 760H mm

2 Table Top W-N120X148-M2W 2400W/1480D/ 760H mm

W-N150X148-M2W 3000W/1480D/ 760H mm

W-N180X148-M2W 3600W/1480D/ 760H mm



3 Table Top W-N120X120-M3W 3600W/1200D/ 760H mm

W-N150X120-M3W 4500W/1200D/ 760H mm

W-N180X120-M3W 760H mm

3 Table Top W-N120X148-M3W 3600W/1480D/ 760H mm

W-N150X148-M3W 4500W/1480D/ 760H mm

W-N180X148-M3W 5400W/1480D/ 760H mm

Bar Table



1 Table Top W-N120X60-BW 1050H mm

W-N150X60-BW 1500W/600D/ 1050H mm

W-N180X60-BW 1800W/600D/ 1050H mm

Standard Table W-N120X74-BW 1200W/740D/ 1050H mm

W-N150X74-BW 1050H mm

W-N180X74-BW 1800W/740D/ 1050H mm

Standard Table W-N120X90-BW 1200W/900D/ 1050H mm

W-N150X90-BW 1500W/900D/ 1050H mm

W-N180X90-BW 1800W/900D/ 1050H mm



2 Link Table Top W-N120X60-B2W 1050H mm

W-N150X60-B2W 1500W/600D/ 1050H mm

W-N180X60-B2W 1800W/600D/ 1050H mm

Standard Table W-N120X74-B2W 1200W/740D/ 1050H mm

W-N150X74-B2W 1050H mm

W-N180X74-B2W 1800W/740D/ 1050H mm

Standard Table W-N120X90-B2W 1200W/900D/ 1050H mm

W-N150X90-B2W 1500W/900D/ 1050H mm

W-N180X90-B2W 1800W/900D/ 1050H mm



3 Link Table Top W-N120X60-B3W 1200W/600D/ 1050H mm

W-N150X60-B3W 1500W/600D/ 1050H mm

W-N180X60-B3W 1800W/600D/ 1050H mm

Standard Table W-N120X74-B3W 1200W/740D/ 1050H mm

W-N150X74-B3W 1050H mm

W-N180X74-B3W 1800W/740D/ 1050H mm

Standard Table W-N120X90-B3W 1200W/900D/ 1050H mm

W-N150X90-B3W 1500W/900D/ 1050H mm

W-N180X90-B3W 1800W/900D/ 1050H mm



4 Link Table Top W-N120X60-B4W 1200W/600D/ 1050H mm

W-N150X60-B4W 1500W/600D/ 1050H mm

W-N180X60-B4W 1800W/600D/ 1050H mm

Standard Table W-N120X74-B4W 1050H mm

W-N150X74-B4W 1050H mm

W-N180X74-B4W 1800W/740D/ 1050H mm

Standard Table W-N120X90-B4W 1200W/900D/ 1050H mm

W-N150X90-B4W 1500W/900D/ 1050H mm

W-N180X90-B4W 1800W/900D/ 1050H mm

#### Next Fliper Casing

Single Table



Standard Table W-N120X74-SW-F 1200W/740D/ 760H mm

W-N150X74-SW-F 1500W/740D/ 760H mm

W-N180X74-SW-F 1800W/740D/ 760H mm





2 Seater W-N120X74-S2W-F 2400W/740D/ 760H mm

W-N150X74-S2W-F 3000W/740D/ 760H mm

W-N180X74-S2W-F 3600W/740D/ 760H mm



3 Seater W-N120X74-S3W-F 3600W/740D/ 760H mm

W-N150X74-S3W-F 4500W/740D/ 760H mm

W-N180X74-S3W-F 5400W/740D/ 760H mm



W-N120X74-S4W-F 4800W/740D/ 760H mm

W-N150X74-S4W-F 6000W/740D/ 760H mm

W-N180X74-S4W-F 7200W/740D/ 760H mm

Double Table



Standard Desk W-N120X148-D2W-F 1200W/1480D/ 760H mm

W-N150X148-D2W-F 1500W/1480D/ 760H mm

W-N180X148-D2W-F 1800W/1480D/ 760H mm

Double Link Table



4 Seater W-N120X148-D4W-F 2400W/1480D/ 760H mm

W-N150X148-D4W-F 3000W/1480D/ 760H mm

W-N180X148-D4W-F 3600W/1480D/ 760H mm



6 Seater W-N120X148-D6W-F 760H mm

W-N150X148-D6W-F 4500W/1480D/



760H mm

W-N180X148-D6W-F 5400W/1480D/ 760H mm



8 Seater W-N120X148-D8W-F 4800W/1480D/ 760H mm

W-N150X148-D8W-F 6000W/1480D/ 760H mm

> W-N180X148-D8W-F 7200W/1480D/ 760H mm

Discussion Table



Standard Desk W-N90X90-DCW-F 900W/900D/ 760H mm

W-N120X90-DCW-F 1200W/900D/ 760H mm

W-N150X90-DCW-F 1500W/900D/ 760H mm

W-N180X90-DCW-F 1800W/900D/ 760H mm

Meeting Table



Standard Table W-N120X120-MW-F 1200W/1200D/ 760H mm

W-N150X120-MW-F 1500W/1200D/ 760H mm

W-N180X120-MW-F 1800W/1200D/ 760H mm

Standard Table W-N120X148-MW-F 1200W/1480D/ 760H mm

**W-N150X148-MW-F** 1500W/1480D/ 760H mm

W-N180X148-MW-F 1800W/1480D/ 760H mm Meeting Link Table



2 Table Top W-N120X120-M2W-F 2400W/1200D/ 760H mm

W-N150X120-M2W-F 3000W/1200D/ 760H mm

W-N180X74-S2W-F 3600W/1200D/ 760H mm

2 Table Top W-N120X148-M2W-F 2400W/1480D/ 760H mm

**W-N150X148-M2W-F** 3000W/1480D/ 760H mm

**W-N180X148-M2W-F** 3600W/1480D/ 760H mm

**3 Table Top W-N120X120-M3W-F**3600W/1200D/
760H mm

W-N150X120-M3W-F 4500W/1200D/ 760H mm

W-N180X120-M3W-F 5400W/1200D/ 760H mm

**3 Table Top W-N120X148-M3W-F**3600W/1480D/
760H mm

W-N150X148-M3W-F 4500W/1480D/ 760H mm

W-N180X148-M3W-F 5400W/1480D/ 760H mm

Meeting Table With Modesty



**Standard Table W-N120X120-MW-F1**1200W/1200D/
760H mm

**W-N150X120-MW-F1** 1500W/1200D/ 760H mm

**W-N180X120-MW-F1** 1800W/1200D/ 760H mm

**Standard Table W-N120X148-MW-F1**1200W/1480D/
760H mm

W-N150X148-MW-F1 1500W/1480D/ 760H mm

**W-N180X148-MW-F1** 1800W/1480D/ 760H mm Meeting Link Table With Modesty



2 Table Top W-N120X120-M2W-F1 2400W/1200D/ 760H mm

W-N150X120-M2W-F1 3000W/1200D/ 760H mm

W-N180X120-M2W-F1 3600W/1200D/ 760H mm

2 Table Top W-N120X148-M2W-F1 2400W/1480D/ 760H mm

**W-N150X148-M2W-F1** 3000W/1480D/ 760H mm

W-N180X148-M2W-F1 3600W/1480D/ 760H mm



**3 Table Top W-N120X120-M3W-F1**3600W/1200D/
760H mm

W-N150X120-M3W-F1 4500W/1200D/ 760H mm

W-N180X120-M3W-F1 5400W/1200D/ 760H mm

**3 Table Top W-N120X148-M3W-F1**3600W/1480D/
760H mm

W-N150X148-M3W-F1 4500W/1480D/ 760H mm

W-N180X148-M3W-F1 5400W/1480D/ 760H mm Bar Table



1 Table Top W-N120X60-BW-F 1200W/600D/ 1050H mm

W-N150X60-BW-F 1500W/600D/ 1050H mm

W-N180X60-BW-F 1800W/600D/ 1050H mm

Standard Table W-N120X74-BW-F 1200W/740D/ 1050H mm

W-N150X74-BW-F 1500W/740D/ 1050H mm

W-N180X74-BW-F 1800W/740D/ 1050H mm

Standard Table W-N120X90-BW-F 1200W/900D/ 1050H mm

W-N150X90-BW-F 1500W/900D/ 1050H mm

W-N180X90-BW-F 1800W/900D/ 1050H mm



2 Link Table Top W-N120X60-B2W-F 1200W/600D/ 1050H mm

W-N150X60-B2W-F 1500W/600D/ 1050H mm

W-N180X60-B2W-F 1800W/600D/ 1050H mm

**Standard Table W-N120X74-B2W-F**1200W/740D/
1050H mm

W-N150X74-B2W-F 1500W/740D/ 1050H mm

W-N180X74-B2W-F 1800W/740D/ 1050H mm

Standard Table W-N120X90-B2W-F 1200W/900D/ 1050H mm

W-N150X90-B2W-F 1500W/900D/ 1050H mm

W-N180X90-B2W-F 1800W/900D/ 1050H mm



3 Link Table Top W-N120X60-B3W-F 1200W/600D/ 1050H mm

**W-N150X60-B3W-F** 1500W/600D/ 1050H mm

> **W-N180X60-B3W-F** 1800W/600D/ 1050H mm

Standard Table W-N120X74-B3W-F 1200W/740D/ 1050H mm

W-N150X74-B3W-F 1500W/740D/ 1050H mm

W-N180X74-B3W-F 1800W/740D/ 1050H mm

Standard Table W-N120X90-B3W-F 1200W/900D/ 1050H mm

W-N150X90-B3W-F 1500W/900D/ 1050H mm

W-N180X90-B3W-F 1800W/900D/ 1050H mm



4 Link Table Top W-N120X60-B4W-F 1200W/600D/ 1050H mm

W-N150X60-B4W-F 1500W/600D/ 1050H mm

W-N180X60-B4W-F 1800W/600D/ 1050H mm

Standard Table W-N120X74-B4W-F 1200W/740D/ 1050H mm

W-N150X74-B4W-F 1500W/740D/ 1050H mm

**W-N180X74-B4W-F** 1800W/740D/ 1050H mm

Standard Table W-N120X90-B4W-F 1200W/900D/ 1050H mm

W-N150X90-B4W-F 1500W/900D/ 1050H mm

**W-N180X90-B4W-F** 1800W/900D/ 1050H mm

#### Next Index Netbox

Single Table



Standard Table W-N120X74-SW-N1 760H mm

W-N150X74-SW-N2 1500W/740D/ 760H mm

W-N180X74-SW-N3 1800W/740D/ 760H mm

Double Table



Standard Desk W-N120X148-D2W-N1 760H mm

W-N150X148-D2W-N2 1500W/1480D/ 760H mm

W-N180X148-D2W-N3 1800W/1480D/ 760H mm

Executive Table



W-N180X90-EW-N1 Table W-N180X90-EW-N1-T 1800W x 900D x 760H mm Storage W-N160-CAB 1600W x 450D x 600H mm

W-N180X90-EW-N2 Table

W-N180X90-EW-N2-T 1800W x 900D x 760H mm Storage W-N160-CAB

1600W x 450D x 600H mm

W-N180X90-EW-N3 W-N180X90-EW-N3-T 1800W x 900D x 760H mm Storage W-N160-CAB 1600W x 450D x 600H mm Single Link Table



2 Seater W-N120X74-S2W-N1 760H mm

W-N150X74-S2W-N2 3000W/740D/

W-N180X74-S2W-N3 3600W/740D/

W-N120X74-S3W-N1 3600W/740D/ 760H mm

W-N150X74-S3W-N2 4500W/740D/

W-N180X74-S3W-N3 5400W/740D/



4 Seater

W-N120X74-S4W-N1 4800W/740D/ 760H mm W-N150X74-S4W-N2

W-N180X74-S4W-N3

6000W/740D/

760H mm

Double Link Table



4 Seater W-N120X148-D4W-N1 760H mm

W-N150X148-D4W-N2 3000W/1480D/ 760H mm

W-N180X148-D4W-N3 3600W/1480D/



6 Seater W-N120X148-D6W-N1 3600W/1480D/ 760H mm

W-N150X148-D6W-N2 4500W/1480D/ 760H mm

W-N180X148-D6W-N3 5400W/1480D/



8 Seater W-N120X148-D8W-N1 4800W/1480D/ 760H mm

W-N150X148-D8W-N2 6000W/1480D/ 760H mm

W-N180X148-D8W-N3 7200W/1480D/ 760H mm

Discussion Table



Standard Desk W-N90X90-DCW-N1 900W/900D/ 760H mm

W-N120X90-DCW-N1 1200W/900D/ 760H mm

W-N150X90-DCW-N1 1500W/900D/ 760H mm

W-N180X90-DCW-N1 1800W/900D/ 760H mm

W-N90X90-DCW-N2 900W/900D/

W-N120X90-DCW-N2 1200W/900D/ 760H mm

W-N150X90-DCW-N2 1500W/900D/ 760H mm

W-N180X90-DCW-N2 1800W/900D/ 760H mm

W-N90X90-DCW-N3 900W/900D/ 760H mm

W-N120X90-DCW-N3 1200W/900D/ 760H mm

W-N150X90-DCW-N3 1500W/900D/ 760H mm

W-N180X90-DCW-N3 1800W/900D/ 760H mm

Meeting Table



Standard Table

WK-NB-3P W-N120X120-MW-N1 W-N150X120-MW-N1 1500W x 1200D x 760H mm W-N180X120-MW-N1 1800W x 1200D x 760H mm

**W-N120X148-MW-N1** 1200W x 1480D x 760H mm W-N150X148-MW-N1 1500W x 1480D x 760H mm W-N180X148-MW-N1 1800W x 1480D x 760H mm

WK-NB-3PO

W-N120X120-MW-N2 1200W x 1200D x 760H mm W-N150X120-MW-N2 W-N180X120-MW-N2 1800W x 1200D x 760H mm

W-N120X148-MW-N2 1200W x 1480D x 760H mm W-N150X148-MW-N2 1500W x 1480D x 760H mm **W-N180X148-MW-N2** 1800W x 1480D x 760H mm

WK-NB-2PUO

W-N120X120-MW-N3 W-N150X120-MW-N3 W-N180X120-MW-N3 1800W x 1200D x 760H mm

W-N120X148-MW-N3 W-N150X148-MW-N3 W-N180X148-MW-N3 1800W x 1480D x 760H mm Meeting Link Table



2 Table Top

WK-NB-3P W-N120X120-M2W-N1 W-N150X120-M2W-N1 W-N180X120-M2W-N1

W-N120X148-M2W-N1 W-N150X148-M2W-N1 W-N180X148-M2W-N1

WK-NB-3PO

W-N120X120-M2W-N2 W-N150X120-M2W-N2 W-N180X120-M2W-N2 3600W x 1200D x 760H mm

W-N120X148-M2W-N2 W-N150X148-M2W-N2 W-N180X148-M2W-N2

WK-NB-2PUO

W-N120X120-M2W-N3 W-N150X120-M2W-N3 W-N180X120-M2W-N3

W-N120X148-M2W-N3 W-N150X148-M2W-N3 W-N180X148-M2W-N3



3 Table Top

WK-NB-3P W-N120X120-M3W-N1 W-N150X120-M3W-N1 W-N180X120-M3W-N1 5400W x 1200D x 760H mm

W-N120X148-M3W-N1 W-N150X148-M3W-N1 W-N180X148-M3W-N1

WK-NB-3PO

W-N120X120-M3W-N2 W-N150X120-M3W-N2 W-N180X120-M3W-N2

W-N120X148-M3W-N2 W-N150X148-M3W-N2 W-N180X148-M3W-N2

WK-NB-2PUO

W-N120X120-M3W-N3 W-N150X120-M3W-N3 4500W x 1200D x 760H mm W-N180X120-M3W-N3 5400W x 1200D x 760H mm

W-N120X148-M3W-N3 W-N150X148-M3W-N3 4500W x 1480D x 760H mm W-N180X148-M3W-N3 5400W x 1480D x 760H mm Bar Table



1 Table Top

#### WK-NB-3P

W-N120X60-BW-N1 1200W x 600D x 1050H mm W-N150X60-BW-N1 1500W x 600D x 1050H mm W-N180X60-BW-N1 1800W x 600D x 1050H mm

W-N120X74-BW-N1 1200W x 740D x 1050H mm W-N150X74-BW-N1 1500W x 740D x 1050H mm W-N180X74-BW-N1 1800W x 740D x 1050H mm

W-N120X90-BW-N1 1200W x 900D x 1050H mm W-N150X90-BW-N1 W-N180X90-BW-N1 1800W x 900D x 1050H mm

#### WK-NB-3PO

W-N120X60-BW-N2 1200W x 600D x 1050H mm W-N150X60-BW-N2 00W x 600D x 1050H mm W-N180X60-BW-N2 1800W x 600D x 1050H mm

W-N120X74-BW-N2 1200W x 740D x 1050H mm W-N150X74-BW-N2 1500W x 740D x 1050H mm W-N180X74-BW-N2 1800W x 740D x 1050H mm

W-N120X90-BW-N2 1200W v 900D v 1050H mm W-N150X90-BW-N2 1500W x 900D x 1050H mm W-N180X90-BW-N2 1800W x 900D x 1050H mm

#### WK-NB-2PUO

W-N120X60-BW-N3 1200W x 600D x 1050H mm W-N150X60-BW-N3 1500W x 600D x 1050H mm W-N180X60-BW-N3 1800W x 600D x 1050H mm

W-N120X74-BW-N3 W-N150X74-BW-N3 1500W x 740D x 1050H mm W-N180X74-BW-N3 1800W x 740D x 1050H mm

W-N120X90-BW-N3 1200W x 900D x 1050H mm W-N150X90-BW-N3 000W x 900D x 1050H mm W-N180X90-BW-N3 1800W x 900D x 1050H mm



#### 2 Link Table Top

#### WK-NB-3P

W-N120X60-B2W-N1 W-N150X60-B2W-N1 1500W x 600D x 1050H mm W-N180X60-B2W-N1 1800W x 600D x 1050H mm

W-N120X74-B2W-N1 1200W x 740D x 1050H mm W-N150X74-B2W-N1 1500W x 740D x 1050H mm W-N180X74-B2W-N1 1800W x 740D x 1050H mm

W-N120X90-B2W-N1 1200W x 900D x 1050H mm W-N150X90-B2W-N1 W-N180X90-B2W-N1 1800W x 900D x 1050H mm

#### WK-NB-3PO

W-N120X60-B2W-N2 1200W x 600D x 1050H mm W-N150X60-B2W-N2 1500W x 600D x 1050H mm W-N180X60-B2W-N2 1800W x 600D x 1050H mm

W-N120X74-B2W-N2 W-N150X74-B2W-N2 1500W x 740D x 1050H mm W-N180X74-B2W-N2 1800W x 740D x 1050H mm

W-N120X90-B2W-N2 1200W x 900D x 1050H mm W-N150X90-B2W-N2 1500W x 900D x 1050H mm W-N180X90-B2W-N2 1800W x 900D x 1050H mm

#### WK-NB-2PUO

W-N120X60-B2W-N3 1200W x 600D x 1050H mm W-N150X60-B2W-N3 1500W x 600D x 1050H mm W-N180X60-B2W-N3

1800W x 600D x 1050H mm

W-N120X74-B2W-N3 1200W x 740D x 1050H mn W-N150X74-B2W-N3 1500W x 740D x 1050H mm W-N180X74-B2W-N3 1800W x 740D x 1050H mm

W-N120X90-B2W-N3 1200W x 900D x 1050H mm W-N150X90-B2W-N3 W-N180X90-B2W-N3 1800W x 900D x 1050H mm



#### 3 Link Table Top

#### WK-NB-3P

W-N120X60-B3W-N1 W-N150X60-B3W-N1 W-N180X60-B3W-N1 1800W x 600D x 1050H mm

W-N120X74-B3W-N1 W-N150X74-B3W-N1 1500W x 740D x 1050H mm W-N180X74-B3W-N1 1800W x 740D x 1050H mm

W-N120X90-B3W-N1 1200W x 900D x 1050H mm W-N150X90-B3W-N1 W-N180X90-B3W-N1 1800W x 900D x 1050H mm

#### WK-NB-3PO

W-N120X60-B3W-N2 1200W x 600D x 1050H mm W-N150X60-B3W-N2 W-N180X60-B3W-N2 1800W x 600D x 1050H mm

W-N120X74-B3W-N2 W-N150X74-B3W-N2 1500W x 740D x 1050H mm W-N180X74-B3W-N2 1800W x 740D x 1050H mm

W-N120X90-B3W-N2 W-N150X90-B3W-N2 1500W x 900D x 1050H mm W-N180X90-B3W-N2 1800W x 900D x 1050H mm

#### WK-NB-2PUO

W-N120X60-B3W-N3 1200W x 600D x 1050H mm W-N150X60-B3W-N3 1500W x 600D x 1050H mm W-N180X60-B3W-N3 1800W x 600D x 1050H mm

W-N120X74-B3W-N3 W-N150X74-B3W-N3 1500W x 740D x 1050H mm W-N180X74-B3W-N3 1800W x 740D x 1050H mm

W-N120X90-B3W-N3 1200W x 900D x 1050H mm W-N150X90-B3W-N3 W-N180X90-B3W-N3 1800W x 900D x 1050H mm



#### 4 Link Table Top WK-NB-3P

W-N120X60-B4W-N1 W-N150X60-B4W-N1 1500W x 600D x 1050H mm W-N180X60-B4W-N1 1800W x 600D x 1050H mm

W-N120X74-B4W-N1 1200W x 740D x 1050H mm W-N150X74-B4W-N1 1500W x 740D x 1050H mm W-N180X74-B4W-N1 1800W x 740D x 1050H mm

W-N120X90-B4W-N1 1200W x 900D x 1050H mm W-N150X90-B4W-N1 W-N180X90-B4W-N1 1800W x 900D x 1050H mm

#### WK-NB-3PO

W-N120X60-B4W-N2 1200W x 600D x 1050H mm W-N150X60-B4W-N2 W-N180X60-B4W-N2 1800W x 600D x 1050H mm

W-N120X74-B4W-N2 W-N150X74-B4W-N2 1500W x 740D x 1050H mm W-N180X74-B4W-N2 1800W x 740D x 1050H mm

W-N120X90-B4W-N2 1200W x 900D x 1050H mm W-N150X90-B4W-N2 1500W x 900D x 1050H mm W-N180X90-B4W-N2 1800W x 900D x 1050H mm

#### WK-NB-2PUO

W-N120X60-B4W-N3 1200W x 600D x 1050H mm W-N150X60-B4W-N3 1500W x 600D x 1050H mm W-N180X60-B4W-N3 1800W x 600D x 1050H mm

W-N120X74-B4W-N3 1200W x 740D x 1050H mm W-N150X74-B4W-N3 1500W x 740D x 1050H mm W-N180X74-B4W-N3 1800W x 740D x 1050H mm

W-N120X90-B4W-N3 1200W x 900D x 1050H mm W-N150X90-B4W-N3 W-N180X90-B4W-N3 1800W x 900D x 1050H mm

#### **Single Partition Range**

Chipboard Front Panel (C/w F-Bracket)

#### Fabric Front Panel (C/w F-Bracket)



Standard 500H W-SC-CB60X50F 18THK mm

W-SC-CB74X50F 690W/500H/

W-SC-CB90X50F 850W/500H/

W-SC-CB120X50F

18THK mm

18THK mm

1150W/500H/ 18THK mm W-SC-CB150X50F

1450W/500H/ 18THK mm

W-SC-CB180X50F 1750W/500H/ 18THK mm

Standard 700H W-SC-CB60X70F 550W/700H/

18THK mm

W-SC-CB74X70F 690W/700H/ 18THK mm

W-SC-CB90X70F 850W/700H/ 18THK mm

W-SC-CB120X70F 1150W/700H/ 18THK mm

18THK mm

W-SC-CB180X70F 1750W/700H/ 18THK mm

Standard 500H 550W/500H/

690W/500H/ 18THK mm

850W/500H/ 18THK mm

W-SC-CB150X70F 1450W/700H/

P-SC-FA60X50F 18THK mm

P-SC-FA74X50F

P-SC-FA90X50F

P-SC-FA120X50F 18THK mm

> P-SC-FA150X50F 1450W/500H/ 18THK mm

P-SC-FA180X50F 1750W/500H/ 18THK mm



Standard 700H P-SC-FA60X70F 550W/700H/ 18THK mm

P-SC-FA74X70F 690W/700H/ 18THK mm

P-SC-FA90X70F 850W/700H/ 18THK mm

P-SC-FA120X70F 18THK mm

P-SC-FA150X70F 1450W/700H/ 18THK mm

P-SC-FA180X70F 1750W/700H/ 18THK mm

Chipboard Partition (c/w L-Bracket)



Standard 300H W-SC-CB120X30L 1150W/300H/ 18THK mm

W-SC-CB150X30L 18THK mm

W-SC-CB180X30L 18THK mm

Standard 500H W-SC-CB120X50L 1150W/500H/ 18THK mm

W-SC-CB150X50L 18THK mm

W-SC-CB180X50L 18THK mm

Chipboard Partition (c/w T-Bracket)



Standard 300H W-SC-CB120X30T 1150W/300H/ 18THK mm

W-SC-CB150X30T 1450W/300H/ 18THK mm

W-SC-CB180X30T 18THK mm

Standard 500H W-SC-CB120X50T 1150W/500H/ 18THK mm

W-SC-CB150X50T 1450W/500H/ 18THK mm

W-SC-CB180X50T 18THK mm

#### Single Partition Range

Fabric Partition (c/w L-Bracket)



Standard 300H P-SC-FA120X30L 1150W/300H/ 18THK mm

P-SC-FA150X30L 1450W/300H/ 18THK mm

P-SC-FA180X30L 1750W/300H/ 18THK mm **Standard 500H P-SC-FA120X50L**1150W/500H/
18THK mm

P-SC-FA150X50L 1450W/500H/ 18THK mm

P-SC-FA180X50L 1750W/500H/ 18THK mm Fabric Partition (c/w T-Bracket)



**Standard 300H P-SC-FA120X30T**1150W/300H/
18THK mm

P-SC-FA150X30T 1450W/300H/ 18THK mm

P-SC-FA180X30T 1750W/300H/ 18THK mm **Standard 500H P-SC-FA120X50L**1150W/300H/
18THK mm

P-SC-FA150X50T 1450W/300H/ 18THK mm

P-SC-FA180X50T 1750W/300H/ 18THK mm

#### Modesty Range

Chipboard Modesty (c/w L-Bracket)

Chipboard Modesty (c/w T-Bracket)



Trapezium
W-MTR-CB120X48L
1050W/480H/
18THK mm

W-MTR-CB150X48L 1350W/480H/ 18THK mm

W-MTR-CB180X48L 1650W/480H/ 18THK mm



Rectangle W-MTR-CB120X48L 1050W/480H/ 18THK mm

**W-MTR-CB150X48L** 1350W/480H/ 18THK mm

W-MTR-CB180X48L 1650W/480H/ 18THK mm

#### **Modesty Range**

Fabric Modesty (c/w L-Bracket)

Fabric Modesty (c/w T-Bracket)



Trapezium
P-MTR-CB120X48L
1050W/480H/
18THK mm

P-MTR-CB150X48L 1350W/480H/ 18THK mm

P-MTR-CB180X48L 1650W/480H/ 18THK mm



Rectangle P-MTR-CB120X48L 1050W/480H/ 18THK mm

P-MTR-CB150X48L 1350W/480H/ 18THK mm

P-MTR-CB180X48L 1650W/480H/ 18THK mm

#### Modesty Range

Steel Modesty (w/o Bracket)



Rectangle ST-MRC-120X48 920W/480H/ 18THK mm

**ST-MRC-150X48** 1220W/480H/ 18THK mm

**ST-MRC-180X48** 1520W/480H/ 18THK mm

#### **Electronics Range**

Clamp Netbox



WK-CNB-3P

Anthena netbox with Lorem Ipsum



WK-CNB-2PO

Anthena netbox with 3P x 13a Socket (Nk Series) 2P x 13a Socket (Nk Series) 3P x 13a Socket (Nk Series) 4P x 13a Socket (Nk Series) 3P x 13a Socket (Nk Series) and 10 x Data Outlet RJ45 and 10 x Data Outlet RJ45 1U x Data USB



Anthena netbox with



WK-CNB-4PU

Anthena netbox with 1U x Data USB, 10 x Data Outlet RJ45

WK-CNB-3PUO



WK-CNB-2PU

Anthena netbox with 2P x 13a Socket (Nk Series) 3P x 13a Socket (Nk Series) and 1U x Data USB



WK-CNB-3PU

and 1U x Data USB


Anthena netbox with

WK-CNB-2PUO Anthena netbox with Outlet RJ45

Pearl Netbox

WK-CNB-3PO

Anthena netbox with



WK-CNB-4PO

Anthena netbox with 2P x 13a Socket (Nk Series) 4P x 13a Socket (Nk Series) 1U x Data USB, 10 x Data and 1O x Data Outlet RJ45

In-Desk Netbox



WK-NB-3P

Centra netbox with 3P x 13a Socket (Nk Series)



WK-ACC-NP-1

Pearl netbox with 1 socket outlet (GB)



WK-NB-3PO

Centra netbox with 3P x 13a Socket (Nk Series) and 10 x Data Outlet RJ45



g g D

WK-ACC-NP-2

Pearl netbox with 1 socket outlet (INT)



WK-CNB-2PUO

Centra netbox with 2P x 13a Socket (Nk Series) 1U x Data USB, 1O x Data Outlet RJ45



WK-ACC-NP-3

Pearl netbox with Twin Usb Charger

#### Wire Management Range

Trunking Plate



Trunking (Type A) TT-NX-TRUN-A 500W/128D/110H mm with 0.7mm steel sheet



Trunking (Type B) TT-NX-TRUN-B-120 920W/302D/125H mm for table length 1200 mm

TT-NX-TRUN-B-150 1220W/302D/125H mm for table length 1500 mm

TT-NX-TRUN-B-180 1520W/302D/125H mm for table length 1800 mm Small Wire Terminal



Trunking (Type A) TT-NX-TERM-S 666W/300D/50THK mm Wire terminal small

Wire Casing



Wire Casing Premium WK-WC1 1200 mm length Smooth and 2 way flexible movements



Wire Casing Standard TR-WC2 1000 mm length 1 way flexible movement

#### Colours

#### Table Top Chipboard

Wood Grain Colour



Havana

Oak












White



Oak







Edging Colour Option

Light Grey

#### Leg

Solid Colour



Black







Beige \*special order by project

Oak

#### Modesty & Screen Chipboard

Wood Grain Colour



Oak





White





White





Modi Oak





Shad Ash







Solid Colour









Latte \*special order by project

#### **Textured Colour**



Neville Fab

#### Flex

#### Single Desk







WK-FLEX-SD18-D 1800W/740D/

Hand Crank WK-FLEX-SD12-H 1200W/740D/ 580-1220H mm

WK-FLEX-SD15-H

1500W/740D/

580-1220H mm

WK-FLEX-SD18-H 1800W/740D/ 580-1220H mm

Double Bench


Hand Crank Motor WK-FLEX-DB12-D WK-FLEX-DB12-H 580-1220H mm 580-1220H mm WK-FLEX-DB15-D WK-FLEX-DB15-H

580-1220H mm 580-1220H mm WK-FLEX-DB18-D WK-FLEX-DB18-H 1800W/740D/ 1800W/740D/ 580-1220H mm

850mm for Double Bench Desk (W/o Bracket)

L-Shape Desk





WK-FLEX-L18-T WK-FLEX-L18-H 1800W/600D x 1800W/600D x 1800W/600D x 1800W/600D x 580-1220H mm 690-1120H mm



Partition Range

Standard 850H Standard 850H Chipboard Fabric W-SC-CB120X85 P-SC-FA120X85 1150W/850H/ 1150W/850H/ 18THK mm 18THK mm W-SC-CB150X85 P-SC-FA150X85 1450W/850H/ 1450W/850H/ 18THK mm 18THK mm

W-SC-CB180X85 P-SC-FA180X85 1750W/850H/ 1750W/850H/ 18THK mm 18THK mm

#### Partition Range

850mm for Single Desk (C/w Leg Bracket)



Standard 850H

3 column





Chipboard Chipboard W-SC-CB120X85-BR1 W-SC-CB120X85-BR2 1150W x 850H x 18THK mm 1150W x 850H x 18THK mm W-SC-CB150X85-BR1 W-SC-CB150X85-BR2 W-SC-CB180X85-BR1 W-SC-CB180X85-BR2 1750W x 850H x 18THK mm 1750W x 850H x 18THK mm

## (C/w Leg Bracket)





850mm for L-Shape Desk

Standard 850H 3 column

#### Standard 850H 2 column

Chipboard Chipboard W-SC-CB120X85-BR1L W-SC-CB120X85-BR2L 1150W x 850H x 18THK mm 1150W x 850H x 18THK mm W-SC-CB150X85-BR1L W-SC-CB150X85-BR2L 1450W x 850H x 18THK mm 1450W x 850H x 18THK mm W-SC-CB180X85-BR1L W-SC-CB180X85-BR2L 1750W x 850H x 18THK mm 1750W x 850H x 18THK mm

#### Fabric

P-SC-FA120X85-BR1 1150W x 850H x 18THK mm 1150W x 850H x 18THK mm P-SC-FA150X85-BR1 P-SC-FA150X85-BR2

#### Fabric P-SC-FA120X85-BR2

P-SC-FA180X85-BR1 P-SC-FA180X85-BR2 1750W x 850H x 18THK mm 1750W x 850H x 18THK mm

#### Fabric

P-SC-FA120X85-BR1L 1150W x 850H x 18THK mm P-SC-FA150X85-BR1L 1450W x 850H x 18THK mm

#### Fabric

P-SC-FA120X85-BR2L 1150W x 850H x 18THK mm P-SC-FA150X85-BR2L 1450W x 850H x 18THK mm P-SC-FA180X85-BR1L P-SC-FA180X85-BR2L 1750W x 850H x 18THK mm 1750W x 850H x 18THK mm

#### **Partition Range**

500mm & 700mm (C/w F-Bracket)



Standard 500H Chipboard W-SC-CB120X50F 18THK mm

W-SC-CB150X50F 1450W/500H/ 18THK mm

W-SC-CB180X50F 1750W/500H/ 18THK mm

Fabric P-SC-FA120X50F 18THK mm

P-SC-FA150X50F 1450W/500H/ 18THK mm

P-SC-FA180X50F 1750W/500H/ 18THK mm

Standard 700H Chipboard W-SC-CB120X70F 18THK mm

W-SC-CB150X70F 1450W/700H/ 18THK mm

W-SC-CB180X70F 1750W/700H/ 18THK mm

Fabric P-SC-FA120X70F 18THK mm

P-SC-FA150X70F 18THK mm

P-SC-FA180X70F 1750W/700H/ 18THK mm

300mm (C/w L-Bracket)



Standard 300H Chipboard W-SC-CB60X30L 18THK mm

W-SC-CB74X30L 690W/300H/ 18THK mm

W-SC-CB90X30L 850W/300H/ 18THK mm

W-SC-CB120X30L 18THK mm

W-SC-CB150X30L 1450W/300H/ 18THK mm

W-SC-CB180X30L 1750W/300H/ 18THK mm

Fabric P-SC-CB60X30L 18THK mm

P-SC-CB74X30L 690W/300H/ 18THK mm

P-SC-CB90X30L 850W/300H/ 18THK mm

P-SC-CB120X30L 1150W/300H/ 18THK mm

P-SC-CB150X30L 18THK mm

P-SC-CB180X30L 1750W/300H/ 18THK mm

Standard 500H Chipboard W-SC-CB60X50L

18THK mm

W-SC-CB74X50L 690W/500H/ 18THK mm

> W-SC-CB90X50L 850W/500H/ 18THK mm

W-SC-CB120X50L

W-SC-CB150X50L

W-SC-CB180X50L

1450W/500H/

1750W/500H/

P-SC-CB60X50L

18THK mm

Fabric

18THK mm

18THK mm

550W/500H/ 18THK mm

P-SC-CB74X50L 690W/500H/ 18THK mm

P-SC-CB90X50L 850W/500H/ 18THK mm

P-SC-CB120X50L 1150W/500H/ 18THK mm

P-SC-CB150X50L 18THK mm

P-SC-CB180X50L 18THK mm

#### **Modesty Range**

Trapezium (C/w L-Bracket)



Chipboard W-MTR-CB120X48L 1050W/480H/ 18THK mm

W-MTR-CB150X48L 1350W/480H/ 18THK mm

W-MTR-CB180X48L 1650W/480H/ 18THK mm

Fabric P-MTR-CB120X48L 1050W/480H/

18THK mm

1350W/480H/ 18THK mm

18THK mm

Rectangle (C/w L-Bracket)



Chipboard W-MRC-CB120X48L 1050W/480H/ 18THK mm

P-MTR-CB150X48L

P-MTR-CB180X48L 1650W/480H/

W-MRC-CB150X48L

18THK mm W-MRC-CB180X48L 1650W/480H/

18THK mm

1350W/480H/

Fabric P-MRC-CB120X48L 1050W/480H/ 18THK mm

P-MRC-CB150X48L 1350W/480H/ 18THK mm P-MRC-CB180X48L

1650W/480H/

18THK mm

#### **Electronics Range**

Clamp Netbox



WK-CNB-3P Anthena netbox with



WK-CNB-2PO Anthena netbox with 3P x 13a Socket (Nk Series) 2P x 13a Socket (Nk Series)






WK-CNB-3PO Anthena netbox with and 10 x Data Outlet RI45 and 10 x Data Outlet RI45 1U x Data USB



WK-CNB-4PU Anthena netbox with 3P x 13a Socket (Nk Series) 4P x 13a Socket (Nk Series)



WK-CNB-3PUO Anthena netbox with 3P x 13a Socket (Nk Series) 1U x Data USB, 10 x Data Outlet RJ45



WK-CNB-2PU Anthena netbox with and 1U x Data USB



WK-CNB-3PU Anthena netbox with 2P x 13a Socket (Nk Series) 3P x 13a Socket (Nk Series) and 1U x Data USB



WK-CNB-2PUO Anthena netbox with 2P x 13a Socket (Nk Series) 4P x 13a Socket (Nk Series) 1U x Data USB, 10 x Data Outlet RJ45



WK-CNB-4PO Anthena netbox with and 10 x Data Outlet RJ45

#### Wire Management Range Cable Tray



Non-Adjustable TR-CT100 960 x 150 x 100 mm Available for table top size 1200-1400mm Applicable: Single Desk / L-shape Desk

TR-CT112 1200 x 150 x 100 mm Available for table top size 1400-1800mm Applicable: Single Desk



Adjustable TR-F-CT113 1000-1600 x 156 x 90 mm Available for table top size 1200-1800mm Applicable: Double Bench Desk

Wire Casing



Wire Casing Premium WK-WC1 1200 mm length Smooth and 2 way flexible movements



Wire Casing Standard TR-WC2 1000 mm length 1 way flexible movement

	Applicable
х	Not Applicable

#### Accessories Applicable with Adjustable Single desk

	NETBOX			CA	CABLE TRAY PARTITION AND MODESTY							WIRE	CASING
	Clamp netbox	In-desk netbox	Flipper casing	wire tray adjustable	wire tray non-adjustable	850mm w/o Bracket	850mm c/w Leg Bracket	500 & 700 mm c/w F - Bracket	300mm c/w L - Bracket	Mode:	sty	Premium	Standard
	Series of the se		4				BR1/ BR2	<b>B B</b>					
1200W		×	×	х	×	×		X	×	×	×	×	×
1500W		×	х	х	х	x							
1800W		×	х	×	×	×							

<sup>\*</sup>for size 1200W only can match clamp netbox with 850mm partition with leg bracket (BR1 & BR2)

#### Accessories Applicable with Adjustable Single desk

	NETBOX CABLE TRAY				BLE TRAY	PARTITION AND MODESTY					WIRE	CASING	
	Clamp In-desk Flipper netbox netbox casing		wire tray adjustable	wire tray non-adjustable	850mm w/o Bracket	850mm c/w Leg Bracket	500 & 700 mm c/w F - Bracket	300mm c/w L - Bracket	Modesty		Premium	Standard	
	The state of the s		4				BR1/ BR2	e e					
1200W	×			х		×							
1500W	×			х		×							
1800W	×			х		x							

<sup>\*</sup>Best wire solution if come with cable tray (non-adjustable) to hide the wire (In-desk netbox) and put power plug point in cable tray (flipper casing)

#### \*Cable tray Applicable

TR-CT100 Available for table top size 1200-1400mm

TR-CT112 Available for table top size 1400-1800mm

#### Accessories Applicable with Adjustable L-Shape desk

	NETBOX			CA	CABLE TRAY PARTITION AND MODESTY					WIRE CASING			
	Clamp netbox	In-desk netbox	Flipper casing	wire tray adjustable	wire tray non-adjustable	850mm w/o Bracket	850mm c/w Leg Bracket	500 & 700 mm c/w F - Bracket	300mm c/w L - Bracket	Modes	sty	Premium	Standard
	F		4				BR1L/ BR2L	r					
1500W		×	×	×	х	×							
1800W		×	×	×	х	x							

<sup>\*</sup>Camp netbox need to be placed at extension table top



#### Accessories Applicable with Adjustable L-Shape desk

	NETBOX			CA	CABLE TRAY PARTITION AND MODESTY					WIRE CASING			
	Clamp netbox	In-desk netbox	Flipper casing	wire tray adjustable	wire tray non-adjustable	850mm w/o Bracket	850mm c/w Leg Bracket	500 & 700 mm c/w F - Bracket	300mm c/w L - Bracket	Mode	sty	Premium	Standard
1	the state of the s		4				BR1L/ BR2L	•					
1500W	Х			×		х							
1800W	×			×		×							

<sup>\*</sup>All netbox and Flipper casing need to be placed at extension table top

\*Best wire solution if come with cable tray (non-adjustable) to hide the wire (In-desk netbox) and put power plug point in cable tray (flipper casing)

\*Cable tray Applicable TR-CT100 Available for table top size 1200-1800mm

#### Accessories Applicable with Adjustable Double bench

	NETBOX			CA	BLE TRAY		PARTITION AND MODESTY						CASING
	Clamp netbox	In-desk netbox	Flipper casing	wire tray adjustable	wire tray non-adjustable	850mm w/o Bracket	850mm c/w Leg Bracket	500 & 700 mm c/w F - Bracket	300mm c/w L - Bracket	Mode	sty	Premium	Standard
			4					0 0					
1200W					Х		Х	Х	×	×	×		×
1500W					х		х	х	x	х	х		х
1800W					×		X	х	×	×	X		×

<sup>\*</sup>for size 1500W & 1800W can match with clamp netbox (position need to place at side table top either right or left side) if use with 500 & 700mm partition with F-bracket and 300mm with L-bracket

<sup>\*</sup>Can match 300mm c/w L-bracket with modesty

<sup>\*</sup>For Clamp netbox no need cable tray

<sup>\*</sup>Can match 300mm c/w L-bracket with modesty

<sup>\*</sup>If the table match with clamp netbox, the extension table cannot be place any partition on it.

<sup>\*</sup>Can match 300mm c/w L-bracket with modesty

<sup>\*</sup>For Clamp netbox no need cable tray

<sup>\*</sup>If the table match with In-desk netbox and Flipper casing, the extension table can be place partition 300mm c/w L-bracket

<sup>\*</sup>Can match 300mm c/w L-bracket with modesty

#### Colours

#### Table Top Chipboard

Wood Grain Colour



Havana

Oak





White









Solid Colour



Edging Colour Option

White

Light Grey

Leg

Powder Coated Steel Colour



Black

#### Partition & Modesty

Wood Grain Colour











Cappuccino

Solid Colour



Black

Plum





Fully Light

Oak











Hydro



Cinnabar







Stellar



Dragon



Midnight







Single Table



Depth 600 Table W-B-120X60-S-G 1200W/600D/ 760H mm

W-B-150X60-S-G 1500W/600D/ 760H mm

W-B-180X60-S-G 1800W/600D/ 760H mm

Depth 740 Table W-B-120X74-S-G 760H mm

W-B-150X74-S-G

1500W/740D/ 760H mm W-B-180X74-S-G

1800W/740D/

760H mm

L-Shape

W-B-150X60-L-G 1500W/600D/ X 1500W/600D/ 760H mm

Standard Table

Double Table



Standard Table W-B-120X120-D-G 760H mm

W-B-150X120-D-G 1500W/1200D/ 760H mm

W-B-180X120-D-G 1800W/1200D/



Bar Table

Standard Table W-B-120X60-BS-G 1200W/600D/ 1050H mm

W-B-150X60-BS-G 1500W/600D/ 1050H mm

W-B-180X60-BS-G 1800W/600D/ 1050H mm

#### Bar Double Table



Standard Table W-B-120X120-BD-G 760H mm

W-B-150X120-BD-G 760H mm

W-B-180X120-BD-G 1800W/1200D/ 1050H mm

Single Partition Range

Chipboard Partition (C/w L-Bracket)



Standard 300H Chipboard W-SC-CB120X30L 1150W/300H/ 18THK mm

W-SC-CB150X30L 1450W/300H/ 18THK mm

W-SC-CB180X30L 1750W/300H/ 18THK mm

Standard 500H Chipboard W-SC-CB120X50L 1150W/500H/ 18THK mm

W-SC-CB150X50L 1450W/500H/ 18THK mm

W-SC-CB180X50L 1750W/500H/ 18THK mm

Applicable for Double Bench & Bar Double Table

Chipboard Partition (C/w T-Bracket)



Standard 300H Chipboard W-SC-CB120X30T 1150W/300H/ 18THK mm

W-SC-CB150X30T 1450W/300H/ 18THK mm

W-SC-CB180X30T 1750W/300H/ 18THK mm

Standard 500H Chipboard W-SC-CB120X50T 1150W/500H/ 18THK mm

W-SC-CB150X50T 1450W/500H/ 18THK mm

W-SC-CB180X50T 1750W/500H/ 18THK mm

#### Single Partition Range

Fabric Partition (C/w L-Bracket)



Standard 300H Fabric P-SC-FA120X30L 1150W/300H/ 18THK mm

P-SC-FA150X30L 1450W/300H/ 18THK mm

P-SC-FA180X30L 1750W/300H/ 18THK mm

Standard 500H Fabric P-SC-FA120X50L 1150W/500H/ 18THK mm

P-SC-FA150X50L 1450W/500H/ 18THK mm

P-SC-FA180X50L 1750W/500H/ 18THK mm

Fabric Partition (C/w T-Bracket) Applicable for Double & VR-table



Standard 300H Fabric P-SC-FA120X30T 1150W/300H/ 18THK mm

P-SC-FA150X30T 1450W/300H/ 18THK mm

P-SC-FA180X30T 18THK mm

Standard 500H Fabric P-SC-FA120X50T 1150W/500H/ 18THK mm

P-SC-FA150X50T 1450W/500H/ 18THK mm

P-SC-FA180X50T 1750W/500H/ 18THK mm

#### Colours

#### Table Top Chipboard

Wood Grain Colour



Havana

Oak

















Oak



Oak



Ash



#### Leg & Modesty Cjipboard

Solid Colour



White

#### Screen Chipboard

Wood Grain Colour



Havana

Oak



White





Oak






Oak











Grey

Ash

Textured Colour



Neville

#### Taz


#### Straight Main Table



#### Curve Main Table



#### L-Shape Table



#### Material

#### Table Top Colour Options:

25mm thk melamine laminated chipboard with 1mm thk edging



#### Leg Colour Options:

Steel leg




#### Modesty Colour Options:

18mm thk melamine laminated chipboard with 1mm thk eding




#### Konnect K1 Type TABLE TOP A (APPLE) HIGH MEDIUM LOW 700-850W MM 700-850W MM 700 - 850W MM **WK-K1H-A70** 700W x 598D x 1050H MM **WK-K1M-A70** 700W x 598D x 750H MM **WK-K1L-A70** 700W x 598D x 450H MM \*For K1 table applicable table size Min W 700 - Max 850mm Only **WK-K1H-A85** 850W x 754D x 1050H MM **WK-K1L-A85** 850W x 754D x 450H MM WK-K1M-A85 850W x 754D x 750H MM TABLE TOP B (TRACUTE) HIGH MEDIUM LOW 700-850W MM 700-850W MM 700-850W MM 700 - 850W MM **WK-K1L-B70** 700W x 649D x 450H MM **WK-K1H-B70** 700W x 649D x 1050H MM **WK-K1M-B70** 700W x 649D x 750H MM \*For K1 table applicable table size Min W 700 - Max 850mm Only **WK-K1L-B85** 850W x 795D x 450H MM **WK-K1M-B85** 850W x 795D x 750H MM **WK-K1H-B85** 850W x 795D x 1050H MM TABLE TOP C (SQUARE) HIGH MEDIUM LOW 700-850W MM 700-850W MM 700-850W MM 700 - 850W MM **WK-K1H-C70** 700W x 700D x 1050H MM **WK-K1M-C70** 700W x 700D x 750H MM **WK-K1L-C70** 700W x 700D x 450H MM \*For K1 table applicable table size Min W 700 - Max 850mm Only **WK-K1H-C85** 850W x 850D x 1050H MM **WK-K1M-C85** 850W x 850D x 750H MM **WK-K1L-C85** 850W x 850D x 450H MM TABLE TOP D (SMOOTH SQUARE) HIGH MEDIUM LOW 700-850W MM 700-850W MM 700-850W MM 700 - 850W MM **WK-K1H-D70** 700W x 700D x 1050H MM **WK-K1M-D70** 700W x 700D x 750H MM **WK-K1L-D70** 700W x 700D x 450H MM \*For K1 table applicable table size Min W 700 - Max 850mm Only **WK-K1L-D85** 850W x 850D x 450H MM WK-K1H-D85 WK-K1M-D85 850W x 850D x 750H MM 850W x 850D x 1050H MM TABLE TOP E (CIRCLE) MEDIUM HIGH LOW

# 700-850W MM 700-850W MM 700 - 850DIA MM \*For K1 table applicable table size Min W 700 - Max 850mm Only



#### Konnect











#### Konnect



#### Konnect










#### Konnect

#### КЗ Туре



\*For K3 table applicable table size Min W 850 - Max 1000mm Only

# 850-1000W MM

HIGH

**WK-K3H-A85-B** 850W x 754D x 1050H MM WK-K3H-A100-B 1000W x 899D x 1050H MM

**WK-K3H-A85-W** 850W x 754D x 1050H MM WK-K3H-A100-W 1000W x 899D x 1050H MM

**WK-K3H-A85-S** 850W x 754D x 1050H MM **WK-K3H-A100-S** 1000W x 899D x 1050H MM



**WK-K3M-A85-B** 850W x 754D x 760H MM WK-K3M-A100-B 1000W x 899D x 760H MM

MEDIUM

850-1000W MM

**WK-K3M-A85-W** 850W x 754D x 760H MM WK-K3M-A100-W 1000W x 899D x 760H MM

**WK-K3M-A85-S** 850W x 754D x 760H MM **WK-K3M-A100-S** 1000W x 899D x 760H MM 850-1000W MM


LOW

**WK-K3L-A85-B** 850W x 754D x 460H MM WK-K3I -A100-B 1000W x 899D x 460H MM

**WK-K3L-A85-W** 850W x 754D x 460H MM **WK-K3L-A100-W** 1000W x 899D x 460H MM

**WK-K3L-A85-S** 850W x 754D x 460H MM **WK-K3L-A100-S** 1000W x 899D x 460H MM

#### TABLE TOP B (TRACUTE)



\*For K3 table applicable table size Min W 850 - Max 1000mm Only

#### HIGH



**WK-K3H-B85-B** 850W x 795D x 1050H MM **WK-K3H-B100-B** 1000W x 892D x 1050H MM

**WK-K3H-B85-W** 850W x 795D x 1050H MM **WK-K3H-B100-W** 1000W x 892D x 1050H MM

**WK-K3H-B85-S** 850W x 795D x 1050H MM **WK-K3H-B100-S** 1000W x 892D x 1050H MM

#### MEDIUM





**WK-K3M-B85-B** 850W x 795D x 760H MM **WK-K3M-B100-B** 1000W x 892D x 760H MM

> **WK-K3M-B85-W** 850W x 795D x 760H MM **WK-K3M-B100-W** 1000W x 892D x 760H MM

WK-K3M-B85-S 850W x 795D x 760H MM **WK-K3M-B100-S** 1000W x 892D x 760H MM

#### LOW




**WK-K3L-B85-B** 850W x 795D x 460H MM **WK-K3L-B100-B** 1000W x 892D x 460H MM

850-1000W MM

**WK-K3L-B85-W** 850W x 795D x 460H MM **WK-K3L-B100-W** 1000W x 892D x 460H MM

**WK-K3L-B85-S** 850W x 795D x 460H MM **WK-K3L-B100-S** 1000W x 892D x 460H MM

#### TABLE TOP C (SQUARE)



\*For K3 table applicable table size Min W 850 - Max 1000mm Only

#### HIGH



WK-K3H-C85-B 850W x 850D x 1050H MM WK-K3H-C100-B 1000W x 1000D x 1050H MM

WK-K3H-C85-W 850W x 850D x 1050H MM WK-K3H-C100-W 1000W x 1000D x 1050H MM

**WK-K3H-C85-S** 850W x 850D x 1050H MM WK-K3H-C100-S 1000W x 1000D x 1050H MM



MEDIUM

WK-K3M-C85-B 850W x 850D x 760H MM WK-K3M-C100-B 1000W x 1000D x 760H MM

WK-K3M-C85-W 850W x 850D x 760H MM WK-K3M-C100-W 1000W x 1000D x 760H MM

**WK-K3M-C85-S** 850W x 850D x 760H MM WK-K3M-C100-S 1000W x 1000D x 760H MM

#### LOW



WK-K3L-C85-B 850W x 850D x 460H MM WK-K3L-C100-B 1000W x 1000D x 460H MM


**WK-K3L-C85-W** 850W x 850D x 460H MM WK-K3L-C100-W 1000W x 1000D x 460H MM

**WK-K3L-C85-S** 850W x 850D x 460H MM WK-K3L-C100-S 1000W x 1000D x 460H MM


#### Konnect

#### КЗ Туре

#### TABLE TOP D (SMOOTH SQUARE)



\*For K3 table applicable table size Min W 850 - Max 1000mm Only



**WK-K3H-D85-B** 850W x 850D x 1050H MM WK-K3H-D100-B 1000W x 1000D x 1050H MM

**WK-K3H-D85-W** 850W x 850D x 1050H MM WK-K3H-D100-W 1000W x 1000D x 1050H MM

**WK-K3H-D85-S** 850W x 850D x 1050H MM WK-K3H-D100-S 1000W x 1000D x 1050H MM



**WK-K3M-D85-B** 850W x 850D x 760H MM WK-K3M-D100-B

MEDIUM

WK-K3M-D100-W

WK-K3M-D100-S

850-1000W MM 850-1000W MM

1000W x 1000D x 760H MM

**WK-K3M-D85-W** 850W x 850D x 760H MM 1000W x 1000D x 760H MM

**WK-K3M-D85-S** 850W x 850D x 760H MM 1000W x 1000D x 760H MM

MEDIUM

**WK-K3L-D85-B** 850W x 850D x 460H MM WK-K3L-D100-B 1000W x 1000D x 460H MM


LOW

**WK-K3L-D85-W** 850W x 850D x 460H MM WK-K3L-D100-W 1000W x 1000D x 460H MM

**WK-K3L-D85-S** 850W x 850D x 460H MM WK-K3L-D100-S 1000W x 1000D x 460H MM

LOW

#### TABLE TOP E (CIRCLE)



850 - 1000DIA MM


\*For K3 table applicable table size Min W 850 - Max 1000mm Only



**WK-K3H-E85-B** 850W x 850D x 1050H MM WK-K3H-E100-B 1000W x 1000D x 1050H MM

**WK-K3H-E85-W** 850W x 850D x 1050H MM **WK-K3H-E100-W** 1000W x 1000D x 1050H MM

**WK-K3H-E85-S** 850W x 850D x 1050H MM WK-K3H-E100-S 1000W x 1000D x 1050H MM



**WK-K3M-E85-B** 850W x 850D x 760H MM **WK-K3M-E100-B** 1000W x 1000D x 760H MM

**WK-K3M-E85-W** 850W x 850D x 760H MM **WK-K3M-E100-W** 1000W x 1000D x 760H MM

**WK-K3M-E85-S** 850W x 850D x 760H MM WK-K3M-E100-S 1000W x 1000D x 760H MM



**WK-K3L-E85-B** 850W x 850D x 460H MM **WK-K3L-E100-B** 1000W x 1000D x 460H MM


**WK-K3L-E85-W** 850W x 850D x 460H MM **WK-K3L-E100-W** 1000W x 1000D x 460H MM

> **WK-K3L-E85-S** 850W x 850D x 460H MM **WK-K3L-E100-S** 1000W x 1000D x 460H MM

> > LOW

1000W MM

#### TABLE TOP F (PEAR)






WK-K3H-F85-B 1000W x 850D x 1050H MM

**WK-K3H-F85-W** 1000W x 850D x 1050H MM


**WK-K3H-F85-S** 1000W x 850D x 1050H MM



WK-K3M-F85-B 1000W x 850D x 760H MM

1000W x 850D x 760H MM WK-K3M-F85-S 1000W x 850D x 760H MM

WK-K3M-F85-W



WK-K3L-F85-B 1000W x 850D x 460H MM


**WK-K3L-F85-W** 1000W x 850D x 460H MM

**WK-K3L-F85-S** 1000W x 850D x 460H MM


#### Konnect

#### КЗ Туре

#### TABLE TOP G (LEAF)



\*For K3 table applicable table size Min W 1800 - Max 2000mm Only



**WK-K3H-G85-B** 1800W x 800D x 1050H MM

**WK-K3H-G85-W** 1800W x 800D x 1050H MM

**WK-K3H-G85-S** 1800W x 800D x 1050H MM




MEDIUM

**WK-K3M-G85-B** 1800W x 800D x 760H MM

**WK-K3M-G85-W** 1800W x 800D x 760H MM

**WK-K3M-G85-S** 1800W x 800D x 760H MM


#### TABLE TOP EL (ELLIPS)





**WK-K3L-EL25-S** 1000W x 750D x 460H MM

#### TABLE TOP TR (TRAPEZIUM)





**WK-K3L-TR25-W** 990W x 786D x 460H MM

**WK-K3L-TR25-S** 990W x 786D x 460H MM

#### Colours

#### Table Top Chipboard

Wood Grain Colour



Oak



White



Oak

White




Oak




Ash





Grey

**Edging Colour Option** 



#### Leg

Epoxy Powder Coating

Black

K2

Chrome

Chrome



Epoxy Powder Coating



#### Atro


#### 2T Table Set

#### WK-MET-10-2T



	3000W MM		
750 MM	1500 MM	750 MM	
			760H MM

#### 4T Table Set WK-MET-10-4T



		45001	V MM			
750 MM	1500	MM	150	00 MM	750 MM	
			• •			1 MM H092

#### 6T Table Set WK-MET-10-6T



6000W MM											
750 MM	0 MM 1500 MM			1500 MM			1500 MM			750 MM	
	• •	••		••	••		••	••			760H MM

#### 8T Table Set WK-MET-10-8T






#### Teff

5FT Table

WK-TF-15-W-M(S)








6FT Table

WK-TF-18-W-M(S)







#### Material

#### Table Top Colour Options:

25mm thk melamine laminated chipboard with 1mm thk edging



















#### Leg and Bar Colour Options:

Steel leg



#### **Modesty Colour Options:**

18mm thk steel modesty in black colour





# Create A Better Workplace